

PLACE YOUR ORDER TODAY!

ONLINE www.bellevilleboot.com

PHONE 800-376-6978

Mon-Fri: 0700 to 1700 CST

EMAIL Domestic: boots@bellevilleboot.com

International: intl@bellevilleboot.com

BELLEVILLE ACCEPTS:

GSA SmartPay, Visa, MasterCard, American Express









BELLEVILLE B2B

BellevilleB2B.com is a convenient business to business site exclusively for qualified Belleville dealers offering:

- ► Easy order placement
- ► Real-time inventory accessibility
- ► Convenient order tracking
- ▶ and more!

Call Customer Service at 800-376-6978 to inquire about obtaining a username & password.

STAY CONNECTED!

No matter where your Bellevilles take you, staying connected with our global community is easy. Join us on Facebook, Instagram, YouTube and BellevilleBoot.com to stay current on industry news, read what others are saying about our boots, or submit a comment or question of your own. Connect, interact and communicate; as there is always something happening at Belleville.



facebook.com/belleville.boot



instagram.com/bellevilleboot



youtube.com/bellevilleboot



TABLE OF CONTENTS

NEW FOR 2023 2-3
COYOTE 4-20
AVIATOR BROWN 20-21
BLACK 21-35
APPROVED FLIGHT BOOTS 36
CERTIFICATIONS, APPROVALS AND TECHNOLOGY
BOOT CARE & SIZING TIPS 38
PLACE AN ORDER/ RETURN & EXCHANGE INFO
INDEX 40-41





* ARM YOUR FEET**

NEW FOR 2023



ARMR LTE C290
ULTRALIGHT COMBAT
& TRAINING BOOT
PAGE 5



AMRAP BV505 ATHLETIC FIELD BOOT PAGE 7



SPEAR POINT BV918ZWPCT
SIDE-ZIP COMPOSITE TOE TACTICAL BOOT
PAGE 28



C312Z CT
HOT WEATHER
COMPOSITE TOE BOOT
PAGE 10



C315 ST
ULTRALIGHT STEEL TOE
TACTICAL BOOT
PAGE 11



SPEAR POINT 508ZCT
LIGHTWEIGHT COMPOSITE
TOE BOOT
PAGE 12



339 ST
US NAVY AVIATOR BOOT
PAGE 21



495 ST / F495 STUS NAVY "I-5" STEEL TOE BOOT PAGE 21



CANOPY BV903PR
JUNGLE BOOT
PAGE 25



CANOPY 503PR
JUNGLE BOOT
PAGE 25



SPEAR POINT BV915ZWP
LIGHTWEIGHT SIDE-ZIP WATERPROOF
BOOT
PAGE 26



AMRAP BV970ZWPT

TACTICAL VAPOR BOOT
PAGE 33



AMRAP BV570ZWPT
TACTICAL VAPOR BOOT
PAGE 33





FLYWEIGHT C320 / ULTRALIGHT ASSAULT BOOT



8" (Standard Military Height) 100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber Exclusive VIBRAM® Incisor Single density molded removable insert

SPECIAL FEATURES:

- ► Medial & lateral dual ventilation zones
- ► Athletic strobel-stitch construction
- ▶ Weighs approximately 20 ounces per half pair
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 - 14, R & W Half Sizes: 4.5 - 13.5, R & W

FLYWEIGHT FC320 / FEMALE ULTRALIGHT ASSAULT BOOT



8" (Standard Military Height) HEIGHT: UPPER: 100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole **OUTSOLE:** 100% rubber Exclusive VIBRAM® Incisor Single density molded removable insert

SPECIAL FEATURES:

- ► Medial & lateral dual ventilation zones
- ► Athletic strobel-stitch construction
- ▶ Weighs approximately 20 ounces per half pair
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

WOMEN'S Full Sizes: 4 - 10, R & W

Half Sizes: 4.5 - 9.5. R & W

ARMR LTE C290 ULTRALIGHT COMBAT & TRAINING BOOT



8" (Standard Military Height) 100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber VIBRAM® outsole Single density molded removable insert

SPECIAL FEATURES:

- ► Strobel construction for excellent flexibility
- ► Cool-mesh hydrophilic lining
- ▶ Low density PU midsole to minimize weight
- ▶ Weighs approximately 20.6 ounces per half pair
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 - 14, R & W Half Sizes: 4.5 - 13.5, R & W

ARMR UP AT LTE SPEED



sabre C333 / hot weather hybrid assault boot



HEIGHT: 8" (Standard Military Height)

UPPER: 100% cattlehide leather & nylon fabric
MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber Exclusive VIBRAM® lbex outsole for rugged terrain INSOLE: Dual density molded Shockmaster™ removable insert

SPECIAL FEATURES:

- ► Low profile sole reduces weight & improves mobility
- ► Sharp angled lugs and defined heel maximize traction
- ► Deeply serrated toe bumper aids in vertical climbing & crawling
- ▶ Rappelling bars on outsole extend wear
- ► Aggressive lace-to-toe style allows for a customized fit
- ▶ Breathable moisture-wicking lining
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 - 14, R & W Half Sizes: 4.5 - 13.5, R & W

C390

HOT WEATHER COMBAT BOOT



VIBRAM® SIERRA







8" (Standard Military Height)

PER: 100% cattlehide leather & nylon fabric
DSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber VIBRAM® Sierra

Single density molded removable insert

SPECIAL FEATURES:

- ► VANGUARD running shoe sole construction
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 2 – 16, N, R, W & XW Half Sizes: 2.5 – 15.5, N, R, W & XW

AMRAP® BV505 ATHLETIC FIELD BOOT



8" (Standard Military Height) HEIGHT:

100% cattlehide leather & nylon fabric

MIDSOLE: Expanded TPU **OUTSOLE:** 100% rubber outsole INSOLE: Removable molded-EVA



SPECIAL FEATURES:

- ► High resiliency and rebound E-TPU midsole
- ► Moisture wicking lining
- ► Athletic strobel construction
- ▶ Stabilizer strap for heel and ankle support
- ▶ Blind eyelet lacing system for a secure fit
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 - 15, R & W Half Sizes: 4.5 - 11.5, R & W

Scan this code to learn more about the AMRAP® BV505



AMRAP® TR501

ATHLETIC TRAINING BOOT



OUTSOLE



8" (Standard Military Height) 100% cattlehide leather & nylon fabric

MIDSOLE: Expanded TPU

OUTSOLE: 100% rubber "PT" outsole INSOLE: Removable molded-EVA

SPECIAL FEATURES:

- ▶ 8 millimeter heel to toe "drop"
- ▶ High resiliency and rebound E-TPU midsole
- ► Moisture wicking lining
- ► Athletic strobel construction
- ► Flat "ribbon" laces
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 - 15. R & W

Half Sizes: 4.5 - 11.5, R & W

Scan this code to learn more about the AMRAP® TR501



SPEAR POINT BV518 / LIGHTWEIGHT HOT WEATHER TACTICAL BOOT



8" (Standard Military Height) 100% cattlehide leather & nylon fabric

MIDSOLE: Highly cushioned, lightweight EVA midsole for superior comfort **OUTSOLE:** Zone traction rubber outsole for enhanced slip and oil resistance

Single density molded removable insert

SPECIAL FEATURES:

- ► TAA Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 - 15, R & W Half Sizes: 4.5 - 11.5, R & W



ZONE TRACTION RUBBER OUTSOLE

MINI-MIL® TR105 / MINIMALIST BOOT



HEIGHT: 8" (Standard Military Height) UPPER: 100% cattlehide leather & nylon fabric MIDSOLE: 2 millimeter, die-cut shock dispersing midsole

OUTSOLE: 100% rubber Exclusive VIBRAM® Tarsus is oil & slip resistant

INSOLE: Single density molded removable insert

SPECIAL FEATURES:

- ▶ 2 millimeter heel to toe "drop"
- ► Highly breathable unlined upper
- ▶ Double & triple stitched seams for enhanced durability
- ► Convenient pull-on loop
- ▶ Weighs approximately 16 ounces per half pair
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 - 14, R & W Half Sizes: 4.5 - 11.5, R & W

EXCLUSIVE

VIBRAM® TARSUS

> Specifically for the warrior athlete interested in evolving toward a more natural movement.

Scan this code to learn more about the MiniMil TR105



KHYBER TR550 / HOT WEATHER MULTI-TERRAIN BOOT







8" (Standard Military Height)

100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber Exclusive VIBRAM® Ibex outsole for rugged terrain

TR-1° load bearing orthotic insole

SPECIAL FEATURES:

- ► Low profile sole reduces weight & improves mobility
- ▶ Sharp angled lugs and defined heel maximize traction
- ▶ Deeply serrated toe bumper aids in vertical climbing & crawling
- ▶ Rappelling bars on outsole extend wear
- ► Aggressive lace-to-toe style allows for a customized fit
- ▶ Breathable moisture-wicking lining
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

Khyber TR550

MEN'S Full Sizes: 4-16, R & W Half Sizes: 4.5 - 11.5, R & W

Scan this code to learn more about the









FLYWEIGHT C312 ST/ hot weather tactical steel toe boot



8" (Standard Military Height)

100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole **OUTSOLE:** 100% rubber Exclusive VIBRAM® Incisor Single density molded removable insert

SPECIAL FEATURES:

- ▶ Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ▶ Padded collar and tongue for added comfort
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 - 14, R & W Half Sizes: 4.5 - 13.5, R & W







FLYWEIGHT C312Z CT HOT WEATHER SIDE-ZIP COMPOSITE TOE BOOT



8" (Standard Military Height)

100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole **OUTSOLE:** 100% rubber Exclusive VIBRAM® Incisor Single density molded removable insert

SPECIAL FEATURES:

- ► Spacious, non-metallic composite toe is lighter weight than traditional steel toe and does not conduct heat or cold
- ▶ Composite toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ► YKK vislon zipper
- ▶ Padded collar and tongue for added comfort
- ► Berry Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 - 14, R & W Half Sizes: 4.5 - 13.5, R & W

FLYWEIGHT C315 ST ULTRALIGHT 6" STEEL TOE TACTICAL BOOT







6" (Mid-cut) HEIGHT:

UPPER: 100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole **OUTSOLE:** 100% rubber Exclusive VIBRAM® Incisor Single density molded removable insert INSOLE:

SPECIAL FEATURES:

- ▶ Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ► Moisture wicking lining
- ► Flat "ribbon" laces
- ▶ Weighs approximately 20 ounces per half pair
- ► Berry Compliant

MEN'S Full Sizes: 4 - 14, R & W Half Sizes: 4.5 - 13.5, R & W









C300 ST / HOT WEATHER STEEL TOE BOOT



VIBRAM® SIERRA



SPECIAL FEATURES:

8" (Standard Military Height)

100% cattlehide leather & nylon fabric

Single density molded removable insert

- ► VANGUARD running shoe sole construction
- ▶ Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

Full Sizes: 3 - 16, R & W Half Sizes: 3.5 - 15.5, R & W

SPEAR POINT 508ZCT HOT WEATHER LIGHTWEIGHT SIDE-ZIP COMPOSITE TOE BOOT



ZONE TRACTION RUBBER OUTSOLE



8" (Standard Military Height)

100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole

DUTSOLE: Zone traction rubber outsole for enhanced slip and oil resistance

Single density molded removable insert

SPECIAL FEATURES:

- ► Spacious, non-metallic composite toe is lighter weight than traditional steel toe and does not conduct heat or cold
- ▶ Composite toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- YKK side zipper with security overlay
- ► TAA Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 - 14, R & W Half Sizes: 4.5 - 11.5. R & W







TR596Z CT / HOT WEATHER LIGHTWEIGHT SIDE-ZIP COMPOSITE TOE BOOT



ADRENALINE





8" (Standard Military Height)

100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole **OUTSOLE:** 100% rubber TR Adrenaline is oil & slip resistant

Single density molded removable insert

SPECIAL FEATURES:

- ▶ Spacious, non-metallic composite toe is lighter weight than traditional steel toe and does not conduct heat or cold
- ▶ Composite toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ► YKK vislon zipper
- ► Highly breathable unlined upper
- ▶ Double & triple stitched seams for enhanced durability
- ▶ 3 layers of cushioning comfort for superior shock absorption
- ▶ Weighs approximately 22 ounces per half pair
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 - 14. R & W Half Sizes: 4.5 - 11.5, R & W

C793 / WATERPROOF ASSAULT FLIGHT BOOT



8" (Standard Military Height) HEIGHT: **UPPER:** 100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber Exclusive VIBRAM® lbex outsole for rugged terrain Dual density molded Shockmaster™ removable insert INSOLE:

SPECIAL FEATURES:

- ► Durably waterproof and highly breathable GORE-TEX fabric
- ► Low profile sole reduces weight & improves mobility
- ▶ Sharp angled lugs and defined heel maximize traction
- ▶ Deeply serrated toe bumper aids in vertical climbing & crawling
- ▶ Rappelling bars on outsole extend wear
- ▶ Aggressive lace-to-toe style allows for a customized fit
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 - 14, R & W Half Sizes: 4.5 - 13.5, R & W







WATERPROOF FLIGHT & COMBAT BOOT



VIBRAM® SIERRA



HEIGHT: UPPER: MIDSOLE: OUTSOLE: INSOLE:

8" (Standard Military Height) 100% cattlehide leather & nylon fabric Highly cushioned, shock absorbent midsole 100% rubber VIBRAM® Sierra Single density molded removable insert

SPECIAL FEATURES:

- ► VANGUARD running shoe sole construction
- ▶ Durably waterproof and highly breathable GORE-TEX fabric
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 3 - 16, N, R, W & XW Half Sizes: 3.5 - 15.5, N, R, W & XW







C790 ST WATERPROOF STEEL TOE FLIGHT & COMBAT BOOT



HEIGHT: 8" (Standard Military Height)

UPPER: 100% cattlehide leather & nylon fabricMIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber VIBRAM® Sierra

Single density molded removable insert

SPECIAL FEATURES:

- ► Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ► VANGUARD running shoe sole construction
- ▶ Durably waterproof and highly breathable GORE-TEX fabric
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 3 – 16, R & W Half Sizes: 3.5 – 15.5, R & W









C795 / 2006 INSULATED WATERPROOF COMBAT BOOT



8" (Standard Military Height)

UPPER: 100% cattlehide leather & nylon fabricMIDSOLE: Highly cushioned, shock-absorbent midsole

OUTSOLE: 100% rubber VIBRAM® 360° FIRE & ICE™ compound designed to

improve traction in icy conditions

Polyurethane removable insert

SPECIAL FEATURES:

- ► VANGUARD running shoe sole construction
- ▶ Durably waterproof and highly breathable GORE-TEX fabric
- ▶ 200g THINSULATE™ insulation
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 3 - 16, R & W Half Sizes: 3.5 - 15.5, R & W







600g INSULATED WATERPROOF BOOT





8" (Standard Military Height) HEIGHT: UPPER: All 100% cattlehide leather

MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber VIBRAM® 360° FIRE & ICE™compound designed

to improve traction in icy conditions Single density molded removable insert

SPECIAL FEATURES:

- ▶ 600q THINSULATE™ Insulation
- ▶ Durably waterproof and highly breathable GORE-TEX fabric
- ▶ VANGUARD running shoe sole construction
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 3 - 15, R & W Half Sizes: 3.5 - 14.5, R & W









C775 ST | 600g INSULATED WATERPROOF STEEL TOE BOOT



HEIGHT: 8" (Standard Military Height) **UPPER:** All 100% cattlehide leather MIDSOLE: Highly cushioned, shock absorbent midsole OUTSOLE:

INSOLE:

100% rubber VIBRAM® 360° FIRE & ICE™ compound designed to improve

traction in icy conditions

Single density molded removable insert

SPECIAL FEATURES:

- ▶ Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ▶ 600q THINSULATE™ Insulation
- ▶ Durably waterproof and highly breathable GORE-TEX fabric
- ► VANGUARD running shoe sole construction
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 3 - 15, R & W Half Sizes: 3.5 - 14.5, R & W









KHYBER TR550WPINS / INSULATED WATERPROOF MULTI-TERRAIN BOOT



HEIGHT: 8" (Standard Military Height)

UPPER: 100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber Exclusive VIBRAM® Ibex outsole for rugged terrain

TR-1® load bearing orthotic insole

SPECIAL FEATURES:

- ▶ Waterproof & bloodborne pathogen proof membrane
- ▶ 400q THINSULATE™ Insulation
- ▶ Low profile sole reduces weight & improves mobility
- ▶ Sharp angled lugs and defined heel maximize traction
- ► Deeply serrated toe bumper aids in vertical climbing & crawling
- ► Rappelling bars on outsole extend wear
- ▶ Aggressive lace-to-toe style allows for a customized fit
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 5 - 15, R & W Half Sizes: 5.5 - 11.5, R & W









SQUALL BV555INSCT / 400G INSULATED WATERPROOF COMPOSITE TOE BOOT



HEIGHT: 8" (Standard Military Height)

100% waterproof cattlehide leather & nylon fabric

DUTSOLE: 100% rubber VIBRAM® Arctic Grip specifically engineered and designed to perform on wet ice and improve grip on cold, icy or snowy surfaces

Thick, single density molded removable insert

SPECIAL FEATURES:

- ► Spacious, non-metallic composite toe is lighter weight than traditional steel toe and does not conduct heat or cold
- ▶ Composite toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ▶ 400q Cosmo Therm™ insulation to offer cold weather protection without added bulk
- ► Waterproof & bloodborne pathogen proof membrane
- ► TAA Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant









MEN'S Full Sizes: 6 - 15, R & W Half Sizes: 6.5 - 11.5, R & W

510 MEF / ULTRALIGHT MARINE CORPS COMBAT BOOT (EGA)



HEIGHT: 8" (Standard Military Height)

UPPER: 100% cattlehide leather & nylon fabric

MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber VIBRAM® outsole

Single density molded removable insert

SPECIAL FEATURES:

- ► Strobel construction for excellent flexibility
- ► Cool-mesh hydrophilic lining
- ▶ Low density PU midsole to minimize weight
- ▶ 20.6 ounces per boot
- ► CERTIFICATION #001375
- ► Berry Compliant

MEN'S Full Sizes: 5 – 15, R & W Half Sizes: 5.5 – 14.5. R & W

Scan this code to learn more about the **510 MEF**







$550~\mathrm{ST}/\mathrm{usmc}$ hot weather steel toe boot (ega)





OUTSOLE: 100% rubber VIBRAM® Sierra
INSOLE: Single density molded removable insert

SPECIAL FEATURES:

8" (Standard Military Height)

► VANGUARD running shoe sole construction

100% cattlehide leather & nylon fabric Highly cushioned, shock absorbent midsole

- ► Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ► CERTIFICATION #150M22-000460-6-01
- ► Berry Compliant

MEN'S Full Sizes: 3 – 16, R & W Half Sizes: 3.5 – 15.5, R & W





SIERRA



590 / USMC HOT WEATHER COMBAT BOOT (EGA)



HEIGHT: 8" (Standard Military Height) **UPPER:** 100% cattlehide leather & nylon fabric

MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber VIBRAM® Sierra

INSOLE: Single density molded removable insert

SPECIAL FEATURES:

- ► VANGUARD running shoe sole construction
- ► CERTIFICATION #150M22-000540-6-49
- ► Berry Compliant

MEN'S Full Sizes: 3 – 16, R & W Half Sizes: 3.5 – 13.5. R & W





500 / USMC WATERPROOF COMBAT BOOT (EGA)



8" (Standard Military Height) 100% cattlehide leather & nylon fabric

MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber VIBRAM® Sierra

Single density molded removable insert

SPECIAL FEATURES:

- ► VANGUARD running shoe sole construction
- ▶ Durably waterproof and highly breathable GORE-TEX fabric
- ► CERTIFICATION #150M22-000541-6-49
- ► Berry Compliant

MEN'S Full Sizes: 5 – 14, R & W Half Sizes: 5.5 – 13.5, R & W







SABRE 533 / US NAVY CERTIFIED HOT WEATHER HYBRID ASSAULT BOOT



EXCLUSIVE VIBRAM® IBEX







HEIGHT: 8" (Standard Military Height)

UPPER: 100% cattlehide leather & nylon fabric
MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber Exclusive VIBRAM® lbex outsole for rugged terrain

Dual density molded Shockmaster™ removable insert

SPECIAL FEATURES:

- ▶ Low profile sole reduces weight & improves mobility
- ▶ Sharp angled lugs and defined heel maximize traction
- ► Deeply serrated toe bumper aids in vertical climbing & crawling
- ▶ Rappelling bars on outsole extend wear
- ▶ Aggressive lace-to-toe style allows for a customized fit
- ► Breathable moisture-wicking lining
- ► CERTIFICATION #25CY33-002371-225-01
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 – 16, R & W Half Sizes: 4.5 – 13.5, R & W

sabre $533\,\mathrm{ST}/\mathrm{us}$ navy certified hot weather hybrid steel toe assault boot



8" (Standard Military Height)
100% cattlehide leather & nylon fabric
Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber Exclusive VIBRAM® lbex outsole for rugged terrain

Single density molded removable insert

SPECIAL FEATURES:

- ➤ Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ▶ Low profile sole reduces weight & improves mobility
- ► Sharp angled lugs and defined heel maximize traction
- ▶ Deeply serrated toe bumper aids in vertical climbing & crawling
- ▶ Rappelling bars on outsole extend wear
- ► Aggressive lace-to-toe style allows for a customized fit
- ► Breathable moisture-wicking lining
- ► CERTIFICATION #25CY33-002375-225-88
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 – 16, R & W Half Sizes: 4.5 – 13.5, R & W

YOTE/BROW

330 COYST / HOT WEATHER STEEL TOE FLIGHT BOOT



8" (Standard Military Height)

100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole

DUTSOLE: 100% rubber VIBRAM® Chevron to minimize FOD and improve traction

Single density molded removable insert

SPECIAL FEATURES:

- ► VANGUARD running shoe sole construction
- ▶ Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 3 - 16, R & W Half Sizes: 3.5 - 15.5, R & W







$330~\mathrm{ST}/$ wet weather steel toe flight boot



HEIGHT: 8" (Standard Military Height) UPPER: Smooth 100% cattlehide leather MIDSOLE:

Highly cushioned, shock absorbent midsole

DUTSOLE: 100% rubber VIBRAM® Chevron to minimize FOD and improve traction

Single density molded removable insert

SPECIAL FEATURES:

- ► VANGUARD running shoe sole construction
- ► Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ► Berry Compliant

MEN'S Full Sizes: 3 - 16, R & W Half Sizes: 3.5 - 15.5, R & W









AVIATUR BROWN

BROWN/BLACK

339 ST /

US NAVY AVIATOR BOOT



GHT: 8" (Standard Military Height)
PER: Smooth 100% cattlehide leather

MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber NEW VIBRAM® FOD resisting Carrier outsole

Single density molded removable insert

SPECIAL FEATURES:

- Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ▶ Supple aviator brown leather
- ► Famous Belleville "wedge" pattern
- ► Hydrophilic Dri-lex lining
- ► CERTIFICATION #15BR127-002511-261-88
- ► NAVAIR CERT #15BR27-000004-101-
- ► Berry Compliant

MEN'S Full Sizes: 3 - 16, R & W Half Sizes: 3.5 - 15.5, R & W

495 ST F495 ST

US NAVY "I-5" STEEL TOE BOOT



HEIGHT:8" (Standard Military Height)UPPER:Smooth 100% cattlehide leatherMIDSOLE:Highly cushioned, polyether polyurethane

OUTSOLE: 100% rubber NEW VIBRAM® FOD resisting Carrier outsole

Single density molded removable insert

SPECIAL FEATURES:

- ► Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ▶ Leather upper integrates soft, milled leather on boot quarters, collar & gusset
- ► Dri-lex® moisture wicking lining
- ► Soft, foam padded "comfort collar"
- ► VANGUARD running shoe construction
- ► CERTIFICATION # 15B27-002510-261-88 (495 ST)
- ► CERTIFICATION # 15B27-002509-262-88 (F495 ST)
- ► NAVAIR CERT # 15B27-000009-101-(495 ST)
- ► Berry Compliant

MEN'S Full Sizes: 6 – 16, R & W Half Sizes: 6.5 – 15.5, R & W

WOMEN'S Full Sizes: 4 – 10, R & W (F495 ST) Half Sizes: 4.5 – 9.5, R & W

390 TROP / HOT WEATHER COMBAT BOOT



8" (Standard Military Height)

Smooth, 100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber VIBRAM® Sierra

Single density molded removable insert

SPECIAL FEATURES:

- ► VANGUARD running shoe sole construction
- ▶ Berry Compliant

MEN'S Full Sizes: 3-16, R & W

Half Sizes: 3.5 - 15.5, R & W





300 TROP ST / HOT WEATHER STEEL TOE BOOT



HEIGHT: 8" (Standard Military Height) Smooth, 100% cattlehide leather & nylon fabric **UPPER:** MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber VIBRAM® Sierra

INSOLE: Single density molded removable insert

SPECIAL FEATURES:

- ► VANGUARD running shoe sole construction
- ▶ Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ► Berry Compliant

MEN'S Full Sizes: 3 - 16, R & W Half Sizes: 3.5 - 15.5, R & W







800 ST / WATERPROOF STEEL TOE FLIGHT & FLIGHT DECK BOOT



8" (Standard Military Height) HEIGHT: Smooth, 100% cattlehide leather **UPPER:**

MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber VIBRAM® Chevron to minimize FOD and improve traction Single density molded removable insert

SPECIAL FEATURES:

- ► VANGUARD running shoe sole construction
- ▶ Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ▶ Durably waterproof and highly breathable GORE-TEX fabric
- ► CERTIFICATION #15B27-002409-224-88
- ► Berry Compliant

MEN'S Full Sizes: 3 - 16, R & W Half Sizes: 3.5 - 15.5, R & W












$880\,\mathrm{ST}$ / 2006 Insulated waterproof steel toe boot







HEIGHT: 8" (Standard Military Height) Smooth, 100% cattlehide leather **UPPER:**

MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber VIBRAM® Chevron FIRE & ICE™ to minimize FOD and improve

traction in icy conditions

Single density molded removable insert

SPECIAL FEATURES:

- ► VANGUARD running shoe sole construction
- ▶ Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ▶ Durably waterproof and highly breathable GORE-TEX fabric
- ▶ 200g THINSULATE™ Insulation
- ► Berry Compliant

MEN'S Full Sizes: 3 - 14, R & W Half Sizes: 6.5 - 11.5, R & W













WATERPROOF DUTY BOOT





Smooth, 100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber VIBRAM® Sierra

Single density molded removable insert

SPECIAL FEATURES:

- ► VANGUARD running shoe sole construction
- ▶ Durably waterproof and highly breathable GORE-TEX fabric
- ► Berry Compliant

MEN'S Full Sizes: 6 - 16, R & W Half Sizes: 6.5 - 11.5, R & W








200G INSULATED WATERPROOF BOOT







Smooth, 100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber VIBRAM® Sierra FIRE & ICE™ compound designed to

improve traction in icy conditions

Single density molded removable insert

SPECIAL FEATURES:

- ▶ VANGUARD running shoe sole construction
- ► Durably waterproof and highly breathable GORE-TEX fabric
- ▶ 200q THINSULATE™ Insulation
- ► Berry Compliant

MEN'S Full Sizes: 6 - 16, R & W Half Sizes: 6.5 - 11.5, R & W









CANOPY BV903PR / JUNGLE BOOT



CLASSIC **PANAMA** OUTSOLE



8" (Standard Military Height)

Smooth, full-grain cattlehide leather & nylon fabric Dual density, rubber classic Panama outsole Single density, molded polyurethane removable insert

Puncture resistant textile insole board

SPECIAL FEATURES:

- ► ASTM certified, puncture resistant textile insole board
- ▶ Dual density, direct injection construction
- ► Highly breathable unlined upper
- ► Padded collar for added comfort
- ▶ Double & triple stitched seams for enhanced durabilty
- ► Medial side drainage vents
- ▶ Classic non-loading Panama outsole tread

MEN'S Full Sizes: 4 - 14, R & W Half Sizes: 4.5 - 11.5, R & W



CANOPY BV503PR / OLIVE DRAB JUNGLE BOOT



CLASSIC **PANAMA** OUTSOLE



HEIGHT: UPPER: OUTSOLE INSERT: INSOLE:

8" (Standard Military Height)

Smooth, full-grain cattlehide leather & nylon fabric Dual density, rubber classic Panama outsole Single density, molded polyurethane removable insert

Puncture resistant textile insole board

SPECIAL FEATURES:

- ► ASTM certified, puncture resistant textile insole board
- ▶ Dual density, direct injection construction
- ► Highly breathable unlined upper
- ▶ Double & triple stitched seams for enhanced durabilty
- ► Medial side drainage vents
- ▶ Classic non-loading Panama outsole tread

MEN'S Full Sizes: 4 - 14, R & W Half Sizes: 4.5 - 11.5, R & W

SPEAR POINT BV915Z / HOT WEATHER LIGHTWEIGHT SIDE-ZIP TACTICAL BOOT





HEIGHT:

UPPER: Durable leather with full grain polishable toe and 1680 denier

MIDSOLE: Highly cushioned, lightweight EVA midsole for superior comfort **DUTSOLE:** Zone traction rubber outsole for enhanced slip and oil resistance Single density molded removable insert

SPECIAL FEATURES:

► YKK side zipper with security overlay

► TAA Compliant

MEN'S Full Sizes: 4 - 15, R & W

Half Sizes: 5.5 - 11.5, R & W



TRACTION RUBBER OUTSOLE

SPEAR POINT BV915ZWP/

WATERPROOF TACTICAL LIGHTWEIGHT SIDE-ZIP



UPPER: Durable leather with full grain polishable toe and 1680 denier

nylon fabric

MIDSOLE: OUTSOLE: INSOLE:

Highly cushioned, lightweight EVA midsole for superior comfort Zone traction rubber outsole for enhanced slip and oil resistance Single density molded removable insert

SPECIAL FEATURES:

- ► YKK side zipper with security overlay
- ▶ Water and bloodborne pathogen proof membrane
- ► TAA Compliant

MEN'S Full Sizes: 4 - 15, R & W Half Sizes: 5.5 - 11.5, R & W



Scan this code to learn more about the **SPEAR POINT SERIES**








SPEAR POINT BV918Z / HOT WEATHER LIGHTWEIGHT SIDE-ZIP TACTICAL BOOT



TRACTION RUBBER OUTSOLE



HEIGHT:

Durable leather with full grain polishable toe and 1680 denier nylon fabric MIDSOLE: Highly cushioned, lightweight EVA midsole for superior comfort Zone traction rubber outsole for enhanced slip and oil resistance

Single density molded removable insert

SPECIAL FEATURES:

- ▶ YKK side zipper with security overlay
- ► TAA Compliant

MEN'S Full Sizes: 4 - 15, R & W Half Sizes: 5.5 - 11.5, R & W




SPEAR POINT BV918Z WF

LIGHTWEIGHT SIDE-ZIP WATERPROOF TACTICAL



TRACTION RUBBER OUTSOLE



Durable leather with full grain polishable toe and 1680 denier nylon fabric MIDSOLE: Highly cushioned, lightweight EVA midsole for superior comfort **OUTSOLE:** Zone traction rubber outsole for enhanced slip and oil resistance

Single density molded removable insert

SPECIAL FEATURES:

- ► YKK side zipper with security overlay
- ▶ Waterproof & bloodborne pathogen proof membrane
- ► TAA Compliant

MEN'S Full Sizes: 4 - 15, R & W Half Sizes: 5.5 - 11.5, R & W





$BV918ZWPCT / \begin{array}{c} \text{waterproof composite toe} \\ \text{side-zip tactical boot} \end{array}$



UPPER: OUTSOLE:

Durable leather with full grain polishable toe & 1680 denier nylon fabric MIDSOLE: Highly cushioned, lightweight EVA midsole for superior comfort Zone traction rubber outsole for enhanced slip and oil resistance Single density molded removable insert

SPECIAL FEATURES:

- ► Spacious, non-metallic composite toe is lighter weight than traditional steel toe and does not conduct heat or cold
- ▶ Composite toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ► YKK side zipper with security overlay
- ► Waterproof and bloodborne pathogen proof membrane
- ► TAA Compliant

MEN'S Full Sizes: 4 - 15, R & W Half Sizes: 5.5 - 11.5, R & W









MAXX 6Z / MAXIMALIST TACTICAL BOOT







6" (above-the-ankle) HEIGHT:

UPPER: Durable leather with full grain polishable toe & Destination P mesh

MIDSOLE: Ultra cushioning, shock absorbing FATT MAXX® midsole

OUTSOLE: 100% rubber Exclusive VIBRAM® Ballistic Removable, single-density molded EVA INSOLE:

SPECIAL FEATURES:

- ▶ Stack height of 29mm at the heel and 23mm at the forefoot
- ▶ 6 millimeter heel to toe "drop"
- ▶ "Rocker" midsole geometry encourages smooth gate from heel-strike to toe-off
- ▶ 25-55% more shock absorbent than other leading athletic tactical boots
- ► YKK waterproof nylon zipper with molded security overlay
- ► Spacer-mesh breathable, hydrophilic lining

MEN'S Full Sizes: 4 - 15, R & W Half Sizes: 4.5 - 11.5, R & W

Scan this code to learn more about the MAXX 6Z



MAXX 8Z / MAXIMALIST TACTICAL BOOT



EXCLUSIVE VIBRAM® BALLISTIC



UPPER: MIDSOLE: INSOLE:

Durable leather with full grain polishable toe & Destination P mesh Ultra cushioning, shock absorbing FATT MAXX® midsole **OUTSOLE:** 100% rubber Exclusive VIBRAM® Ballistic Removable, single-density molded EVA

SPECIAL FEATURES:


- ▶ Stack height of 29mm at the heel and 23mm at the forefoot
- ▶ 6 mllimeter heel to toe "drop"
- ▶ "Rocker" midsole geometry encourages smooth gate from heel-strike to toe-off
- ▶ 25-55% more shock absorbent than other leading athletic tactical boots
- ► YKK waterproof nylon zipper with molded security overlay
- ► Spacer-mesh breathable, hydrophilic lining

MEN'S Full Sizes: 4 - 15, R & W Half Sizes: 4.5 - 11.5, R & W



KHYBER TR960 / HOT WEATHER LIGHTWEIGHT TACTICAL BOOT





Durable leather with full grain polishable toe & nylon fabric

MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber Exclusive VIBRAM® Ibex outsole for rugged terrain

TR-1® load bearing orthotic insole

SPECIAL FEATURES:

- ► Low profile sole reduces weight & improves mobility
- ► Sharp angled lugs and defined heel maximize traction
- ▶ Rappelling bars on outsole extend wear
- ▶ Aggressive lace-to-toe style allows for a customized fit
- ► Air Mesh breathable, moisture-wicking lining

MEN'S Full Sizes: 3 - 16, R & W Half Sizes: 3.5 - 11.5, R & W



VIBRAM® **IBEX**



KHYBER TR966 / HOT WEATHER LIGHTWEIGHT TACTICAL BOOT



VIBRAM® IBEX



HEIGHT: 6" (Above-the-Ankle)

Durable leather with full grain polishable toe & nylon fabric

Highly cushioned, shock absorbent midsole MIDSOLE:

OUTSOLE: 100% rubber Exclusive VIBRAM® lbex outsole for rugged terrain

TR-1° load bearing orthotic insole INSOLE:

SPECIAL FEATURES:

- ► Low profile sole reduces weight & improves mobility
- ▶ Sharp angled lugs and defined heel maximize traction
- ▶ Rappelling bars on outsole extend wear
- ▶ Aggressive lace-to-toe style allows for a customized fit
- ► Air Mesh breathable, moisture-wicking lining


MEN'S Full Sizes: 3 - 16, R & W Half Sizes: 3.5 - 11.5, R & W

KHYBER TR960Z / HOT WEATHER LIGHTWEIGHT SIDE-ZIP TACTICAL BOOT



VIBRAM®

IBEX



Durable leather with full grain polishable toe & nylon fabric

MIDSOLE: Highly cushioned, shock absorbent midsole

100% rubber Exclusive VIBRAM® Ibex outsole for rugged terrain OUTSOLE:

TR-1® load bearing orthotic insole

SPECIAL FEATURES:

- ► Side zipper entry with molded security overlay
- ► Low profile sole reduces weight & improves mobility
- ▶ Sharp angled lugs and defined heel maximize traction
- ▶ Rappelling bars on outsole extend wear
- ► Aggressive lace-to-toe style allows for a customized fit
- Air Mesh breathable, moisture-wicking lining

MEN'S Full Sizes: 3 - 16, R & W Half Sizes: 3.5 - 11.5, R & W






KHYBER TR960Z WP / WATERPROOF LIGHTWEIGHT SIDE-ZIP TACTICAL BOOT



VIBRAM[®]

IBEX



UPPER:

Durable leather with full grain polishable toe & nylon fabric

MIDSOLE: Highly cushioned, shock absorbent midsole

DUTSOLE: 100% rubber Exclusive VIBRAM® lbex outsole for rugged terrain

TR-1[®] load bearing orthotic insole

SPECIAL FEATURES:


- ▶ Waterproof & bloodborne pathogen proof membrane
- ► Side zipper entry with molded security overlay
- ► Low profile sole reduces weight & improves mobility
- ▶ Sharp angled lugs and defined heel maximize traction
- ▶ Rappelling bars on outsole extend wear
- ▶ Aggressive lace-to-toe style allows for a customized fit

MEN'S Full Sizes: 3-16, R & W Half Sizes: 3.5 - 11.5, R & W









AMRAP BV570ZWPT TACTICAL VAPOR BOOT



HEIGHT: Mid-cut
UPPER: 100% textile
MIDSOLE: Expanded TPU
OUTSOLE: 100% rubber

Removable molded-EVA

SPECIAL FEATURES:

- ► High resiliency and rebound E-TPU midsole
- ▶ Waterproof & bloodborne pathogen proof membrane
- ▶ YKK coil zipper with self locking pull tab
- ▶ Athletic-style "ghilly" lacing system
- ► Athletic strobel construction

MEN'S Full Sizes: 4 – 15, R & W Half Sizes: 5.5 – 11.5, R & W

Scan this code to learn more about the **AMRAP VAPOR**





AMRAP BV970ZWPT TACTICAL VAPOR BOOT



HEIGHT: Mid-cut
UPPER: 100% textile
MIDSOLE: Expanded TPU
OUTSOLE: 100% rubber
INSOLE: Removable molded-EVA

SPECIAL FEATURES:

- ▶ High resiliency and rebound E-TPU midsole
- ▶ Waterproof & bloodborne pathogen proof membrane
- YKK coil zipper with self locking pull tab
- ► Athletic-style "ghilly" lacing system
- ► Athletic strobel construction

MEN'S Full Sizes: 4 – 15, R & W Half Sizes: 5.5 – 11.5, R & W



TR1040-LSZ / ultralight side-zip tactical boot



Durable leather with full grain polishable toe & air mesh nylon

MIDSOLE: Shock absorbing EVA

OUTSOLE: Dual density nitrile rubber that is non-marking, slip resisting & oil resisting

PTO® (Power Take Off) removable, load-bearing orthotic footbed

SPECIAL FEATURES:

- ▶ Polyurethane-coated, water resistant YKK side zipper
- ▶ Molded TPU heel stabilizer
- ▶ Athletic-style "ghilly" lacing system
- ► Highly breathable mesh side panels
- ► Moisture wicking lining

MEN'S Full Sizes: 4 - 15, R & W Half Sizes: 5.5 - 11.5, R & W

 \mathbf{PTO}^{\otimes}

$TR1040-ZWP \Big/ \begin{smallmatrix} \text{WATERPROOF ULTRALIGHT} \\ \text{SIDE-ZIP TACTICAL BOOT} \end{smallmatrix}$





Durable leather with full grain polishable toe & air mesh nylon

MIDSOLE: Shock absorbing EVA

OUTSOLE: Dual density nitrile rubber that is non-marking, slip resisting & oil resisting

PTO® (Power Take Off) removable, load-bearing orthotic footbed

SPECIAL FEATURES:

- ▶ Water/bloodborne pathogen proof membrane
- ▶ Polyurethane-coated, water resistant YKK side zipper
- ► Molded TPU heel stabilizer
- ► Athletic-style "ghilly" lacing system
- ► Highly breathable mesh side panels
- ► Moisture wicking lining

MEN'S Full Sizes: 4 - 15, R & W Half Sizes: 5.5 - 11.5, R & W



MINI-MILTR102 / MINIMALIST BOOT







HEIGHT:

UPPER: Durable leather with full grain polishable toe & nylon fabric

MIDSOLE: 2 millimeter, die-cut shock dispersing midsole

DUTSOLE: 100% rubber Exclusive VIBRAM® Tarsus is oil & slip resistant

INSOLE: Single density molded removable insert

SPECIAL FEATURES:

- ▶ 2 millimeter heel to toe "drop"
- ► Highly breathable unlined upper
- ▶ Double & triple stitched seams for enhanced durability
- ► Convenient pull-on loop
- ▶ Weighs approximately 16 ounces per half pair

MEN'S Full Sizes: 7-14. R & W Half Sizes: 7.5 - 11.5, R & W

> Scan this code to learn more about the MiniMil BOOTS




CHROME TR998Z WP CT / 8" WATERPROOF COMPOSITE TOE SIDE-ZIP BOOT



STREETNAV







Durable leather with full grain polishable toe & Destination P mesh

Highly cushioned, shock absorbent midsole

Exclusive long-wearing StreetNav™ rubber outsole is non-marking, oil &

slip resistant

INSOLE:

Dual density molded removable insert

SPECIAL FEATURES:

- ▶ Waterproof & bloodborne pathogen proof membrane
- ▶ Composite toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ► Side zipper entry with molded security overlay
- ▶ "Hot Fusion" exo-skeletal frame provides structural support at minimal weight
- ▶ Unique cleat & lug outsole design allows for superior traction in multiple environments
- ► Low profile lace-lock hook and "Ghilly" style lacing system provides a secured & customized fit

MEN'S Full Sizes: 3 - 15, R & W Half Sizes: 3.5 - 11.5, R & W



NAVY / MARINE CORPS



AIR FORCE / ARMY



CERTIFICATIONS, APPROVALS AND TECHNOLOGY

The following icons are used throughout the catalog to illustrate military certifications and approvals as well as the high-performance materials used in our boots.



US AIR FORCE FLIGHT APPROVED



VIBRAM® soles are always produced with three objectives: to guarantee the best performance, the maximum level of comfort and quality over time.



US ARMY FLIGHT APPROVED



GORE-TEX footwear provides durably waterproof protection that is highly breathable in a variety of climate conditions.



USMC CERTIFIED



THINSULATE $^{\mathbb{M}}$ insulation by 3M maintains warmth even in damp conditions. This original "warm without bulk" product is not only exceptionally thin but is also extremely lightweight and durable.



USMC FLIGHT APPROVED



HIGH PERFORMANCE ORTHOTIC INSOLE



US NAVY CERTIFIED

Advanced Anatomical Design includes a stabilizing contoured heel cup; extended arch support and honeycomb geometric forefoot to provide maximum air circulation. State-of-the-Art Materials include advanced EVA resin that forms the heel & mid-foot cradle, Agion® treated anti-bacterial sock liner and high tech EVA/Rubber blend for impact cushioning.



US NAVY FLIGHT APPROVED



PTO°, POWER TAKE OFF FOOTBED



US NAVY FLIGHT DECK APPROVED

The PTO® orthotic footbed is a proprietary loadbearing removable insert that uniquely combines the benefits of shock absorbing foam with superior arch support.



Belleville offers many styles of boots that comply with the Berry Amendment which requires that 100% of the labor and 100% of the material costs come from the U.S.



HIGH CLEARANCE SAFETY TOES



Belleville offers boot styles that feature a VIBRAM® Foreign Object or Debris Resistant (FOD) outsole. Each of our high-clearance steel and composite toes meet ASTM F2412-18 and F2413-18 standards for impact & compression.

the safety toe and our flange-anchored construction,



Indicates that the boot is waterproof.



provide both increased comfort and safety.

Design extras, such as padding under and around



Indicates that the boot is insulated.



Indicates that the boot is compliant with the Trade Agreements Act.



Indicates that the boot's insole board is puncture resistant.

GORE-TEX, GORE", and designs are registered trademarks of W.L. Gore and Associates, Inc. VIBRAM", the Octagon Logo, the Yellow Octagon Logo, and the color Canary Yellow are registered trademarks of VIBRAM S.p.A. 3M and THINSULATE" are trademarks of 3M Company.

HOW TO CARE FOR YOUR BELLEVILLES



SUEDE LEATHER BOOTS

(Coyote)

- ▶ Remove dirt by brushing boots with a soft/medium bristle brush.
- Using a mixture of warm water and a mild detergent, lightly scrub the leather and nylon fabric with a soft brush to remove any excess dirt.
- Air dry boots naturally at room temperature. Do not expose boots to direct intense heat (such as a blow dryer) as this can cause damage to the boot.
- ▶ Do not polish.



SMOOTH LEATHER BOOTS

(Black & Aviator Brown)

- Remove dirt by brushing boots with a soft bristle brush.
- Nylon fabric may be cleaned with a soft brush using warm water and a mild detergent. Do not polish nylon.
- Apply a light coat of quality polish to the leather and buff to a uniform appearance. Excessive polish may reduce boot breathability.
- Air dry boots naturally at room temperature. Do not expose boots to direct intense heat (such as a blow dryer) as this can cause damage to the boot.

SIZING TIPS & INFORMATION

All of our boots are available in Men's Regular (R) and Wide (W) Widths, with some styles offering Narrow (N) and Extra Wide (XW) widths as well. Since sizes & widths vary among boot styles, please check individual boot styles for available sizes & widths.

STANDARD WIDTH	BELLEVILLE WIDTH
В	Narrow (N)
D	Regular (R)
EE	Wide (W)
EEEE	Extra Wide (XW)

Unfortunately, not all boot brands fit the same. For this reason, here are a few sizing tips that will help you get a better **BELLEVILLE** fit:

- ► GET YOUR FEET MEASURED USING A BRANNOCK DEVICE.
- ► GET SOME BOOT SOCKS: Try on the boots with a pair of boot socks that you will normally wear with the boots.
- PLACE & LACE: It is important that your foot is properly placed inside the boots when selecting a size. Proper foot placement requires that the lace is drawn snug at the bottom of the lacing

system. This will prevent your foot from sliding forward too far and keep your heel properly placed against the back of the boot. To improve the fit of the boot, try loosening or tightening the laces at different parts of the boot until you get the perfect fit.

- ► CHECK THE LENGTH: Length-wise, when your heel is placed against the back of the boot, you should have a slight amount of room in the front of the boots to wiggle your toes.
- CHECK THE WIDTH: Width-wise, your boots should feel a little snug, but not tight.
- ► TAKE A STROLL: Walk around inside a carpeted area to see how the boots feel.
 - Make sure your heel stays in place and is not sliding up and down (this can cause blisters).
- ▶ WOMEN'S SIZES: Belleville does offer a few boot styles that are specifically manufactured for women. All Belleville style numbers that begin with an "F" indicate a boot specifically designed and sized for women. If a particular style of boot is not available in women's sizes, we recommend ordering the boot 2 full sizes smaller.

PLACE AN ORDER / RETURNS & EXCHANGES

HOW TO PLACE AN ORDER

ONLINE www.bellevilleboot.com

PHONE 800-376-6978

Mon-Fri: 0700 to 1700 CST

EMAIL Domestic: boots@bellevilleboot.com International: intl@bellevilleboot.com

BELLEVILLE ACCEPTS:

GSA SmartPay, Visa, MasterCard, American Express









BELLEVILLE BOOTS CAN ALSO BE PURCHASED AT:

- ▶ Military Clothing Sales / Base Exchange Stores
- ▶ Base Supply Store Service Centers
- ▶ Uniform Supply Retail Locations Nationwide
- ▶ For your nearest retail store location, email Customer Service at boots@bellevilleboot.com

MOST BOOT ORDERS SHIP WITHIN 1 BUSINESS DAY. **WORLDWIDE & DROP SHIPPING IS AVAILABLE.**







RETURN & EXCHANGE POLICY

RETURNS

If for any reason you are not completely satisfied with the boots you purchased directly from Belleville Boot Company within 30 days and would like a refund or exchange, contact customer service at boots@bellevilleboot.com to receive a return authorization and instructions for returning the boots. We'll issue a refund for 100% of the price of the boots, excluding any shipping charges. We will cover the cost of shipping an exchange pair to you, however, we do ask that you cover the cost of shipping the original pair to us.

Belleville Boot Company will not issue any refunds or exchanges on boots returned after the 30-day period, or that show any signs of wear or are altered in any way from their original condition. All footwear should be returned with postage prepaid and in its original packaging. COD shipments will NOT be accepted.

Belleville Boot Company quarantees its boots to be free of defects in materials and workmanship for one year from the date of purchase. If a defect in materials and/or workmanship occurs within the one-year period, Belleville will, at its option, either repair or replace the boots.

BOOTS THAT ARE NOT CONSIDERED DEFECTIVE INCLUDE:

- ▶ Boots that show signs of normal wear and tear or are damaged due to excessive wear
- ▶ Boots damaged by improper boot maintenance or lack of maintenance
- ▶ Boots that are of an incorrect size, but have been worn
- ▶ Boots returned after the return / warranty period

All defective footwear received will be inspected to determine eligibility for a refund, exchange or merchandise credit.

Please note: Belleville boots issued to you or purchased from any location other than Belleville direct must be returned to that issuing or selling agent and are subject to that agent's return policy.

COYOTE BOOT INDEX



· ARM YOUR FEET' ·		10 H		c1\ 47.	MP/IC.	STEEL	SIDE	WY UNIFO	oMY Fr.	-19 Fo.		DINE o	os NAVo.	NIV E	, SI Io .	40 E/4
MODEL NAME	PAGE #	WEATHER	MATERPRODE	SULATES BOOT	COMPOSIA	I) TOE	45	TOWN COMPE	S PROVED	SAIR FORCE	TORCE ALE	STATE OF THE PARTY		SAMPROVES .	10PROVED	A ROVE
C290	5	*			700	702	1	*	- 101	*	PRON					
C300 ST	11	*				*		*		*						
C312 ST	10	*				*		*		*						
C312Z CT	10	*			*		*			*						
C315 ST	11	*				*				*						
C320 / FC320	4	*						*		*						
C333	6	*						*		*						
C390	6	*						*		*						
C775	15		*	*				*	*	*	*					
C775 ST	15		*	*		*		*	*	*	*					
C790	13		*					*	*	*	*					
C790 ST	14		*			*		*	*	*	*					
C793	13		*					*	*	*	*					
C795	14		*	*				*		*						
330 ST (Aviator brown)	20					*							*	*		*
330 COY ST	20	*				*		*	*	*	*		*	*		*
339 ST (Aviator brown)	21					*					^		*	*		*
500	18		*									*				
510 MEF	17	*										*				
533	19	*						*		*		^	*			
533 ST	19	*				*		*		*			*			
550 ST	17	*				*		_		_		*	_			-
590	18	*										*				-
BV508ZCT	12	*			*		*			*		_				
	8	*			*		_	*		*						-
BV518	16	X	*	*	*			*		*						-
BV555INSCT	8	*	X		*			*		*						
TR105	7									*						
TR501	7	*						*		*						<u> </u>
BV505	_							*								
TR550	9	*						*		*						
TR550WPINS	16		*	*				*		*						
TR596Z CT	12	*			*		*			*						

LAW ENFORCEMENT/PUBLIC SAFETY BLACK BOOT INDEX

	PAGE	10 <i>H</i>	MATERPADE	HSULAZED	STEEL	COMPOSIA	SIDE	PUNCTURE	SMC FLIGH	SHANY FLIGH	FLIGHT	HIFORCE E
MODEL NAME	#	FATHER	5	8001	TOE	TOE		PUNCTURE	PROVED	PROVED	1PPROVED	8001
300 TROP ST	22	*			*							*
390 TROP	22	*										*
495 ST / F495 ST	21				*				*	*	*	*
700*	24		*									*
770*	24		*	*								*
800 ST*	23		*		*				*	*	*	*
880 ST	23		*	*	*							*
BV903PR	25	*						*				*
BV503PR	25	*						*				*
BV915Z	26	*					*					*
BV915Z WP	26		*				*					*
BV918Z	27	*					*					*
BV918ZWPCT	28		*			*	*					*
BV918Z WP	27		*				*					*
MAXX 6Z	29	*					*					*
MAXX 8Z	29	*					*					*
TR102	35	*										*
TR960	30	*										*
TR960Z	31	*					*					*
TR960Z WP	31		*				*					*
TR966	30	*										*
TR998Z WP CT	35		*			*	*					*
TR1040-LSZ	34	*					*					*
TR1040-ZWP	34		*				*					*
BV570ZWPT [Coyote Brown]	33		*				*					*
BV970ZWPT	33		*				*					*

^{*}NSN Available



