

**FALL FOOTWEAR** 

2023

### TABLE OF CONTENTS

Technology	Gilmore	
Women's	Outdoor	
Insite® Contoura® Footbed	Outdoor Trail	
Wedge	Classic Welt	
Wellington Wedge	Ground Force	
Wedge Fold Down	Heritage	
Pellston	Ironwood	
Ironwood	Rugged Flex®	
Rugged Flex	Rugged Flex® Square Toe	
Haslett	Met Guard	
Force	Puncture-Resistant	
Gilmore	Mudrunner	
Men's	Woodworks Climbing	
Insite® Footbed	Yukon Extremes Pac Boot	
Wedge	POP and Marketing	
Millbrook	Banner Ads and Email Blast Templates	
Force	Contact Us	
Force Athletic 29		

### STYLE AND PAGE INDEX \*NEW STYLE FOR FALL 2023

Style Number	Page										
CMC1259	69	CMP1218	56	FA3402-M	29	FH5520-M	35	FS2001-W	14	FW1230-M	23
CMD3461	30	CMP1258	56	FA3403-M	29	FH5550-M	33	FS2002-W	14	FW1232-M	23
CME1355	42	CMP1259	46	FA3404-M	29	FH5556-W	15	FS2003-W	13	FW1234-W	8
CME6047	43	CMP1270	46	FA3491-W	14	FH6051-M	34	FS2005-W	13	FW5025-W	7
CME6347	43	CMP1453	39	FA4014-M	31	FH6052-M	34	FS2401-W	14	FW5033-M	22
CME6351	43	CMR6971	61	FA4015-M	30	FH6085-W	15	FS2402-W	14	FW5233-M	22
CME6355	43	CMR8939	61	FA4414-M	31	FH6087-W	15	FS2404-W	13	FW6021-W	7
CME8047	42	CMR8959	61	FA4415-M	30	FH6587-W	15	FS2405-W	13	FW6022-W	6
CME8355	42	CMV1121	65	FA5015-M	31	FH8019-W	10	FT1000-M	50	FW6024-W	6
CMF1391	53	CMV1151	65	FA5016-M	30	FH8021-M	32	FT1001-W	11	FW6025-W	7
CMF1721	59	CMV1451	65	FA5017-M	30	FH8022-M	32	FT1002-W	11	FW6027-W	6
CMF6056	54	CMW6095	22	FA5021-M	31	FH8029-W	10	FT1500-M	50	FW6035-M	20
CMF6066	55	CMW6174	39	FA5041-M	31	FH8039-W	10	FT1502-W	11	FW6077-M	20
CMF6284	55	CMW6175	22	FA5415-M	31	FH8049-W	10	FT1509-M	50	FW6082-M	20
CMF6356	54	CMW6191	22	FA5421-M	31	FH8421-M	32	FT6000-M	51	FW6083-M	20
CMF6366	55	CMW6197	39	FA5441-M	31	F18000-W	3	FT6001-M	51	FW6225-W	7
CMF6371	54	CMW6220	47	FF5361-W	12	FM4000-M	27	FT6002-W	11	FW8069-W	9
CMF6380	54	CMW6274	39	FF6013-M	55	FM4200-M	27	FT6010-M	51	FW8079-W	9
CMF6720	59	CMW6275	22	FF6213-M	55	FM5000-M	26	FT6500-M	51	FW8089-W	9
CMF8058	53	CMW6295	22	FH3021-M	35	FM5004-M	27	FT6501-M	51	FW8093-M	21
CMF8389	54	CMW8200	47	FH3521-M	35	FM5010-M	26	FT8000-M	50	FW8095-M	21
CMF8720	59	CMX4023	23	FH5050-M	33	FM5012-M	26	FT8002-M	50	FW8275-M	21
CML8360	67	CWF5355	12	FH5050-M	35	FM5201-M	27	FT8500-M	50		
CML8389	67	FA3001-M	29	FH5051-M	33	FM5204-M	27	FT8509-M	51		
CMP1053	39	FA3002-M	29	FH5052-M	33	FP5071-M	37	FW1031-W	8		
CMP1100	46	FA3003-M	29	FH5056-W	15	FP5072-M	37	FW1032-M	23		
CMP1200	46	FA3401-M	29	FH5057-W	15	FP6039-M	37	FW1034-W	8		

### RETURNS AND WARRANTY INFORMATION

### CARHARTT FOOTWEAR WARRANTY

- · Boots and Shoes have a one year limited warranty in normal use, against any defects in materials, manufacturing and workmanship. The Black Diamond warranty does not cover damage due to holes worn in toes, burn marks, punctures, cuts and abrasions from outside causes, misuse and/or abuse by the wearer.
- · The warranty may also be void if the user applies any materials not recommended for footwear, such as polishes, creams, oils or other chemicals that result in damage to the materials of the footwear.

### DEALERSHIP RETURN GOODS POLICY

- Black Diamond Return Goods Department shall have the final decision as to the cause of damage and the replacement judgment.
- · Black Diamond requires a customer's receipt as proof of purchase when sending footwear back for inspection.
- · We expect our retailers to handle and accept returns in a businesslike and professional manner. Please have the consumer clean the footwear before returning them to Black Diamond for inspection.

### WE DO NOT ACCEPT FOOTWEAR DIRECTLY FROM THE CONSUMER.

- · We reserve the right to repair or replace at our discretion. No goods may be returned without prior authorization.
- · Call 855-277-8944 for a Return Authorization Number.
- $\cdot \, \text{Please refer to The Black Diamond credit application for all other terms and conditions}.$

# THE CARHARTT DIFFERENCE

Since 1889, Carhartt has manufactured premium workwear known for exceptional durability, comfort, and quality that you can feel in the materials and see in the performance. Just as our founder, Hamilton Carhartt, began four generations ago, Carhartt will continue to manufacture the most rugged and durable clothing and footwear for generations to come.

As a choice brand for those who work and play outdoors, Carhartt is proud to serve a variety of workers in many industries including construction and manufacturing along with farmers, ranchers, and outdoor enthusiasts. Your customers will enjoy our footwear and the technologies we use for the performance they want.

Icon	Feature	Performance
	Nano Composite Toe	Identifies protection against impact and compression hazards with a Nano Composite (non-metallic) safety toe. Nano Composite safety toe styles meet ASTM 2413-18 standards.
	Steel Toe	Identifies protection against impact and compression hazards with a steel safety toe. Steel toe styles meet ASTM 2413-18 standards.
	Composite Toe	Identifies protection against impact and compression hazards with a composite (non-metallic) safety toe. Composite toe styles meet ASTM 2413-18 standards.
	Alloy Toe	Alloy safety toe is made from blended metal and aluminum resulting in a thin, lightweight safety toe for strength and comfort all day. Alloy toe styles meet ASTM 2413-18 standards.
MG	Metatarsal Guard	Identifies protection against impact and compression hazards to the top of the foot with a metatarsal guard. Metatarsal styles meet ASTM 2413-18 standards.
	Electrical Hazard	Identifies secondary protection against incidental contact with electrical circuits of 18,000 volts or less under dry conditions. Electrical Hazard styles meet ASTM F2413-18 EH standards for safety toe footwear and ASTM F2892-18 for non-safety toe styles.
ESD	Static Dissipative	Static Dissipative shoes reduce the risk of static shock to people and to the manufactured product in the workplace. Meets the ASTM F2413-18 SD 35 and ASTM F2892-18 SD 35 standards.
	Puncture Resistant & CSA	Identifies protection against puncture hazards to the bottom of the foot with a puncture resistant plate. Puncture Resistant styles meet ASTM 2413-18 standards. CSA Grade 1 toe protection and CSA electrical shock resistance of 18KV under dry conditions.
	Heel Guard®	The Carhartt Heel Guard® feature is designed to provide ankle stability, side impact protection and heel protection durability.
	Heel Stabilizer	The Carhartt Heel Stabilizer feature is designed to provide ankle stability and heel protection durability.
	Heel Kicker	Heel Kicker utility ledge for easy removal of boots.
HELCOR	Helcor® Leather	Superior abrasion resistant, easy to clean leather.

# **COMFORT REDEFINED**

# **KEEPS YOU DRY**

Icon	Feature	Performance
C° 🔀	Storm Defender™ Waterproof Breathable Protection	These shoes are designed to be completely waterproof and to keep your feet dry in most types of wet conditions. A waterproof and breathable membrane is used to keep your feet dry but promote air flow and circulation.
C <sup>2</sup>	Rain Defender™	These shoes are designed to be water repellent to keep your feet dry so you can work in light rain.

# **KEEPS YOU WARM**

Icon	Feature	Performance
<b>C</b> <sup>∓</sup> <b>*</b>	Insulation	These shoes are designed to keep your feet warm in most types of cold conditions. The two types of insulating barriers used in Carhartt Footwear are LiteFire® and 3M™ Thinsulate™. LiteFire® is an aluminum based waterproof and breathable membrane that reflects body heat equivalent to 400, 600, 800 or 1000 grams of traditional insulation without the weight or bulk. 3M™ Thinsulate™ is a microfiber that insulates boots by trapping air molecules between you and the outside. 400 and 600 grams are used for cold conditions or moderate activity levels.
NAT.	FastDry™ Technology Lining	FastDry™ technology lining wicks away sweat for comfort.

### **KEEPS YOU STANDING**

Icon	Feature	Performance
ACT. COM	Vibram	Vibram Arctic Grip is innovative technology specifically engineered and designed to perform on wet ice. It's a unique polymer blend coupled with an advanced filler system, and new processing technique. Paired with Vibram Icetrek, which yields Vibram's best grip on dry ice, Vibram Arctic Grip offers Vibram performance, quality and durability.
	Outsole	Carhartt outsoles provide performance for the intended work and environment.
Cartaint ©	Carhartt LWD	Carhartt LWD midsole provides elevated lightweight comfort with the expected Carhartt durability.

# KEEPS YOU COMFORTABLE

Icon	Feature	Performance
	Insite® Footbed	Carhartt footbed made with Insite® is engineered to create maximum arch support to reduce foot fatigue during long days on the job.
	Insite® Contoura® Footbed	Carhartt women's footbed made with Insite® Contoura® patented ergonomic shape to help women evenly distribute pressure points and enhance support.
	Cushion Comfort Insole	Carhartt insole provides comfortable support and reduces foot fatigue.

# WOMEN'S

# FIT AND COMFORT FOOTBEDS

# **COMFORT REDEFINED**

Insite® Contoura® Women's Footbeds designed specifically for a women's fit to help evenly distribute pressure points for maximum comfort in each step.

### INNOVATIVE MATERIALS

Insite® Ecocomfort™ dual-density foam engineered to optimize step-in comfort and breathability.

Insite® Contoura® patented ergonomic shape to help women evenly distribute pressure points and enhance support.





### **BUILT WITH INSITE®**

Carhartt insoles with Insite® uses an ergonomic shape based on 120,000 foot scans for fit, form, and comfort that lasts as long as your day.

Insite® Contoura® Footbeds FI8000-W

SIZES

6, 7, 8, 9, 10, 11







# **WOMEN'S WEDGE**



### **NEW** 6-Inch Moc Toe Wedge Boot

Coyote FW6022-W

### **FEATURES**

- · Coyote nubuck leather.
- Welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- FastDry™ technology lining wicks away sweat.
- · Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 6-10,11 MULTI-FIT

### **NEW** 6-Inch Moc Toe Wedge Boot

Navy FW6024-W

### **FEATURES**

- · Navy nubuck leather.
- Welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- FastDry™ technology lining wicks away sweat.
- · Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 6-10.11	MULTI-FIT

### 6-Inch Moc Toe Wedge Boot

Dark Grey FW6027-W

### **FEATURES**

- Dark grey nubuck leather.
- Welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- FastDry™ technology lining wicks away sweat.
- · Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		0	
CHEMICAL RESISTANCE		0	
ABRASION RESISTANCE		0	
HEAT RESISTANCE		0	
SLIP RESISTANCE		0	

Performance chart is suggested for the intended environment.





### **Waterproof 6-Inch Moc Toe Wedge Boot**

Light Brown Steel Toe FW6225-W FW6025-W

### **FEATURES**

- Light brown oil tanned leather.
- Goodyear welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with Insite® footbed.
- Storm Defender™ waterproof breathable membrane.
- FastDry™ technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



**MEDIUM** 6-10, 11

### **Waterproof 6-Inch Moc Toe Wedge Boot**

Black FW6021-W

### **FEATURES**

- · Black oil tanned leather.
- Goodyear welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with Insite® footbed.
- FastDry™ technology lining wicks away sweat.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



**MEDIUM** 6-10, 11

### 5-Inch Pull-On Chelsea Wedge Boot

Brown FW5025-W

- · Brown oil tanned leather.
- Goodyear welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with Insite® footbed.
- FastDry™ technology lining wicks away sweat.
- · Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



# **WOMEN'S WELLINGTON WEDGE**



### **NEW** Waterproof 10-Inch Wellington Wedge Boot

Brown	Steel Toe	FW1234-W
		FW1034-W

### **FEATURES**

- Brown oil tanned leather and stretch neoprene.
- Goodyear welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- Storm Defender™ waterproof breathable membrane.
- FastDry™ technology lining wicks away sweat.
- · Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



### **NEW** Waterproof 10-Inch Wellington Wedge Boot

Black FW1031-W

- Black oil tanned leather and stretch neoprene.
- Goodyear welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- $\bullet \, Storm \, Defender^{\text{\tiny{TM}}} \, waterproof \, breathable \, membrane.$
- FastDry™ technology lining wicks away sweat.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR





# **WOMEN'S WEDGE FOLD DOWN**



### **NEW** 8-Inch Waterproof Insulated Wedge Fold Down Winter Boot

Coyote FW8069-W

### **FEATURES**

- · Coyote nubuck leather with coyote suede and sherpa lining.
- Welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- Storm Defender<sup>™</sup> waterproof breathable membrane with 200g 3M<sup>™</sup> Thinsulate™ insulation and full sherpa fleece lining.
- FastDry™ technology lining wicks away sweat.
- · Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



**MEDIUM** 6-10, 11

### **NEW** 8-Inch Waterproof Insulated Wedge Fold Down Winter Boot

Brown FW8079-W

### **FEATURES**

- Brown nubuck leather with brown suede and sherpa lining.
- Welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- Storm Defender™ waterproof breathable membrane with 200g 3M™ Thinsulate™ insulation and full sherpa fleece lining.
- FastDry<sup>™</sup> technology lining wicks away sweat.
- · Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



**MEDIUM** 6-10, 11

### **NEW** 8-Inch Waterproof Insulated Wedge Fold Down Winter Boot

Dark Grey

- Dark grey nubuck leather with grey suede and sherpa lining.
- Welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- Storm Defender<sup>™</sup> waterproof breathable membrane with 200g 3M<sup>™</sup> Thinsulate™ insulation and full sherpa fleece lining.
- FastDry™ technology lining wicks away sweat.
- · Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR





### **NEW Pellston Waterproof Insulated 8-Inch Winter Boot**

Light Brown FH8049-W

### **FEATURES**

- · Light brown oil nubuck leather with sherpa fleece lining.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.\* \*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 34
- Storm Defender™ waterproof breathable membrane with 200g 3M™ Thinsulate™ insulation and full Sherpa fleece lining.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- · Heel Kicker utility ledge for easy-off.
- · Abrasion resistant toe.
- · Reflective heel pull-on tab.
- · Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



**MEDIUM** 6-10, 11

### Pellston Waterproof Insulated 8-Inch Winter Boot

Dark Grey FH8029-W

### **FEATURES**

- · Dark grey nubuck leather with sherpa fleece lining.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.\* \*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 34
- Storm Defender<sup>™</sup> waterproof breathable membrane with 200g 3M<sup>™</sup> Thinsulate™ insulation and full Sherpa fleece lining.

  • Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- · Heel Kicker utility ledge for easy-off.
- Abrasion resistant toe.
- · Reflective heel pull-on tab.
- · Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



**MEDIUM** 6-10, 11

### **Pellston Waterproof Insulated 8-Inch Winter Boot**

**Red Brown** FH8019-W

### **FEATURES**

- · Red brown oil tanned leather with sherpa fleece lining.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.\* \*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 34
- Storm Defender<sup>™</sup> waterproof breathable membrane with 200g 3M<sup>™</sup> Thinsulate™ insulation and full Sherpa fleece lining.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- · Heel Kicker utility ledge for easy-off.
- · Abrasion resistant toe.
- · Reflective heel pull-on tab.
- · Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



**MEDIUM** 6-10, 11

### **NEW Pellston Waterproof Insulated 8-Inch Winter Boot**

Black FH8039-W

- · Black nubuck leather with sherpa fleece lining.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.\* \*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 34
- Thinsulate™ insulation and full Sherpa fleece lining.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- · Heel Kicker utility ledge for easy-off.
- · Abrasion resistant toe.
- · Reflective heel pull-on tab.
- · Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR





### **NEW** Ironwood Waterproof 11-Inch Wellington

Brown	Alloy Toe	FT1502-W
		FT1002-W

### **FEATURES**

- Brown oil tanned leather and abrasion resistant Carstrong™ durable fabric.
- Cement constructed with Carhartt rubber Ironwood outsole.\*
  \*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 49
- Storm Defender™ waterproof breathable membrane.
- Revolutionary light and high rebound PU midsole with Insite® Footbed.
- Heel Kicker utility ledge for easy-off.
- Imported
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



### **NEW** Ironwood Waterproof 11-Inch Wellington

Black FT1001-W

### **FEATURES**

- Black oil tanned leather and abrasion resistant Carstrong™ durable fabric.
- Cement constructed with Carhartt rubber Ironwood outsole.\*
   \*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 49
- Storm Defender™ waterproof breathable membrane.
- Revolutionary light and high rebound PU midsole with Insite® Footbed.
- Heel Kicker utility ledge for easy-off.
- · Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



### **NEW** Ironwood Waterproof 6-Inch Boot

Brown FT6002-W

- · Brown oil tanned leather.
- Cement constructed with Carhartt rubber Ironwood outsole.\*
   \*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 49
- $\bullet$  Storm Defender  $\!\!\!\!\!^{\mathsf{TM}}$  waterproof breathable membrane.
- Revolutionary light and high rebound PU midsole with Insite® Footbed.
- Heel Kicker utility ledge for easy-off.
- · Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



# **WOMEN'S RUGGED FLEX**



### **Rugged Flex 6-Inch Work Boot**

Brown Composite Toe CWF5355

### **FEATURES**

- · Brown oil tanned leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.\*
   OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 53
- EVA custom fit removable inserts.
- PU with foam cushion insoles.
- FastDry  $^{\text{™}}$  technology lining wicks away sweat.
- · Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR















MEDIUM/WIDE~6-10,~11

**MULTI-FIT** 

### **Rugged Flex 6-Inch Work Boot**

Black Composite Toe FF5361-W

### **FEATURES**

- · Black oil tanned leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.\*
   \*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 53
- EVA custom fit removable inserts.
- PU with foam cushion insoles.
- FastDry™ technology lining wicks away sweat.
- · Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR















**MEDIUM/WIDE** 6-10, 11

MULTI-FIT





### **Haslett 3-Inch SD Work Shoe**

**Light Pink** Nano Composite Toe FS2405-W FS2005-W

### **FEATURES**

- Light pink lightweight knit upper with abrasion resistant heel and toe.
- Cement construction with Carhartt rubber Haslett outsole.
- Carhartt LWD Lightweight Durable midsole with women's Insite® Contoura® footbed.
- FastDry™ technology lining wicks away sweat.
- · Imported.
- Safety Toe ASTM F2413-18 SD 35, Soft Toe ASTM F2892-18 SD 35
- Slip Resistant ASTM F3445-21 SR













**MEDIUM** 6-10, 11

### Haslett 3-Inch SD Work Shoe

Blue FS2003-W

### **FEATURES**

- Blue lightweight knit upper with abrasion resistant heel and toe.
- Cement construction with Carhartt rubber Haslett outsole.
- Carhartt LWD Lightweight Durable midsole with women's Insite® Contoura® footbed.
- FastDry™ technology lining wicks away sweat.
- · Imported.
- Soft Toe ASTM F2892-18 SD 35
- Slip Resistant ASTM F3445-21 SR















**MEDIUM** 6-10, 11

### **Haslett 3-Inch SD Work Shoe**

Nano Composite Toe FS2404-W Burgundy

### **FEATURES**

- Burgundy lightweight knit upper with abrasion resistant heel and toe.
- Cement construction with Carhartt rubber Haslett outsole.
- Carhartt LWD Lightweight Durable midsole with women's Insite® Contoura® footbed.
- FastDry™ technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 SD 35
- Slip Resistant ASTM F3445-21 SR













**MEDIUM** 6-10, 11



ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE	0		
CHEMICAL RESISTANCE	0		
ABRASION RESISTANCE		0	
HEAT RESISTANCE	0		
SLIP RESISTANCE		0	

Performance chart is suggested for the intended environment.

# **WOMEN'S HASLETT**



### **Haslett 3-Inch SD Work Shoe** Grey Nano Composite Toe FS2402-W FS2002-W

### **FEATURES**

- Grey lightweight knit upper with abrasion resistant heel and toe.
- Cement construction with Carhartt rubber Haslett outsole.
- Carhartt LWD Lightweight Durable midsole with women's Insite® Contoura® footbed.
- FastDry™ technology lining wicks away sweat.
- · Imported.
- Safety Toe ASTM F2413-18 SD 35, Soft Toe ASTM F2892-18 SD 35
- Slip Resistant ASTM F3445-21 SR



Haslett 3-Inch SD Wor	rk Shoe	
Black	Nano Composite Toe	FS2401-W FS2001-W
<ul> <li>Cement construction wit</li> <li>Carhartt LWD Lightweigh Contoura® footbed.</li> <li>FastDry™ technology lini</li> <li>Imported.</li> </ul>	18 SD 35, Soft Toe ASTM F2	utsole. nen's Insite®

# **WOMEN'S FORCE**

• Slip Resistant ASTM F3445-21 SR

### Force 3-Inch Work Shoe Black Nano Composite Toe FA3491-W **FEATURES** Black lightweight knit upper with reflective safety details and abrasion resistant heel and toe. • Cement construction with Carhartt Force® rubber outsole.\* \*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 28 • Carhartt LWD Lightweight Durable midsole with Insite® footbed. • FastDry™ technology lining wicks away sweat. · Imported. • Safety Toe ASTM F2413-18 EH



**MEDIUM** 6-10, 11



### Gilmore Waterproof 6-Inch Hiker

FH6085-W

### **FEATURES**

- Tan nubuck leather with high abrasion resistant 1200D material.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.\*
   \*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 34
- $\bullet \, Storm \, Defender^{\text{\scriptsize TM}} \, waterproof \, breathable \, membrane.$
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- · Heel Kicker utility ledge for easy-off.
- · Abrasion resistant toe.
- Reflective laces and heel pull-on tab.
- Imported.
- Soft Toe ASTM F2892-18 EH
- •Slip Resistant ASTM F3445-21 SR















**MEDIUM** 6-10, 11

### Gilmore Waterproof 6-Inch Work Hiker

Dark Grey **Alloy Toe** FH6587-W FH6087-W

### **FEATURES**

- Dark Grey nubuck leather with high abrasion resistant 1200D material.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.\* \* OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 34
- Storm Defender<sup>™</sup> waterproof breathable membrane.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Heel Kicker utility ledge for easy-off.
- Abrasion resistant toe.
- Reflective laces and heel pull-on tab.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- •Slip Resistant ASTM F3445-21 SR















**MEDIUM** 6-10, 11

### **Gilmore Waterproof 5-Inch Hiker**

FH5057-W Grey

### **FEATURES**

- · Grey nubuck leather.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.\*
   OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 34
- Storm Defender™ waterproof breathable membrane.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Heel Kicker utility ledge for easy-off.
- · Abrasion resistant toe.
- · Imported.
- Soft Toe ASTM F2892-18 EH
- •Slip Resistant ASTM F3445-21 SR













**MEDIUM** 6-10, 11

### Gilmore Waterproof 5-Inch Work Hiker

Dark Brown Allov Toe FH5556-W FH5056-W

- Dark Brown nubuck leather.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.\*
   \*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 34
- Storm Defender<sup>™</sup> waterproof breathable membrane.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Heel Kicker utility ledge for easy-off.
- · Abrasion resistant toe.
- · Imported.
- ·Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- •Slip Resistant ASTM F3445-21 SR



















**MEDIUM** 6-10, 11



# MEN'S FOOTBEDS

# END THE DAY AS STRONG AS YOU STARTED

# **COMFORT REDEFINED**

Insite® Footbeds are designed to provide arch support and high rebound cushion for all-day comfort



Tetrapod Technology

Unique tetrapod design disperses compression in multiple directions.

Pulsion Energy Rebound Foam
With Single Density PU Foam
Engineered compression set with
Pulsion rebound foam for maximum
cushion comfort in each step.

### **BUILT WITH INSITE®**


Carhartt insoles with Insite® uses an ergonomic shape based on 120,000 foot scans for fit, form, and comfort that lasts as long as your day.

Insite® Footbeds CMI9000

SIZES

8, 9, 10, 11, 12, 13, 14, 15









# **CARHARTT WEDGE OUTSOLE**

PROVIDES MAXIMUM SURFACE CONTACT

# **DUAL DENSITY RUBBER**

MAXIMUM DURABILITY AND SLIP RESISTANCE

# **SHALLOW LUGS**

RELEASE MUD AND DIRT

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		0	
CHEMICAL RESISTANCE		0	
ABRASION RESISTANCE		0	
HEAT RESISTANCE		0	
SLIP RESISTANCE		0	

Performance chart is suggested for the intended environment.



### 6-Inch Moc Toe Wedge Boot

Coyote FW6077-M

### FEATURES

- · Coyote nubuck leather.
- Welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- FastDry™ technology lining wicks away sweat.
- · Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



**MEDIUM** 8-12, 13, 14

**WIDE** 8-12, 13, 14, 15

### **NEW** 6-Inch Moc Toe Wedge Boot

Grey FW6082-M

### **FEATURES**

- · Grey nubuck leather.
- Welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- FastDry™ technology lining wicks away sweat.
- · Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



### **NEW** 6-Inch Moc Toe Wedge Boot

Navy FW6083-M

### FEATURES

- Navy nubuck leather.
- Welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- FastDry™ technology lining wicks away sweat.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



### 6-Inch Moc Toe Wedge Boot

Brown FW6035-M

### **FEATURES**

- Brown oil tanned leather with brown high abrasion resistant 1200D material.
- Welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with Insite® footbed.
- $\bullet \ \mathsf{FastDry}^{\mathsf{TM}} \ \mathsf{technology} \ \mathsf{lining} \ \mathsf{wicks} \ \mathsf{away} \ \mathsf{sweat}.$
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR











**MEDIUM** 8-12, 13, 14

**WIDE** 8-12, 13, 14, 15



### **Waterproof 8-Inch Moc Toe Wedge Boot**

Red Brown Steel Toe FW8275-M

### FEATURES

- Red Brown oil tanned leather.
- Welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- Storm Defender™ waterproof breathable membrane.
- $\bullet$  FastDry  $^{\text{\tiny{IM}}}$  technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



### **Waterproof 8-Inch Moc Toe Wedge Boot**

Brown FW8095-M

### **FEATURES**

- · Brown oil tanned leather.
- Goodyear welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- FastDry™ technology lining wicks away sweat.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



### **Waterproof 8-Inch Moc Toe Wedge Boot**

Dark Brown FW8093-M

- Dark brown oil tanned leather.
- Goodyear welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- $\bullet$  Storm Defender  $\!\!\!\!\!^{\mathsf{TM}}$  waterproof breathable membrane
- FastDry™ technology lining wicks away sweat.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR





### **Waterproof 6-Inch Moc Toe Wedge Boot**

Red Brown Steel Toe CMW6275 CMW6175

### **FEATURES**

- Red Brown oil tanned leather.
- Welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- Storm Defender™ waterproof breathable membrane.
- FastDry™ technology lining wicks away sweat.
- · Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



Waterproof 6-Inch Moc Toe Wedge Boot

Brown Steel Toe CMW6295 CMW6095

### **FEATURES**

- · Brown oil tanned leather.
- Welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- Storm Defender™ waterproof breathable membrane.
- FastDry™ technology lining wicks away sweat.
- · Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



**MEDIUM** 7-12, 13, 14 **WIDE** 7-12, 13, 14, 15

### **Waterproof 6-Inch Moc Toe Wedge Boot**

Black CMW6191

### FEATURES

- · Black oil tanned leather.
- Welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- Storm Defender™ waterproof breathable membrane.
- FastDry  $^{\text{™}}$  technology lining wicks away sweat.
- · Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



# 5-Inch Pull-On Chelsea Wedge Boot

Brown Steel Toe FW5233-M FW5033-M

- · Brown oil tanned leather.
- Welt construction with dual density Carhartt rubber outsole.
- $\bullet$  PU strobel pad with Insite  $^{\rm @}$  footbed.
- FastDry<sup>™</sup> technology lining wicks away sweat.
- Imported
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR





### **NEW** Waterproof 10-Inch Wellington Wedge Boot

Brown Steel Toe FW1232-M FW1032-M

### **FEATURES**

- Brown oil tanned leather and abrasion resistant Carstrong™ durable fabric.
- Welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- Storm Defender™ waterproof breathable membrane.
- FastDry™ technology lining wicks away sweat.
- · Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



### **NEW** Waterproof 10-Inch Wellington Wedge Boot

Dk Brown/Nicotine Outsole Steel Toe FW1230-M

### **FEATURES**

- Dark Brown oil tanned leather and abrasion resistant Carstrong™ durable fabric.
- Welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- Storm Defender™ waterproof breathable membrane.
- FastDry<sup>™</sup> technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



### Lightweight 4-Inch Wedge Chukka

Brown CMX4023

- · Brown oil tanned leather.
- Cement constructed with Carhartt rubber outsole and CMEVA midsole.
- $\bullet$  PU with foam cushion insoles.
- FastDry™ technology lining wicks away sweat.
- Imported.
- Slip Resistant ASTM F3445-21 SR









### CARHARTT MILLBROOK OUTSOLE

PROVIDES MAXIMUM SURFACE CONTACT

# **LWD MIDSOLE**

**ENHANCED LIGHTWEIGHT COMFORT & DURABILITY** 

# **SHALLOW LUGS**

RELEASE MUD AND DIRT

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		0	
CHEMICAL RESISTANCE		0	
ABRASION RESISTANCE			0
HEAT RESISTANCE		0	
SLIP RESISTANCE		0	

# MEN'S MILLBROOK



### Millbrook 5-Inch Moc Toe Wedge Boot

Coyote FM5012-M

### **FEATURES**

- · Coyote nubuck leather.
- Cement construction with Carhartt rubber Millbrook outsole.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- FastDry™ technology lining wicks away sweat.
- · Imported.
- Soft Toe ASM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



### Millbrook 5-Inch Moc Toe Wedge Boot

Brown FM5010-M

### **FEATURES**

- · Brown oil tanned leather.
- Cement construction with Carhartt rubber Millbrook outsole.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- FastDry™ technology lining wicks away sweat.
- Imported.
- Soft Toe ASM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



Millbrook Waterproof 5-Inch Wedge Boot

Coyote FM5000-M

- · Coyote nubuck leather.
- Cement construction with Carhartt rubber Millbrook outsole.
- $\hbox{\bf \cdot} \ {\bf Carhartt\,LWD\,Lightweight\,Durable\,midsole\,with\,Insite} \hbox{\it @} \ {\bf footbed}. \\$
- $\bullet$  Storm Defender  $\!\!\!\!\!^{\mathsf{TM}}$  waterproof breathable membrane.
- FastDry™ technology lining wicks away sweat.
- Imported.
- Soft Toe ASM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR





### Millbrook Waterproof 5-Inch Wedge Work Boot

Brown Steel Toe FM5204-M FM5004-M

### **FEATURES**

- · Brown oil tanned leather.
- Cement construction with Carhartt rubber Millbrook outsole.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Storm Defender™ waterproof breathable membrane.
- FastDry™ technology lining wicks away sweat.
- · Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



### Millbrook Waterproof 5-Inch Wedge Work Boot

Black Steel Toe FM5201-M

### **FEATURES**

- · Black oil tanned leather.
- Cement construction with Carhartt rubber Millbrook outsole.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Storm Defender™ waterproof breathable membrane.
- FastDry™ technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR




### Millbrook Water Resistant 4-Inch Romeo Wedge Boot

Brown Steel Toe FM4200-M FM4000-M

- Brown oil tanned leather.
- Cement construction with Carhartt rubber Millbrook outsole.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Rain Defender™ water resistant leather.
- FastDry™ technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR





ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		0	
CHEMICAL RESISTANCE		0	
ABRASION RESISTANCE		0	
HEAT RESISTANCE		0	
SLIP RESISTANCE			0

Performance chart is suggested for the intended environment.







### **Force 3-Inch Work Shoe**

Grey Nano Composite Toe EH FA3402-M SD FA3002-M

### **FEATURES**

- Grey lightweight knit upper with reflective safety details and abrasion resistant heel and toe.
- Cement construction with Carhartt Force® rubber outsole.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- FastDry™ technology lining wicks away sweat.
- · Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 SD 35
- Slip Resistant ASTM F3445-21 SR



**WIDE** 7-12, 13, 14, 15

### Force 3-Inch Work Shoe

Navy Nano Composite Toe EH FA3404-M

### **FEATURES**

- Navy lightweight knit upper with reflective safety details and abrasion resistant heel and toe.
- Cement construction with Carhartt Force® rubber outsole.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- FastDry™ technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



**MEDIUM** 7-12, 13, 14













**WIDE** 7-12, 13, 14, 15

### Force 3-Inch Work Shoe

Black	Nano Composite Toe EH	FA3401-M
	SD	FA3001-M

### **FEATURES**

- Black lightweight knit upper with reflective safety details and abrasion resistant heel and toe.
- Cement construction with Carhartt Force® rubber outsole.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- FastDry<sup>™</sup> technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 SD 35
- Slip Resistant ASTM F3445-21 SR

















**MEDIUM** 7-12, 13, 14 **WIDE** 7-12, 13, 14, 15

### Force 3-Inch Work Shoe

Black Nano Composite Toe EH FA3403-M FA3003-M SD

### **FEATURES**

- Black lightweight knit upper with luminescent safety details and abrasion resistant heel and toe.
- Cement construction with Carhartt Force® rubber outsole.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- FastDry<sup>™</sup> technology lining wicks away sweat.
- · Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 SD 35
- Slip Resistant ASTM F3445-21 SR

















**MEDIUM** 7-12, 13, 14

**WIDE** 7-12, 13, 14, 15



### **Force SD Work Shoe**

Black Nano Composite Toe CMD3461

### **FEATURES**

- Black lightweight knit upper with grey lycra stretch collar and abrasion resistant heel and toe.
- Cement construction with Carhartt Force® rubber outsole.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- FastDry<sup>™</sup> technology lining wicks away sweat.
- · Imported.
- Safety Toe ASTM F2413-18 SD 35
- Slip Resistant ASTM F3445-21 SR



Force Water Resistant 4-Inch Romeo

Brown Nano Composite Toe FA4415-M FA4015-M

### **FEATURES**

- · Brown oil tanned leather.
- Cement construction with Carhartt Force® rubber outsole.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Rain Defender™ water resistant leather.
- FastDry™ technology lining wicks away sweat.
- · Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



**WIDE** 8-12, 13, 14, 15

**MEDIUM** 8-12, 13, 14

### Force 5-Inch Lightweight Sneaker Boot

Wheat FA5017-M

### **FEATURES**

- Wheat nubuck leather with high abrasion resistant 1200D material.
- Cement construction with Carhartt Force® rubber outsole.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- FastDry™ technology lining wicks away sweat.
- · Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



### Force 5-Inch Lightweight Sneaker Boot

Coyote FA5016-M

- $\bullet \ \ Coyote \ suede \ with \ coyote \ high \ abrasion \ resistant \ 1200D \ material.$
- Cement construction with Carhartt Force® rubber outsole.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- $\bullet \ \mathsf{FastDry}^{\mathsf{TM}} \ \mathsf{technology} \ \mathsf{lining} \ \mathsf{wicks} \ \mathsf{away} \ \mathsf{sweat}.$
- · Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR





### Force 5-Inch Lightweight Sneaker Boot

Brown Nano Composite Toe FA5415-M FA5015-M

### **FEATURES**

- Brown oil tanned leather with brown high abrasion resistant 1200D material.
- Cement construction with Carhartt Force® rubber outsole.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- FastDry™ technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



### Force 5-Inch Lightweight Sneaker Boot

Black Nano Composite Toe FA5441-M FA5041-M

### **FEATURES**

- Black oil tanned leather and high abrasion resistant 1200D material.
- Cement construction with Carhartt Force® rubber outsole.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- FastDry™ technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



### **NEW Force 5-Inch Lightweight Sneaker Boot**

Black Nano Composite Toe FA5421-M FA5021-M

### **FEATURES**

- Black oil tanned leather with black high abrasion resistant 1200D material.
- Cement construction with Carhartt Force® rubber outsole.
- $\bullet \ Carhartt \ LWD \ Lightweight \ Durable \ midsole \ with \ Insite {}^{\circledR} footbed. \\$
- Rain Defender™ water resistant leather.
- $\bullet$  FastDry  $^{\text{\tiny{TM}}}$  technology lining wicks away sweat.
- · Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR




### **NEW Force 4-Inch Water Resistant 4-Inch Romeo**

Black Nano Composite Toe FA4414-M
FA4014-M

- · Black oil tanned leather.
- Cement construction with Carhartt Force® rubber outsole.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Rain Defender™ water resistant leather.
- $\bullet \ Fast Dry^{\text{\tiny TM}} \ technology \ lining \ wicks \ away \ sweat.$
- · Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR





### **NEW** Gilmore Waterproof 8-Inch Side Zip Boot

Covote FH8022-M

### FEATURES

- $\bullet$  Coyote suede and abrasion resistant Carstrong  $^{\text{\tiny{TM}}}$  durable fabric.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.
- Storm Defender™ waterproof breathable membrane.
- YKK side zipper with lock.
- $\hbox{\bf \cdot} \ {\bf Carhartt\ LWD\ Lightweight\ Durable\ midsole\ with\ Insite} \hbox{\it @}\ footbed.$
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR















**MEDIUM** 7-12, 13, 14

**WIDE** 7-12, 13, 14, 15

### **NEW** Gilmore Waterproof 8-Inch Side Zip Boot

Black Nano Composite Toe FH8421-M FH8021-M

### **FEATURES**

- Black leather and abrasion resistant Carstrong™ durable fabric.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.
- Storm Defender™ waterproof breathable membrane.
- YKK side zipper with lock.
- $\hbox{\bf \bullet } \hbox{\bf Carhartt LWD Lightweight Durable midsole with Insite} \hbox{\bf @ footbed}. \\$
- · Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR















**MEDIUM** 7-12, 13, 14

**WIDE** 7-12, 13, 14, 15



### **Gilmore Waterproof 5-Inch Hiker**

Light Brown FH5052-M

### FEATURES

- · Light brown oil nubuck leather.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.
- $\bullet \, Storm \, Defender^{\text{\tiny{TM}}} \, waterproof \, breathable \, membrane.$
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Heel Kicker utility ledge for easy-off.
- Abrasion resistant toe.
- · Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



Gilmore Waterproo	f 5-Inch Work Hiker
-------------------	---------------------

Dark Brown Alloy Toe FH5550-M FH5050-M

### **FEATURES**

- Brown oil tanned leather.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.
- Storm Defender™ waterproof breathable membrane.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Heel Kicker utility ledge for easy-off.
- · Abrasion resistant toe.
- · Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR













**MEDIUM** 8-12, 13, 14

**WIDE** 8-12, 13, 14, 15

### **Gilmore Waterproof 5-Inch Hiker**

Black FH5051-M

### **FEATURES**

- · Black oil tanned leather.
- $\bullet \ Cement \ construction \ with \ Carhartt \ outdoor-ready \ rubber \ lug \ outsole.$
- Storm Defender  $^{\text{\tiny{IM}}}$  waterproof breathable membrane.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Heel Kicker utility ledge for easy-off.
- · Abrasion resistant toe.
- · Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR















IBBER HEEL ELECTRII TSOLE KICKER HAZAR

**MEDIUM** 8-12, 13, 14

**WIDE** 8-12, 13, 14, 15



### **NEW** Gilmore Waterproof 6-Inch Boot

Coyote FH6052-M

### **FEATURES**

- Coyote Helcor® and nubuck leather with abrasion resistant Carstrong™ durable fabric.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.
- Storm Defender™ waterproof breathable membrane.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Heel Kicker utility ledge for easy-off.
- Abrasion resistant toe.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



### **NEW Gilmore Waterproof 6-Inch Boot**

Black FH6051-M

### **FEATURES**


- Black Helcor® and nubuck leather with abrasion resistant Carstrong™ durable fabric.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.
- Storm Defender™ waterproof breathable membrane.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Heel Kicker utility ledge for easy-off.
- · Abrasion resistant toe.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		0	
CHEMICAL RESISTANCE		0	
ABRASION RESISTANCE			0
HEAT RESISTANCE		0	
SLIP RESISTANCE		0	

Performance chart is suggested for the intended environment.





*** *	_		
Waterproof		Inch Uil	In Dont
WAIPHIIIIII	8 3		KPI BIIIII

Brown Alloy Toe FH5520-M FH5020-M

### **FEATURES**

- Brown nubuck leather with brown high abrasion resistant 1260D material and padded collar for comfort.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.
- Storm Defender™ waterproof breathable membrane.
- $\hbox{\bf \cdot} \ {\bf Carhartt\ LWD\ Lightweight\ Durable\ midsole\ with\ Insite} \hbox{\it @}\ footbed.$
- Reflective laces and heel pull-on tab.
- Imported
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



**MEDIUM** 8-12, 13, 14











**WIDE** 8-12, 13, 14, 15

### **Waterproof Low Hiker**

Black Alloy Toe FH3521-M FH3021-M

### **FEATURES**

- Black nubuck leather with black high abrasion resistant 1260D material and padded collar for comfort.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.
- Storm Defender™ waterproof breathable membrane.
- Revolutionary light and high rebound EVA midsole with Insite® footbed.
- Reflective laces and heel pull-on tab.
- Imported
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR











**MEDIUM** 8-12, 13, 14

**WIDE** 8-12, 13, 14, 15



# ENHANCED TRACTION FOR THE ROAD LESS TRAVELED

- Storm Defender™ waterproof keeps feet dry but lets them breathe
- Vibram Arctic Grip outsole provides exceptional performance with grip and traction in wet and icy conditions\*
  - \*VIBRAM ARCTIC GRIP IS NOT INTENDED FOR INDOOR USE
- Revolutionary light and high rebound EVA midsole with Insite® footbed





### **NEW** Waterproof 6-Inch Hiker Boot

Coyote FP5072-M

### **FEATURES**

- Coyote nubuck leather with coyote high abrasion resistant 1260D material.
- Cement construction with Vibram Arctic Grip outsole for superior traction in wet and on ice.
- ullet Storm Defender  ${}^{\text{TM}}$  waterproof breathable membrane.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Heel Kicker utility ledge for easy-off.
- Reflective laces and heel pull-on tab.
- Imported.
- Soft Toe ASTM F2892-18 EH

















**MEDIUM** 8-12, 13, 14

### **Waterproof 6-Inch Hiker Boot**

Black FP5071-M

### **FEATURES**

- Black nubuck leather with black high abrasion resistant 1260D material.
- Cement construction with Vibram Arctic Grip outsole for superior traction in wet and on ice.
- Storm Defender™ waterproof breathable membrane.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- Heel Kicker utility ledge for easy-off.
- Reflective laces and heel pull-on tab.
- · Imported.
- Soft Toe ASTM F2892-18 EH

















**MEDIUM** 8-12, 13, 14

### **Waterproof insulated 6-inch Hiker Boot**

Red-Brown FP6039-M

### **FEATURES**

- Red-brown full grain leather
- Cement construction with Vibram Arctic Grip outsole for superior traction in wet and on ice.
- Storm Defender<sup>™</sup> waterproof breathable membrane and 400g LiteFire® insulation.
- Carhartt LWD Lightweight Durable midsole with Insite® footbed.
- · Heel Kicker utility ledge for easy-off.
- Reflective laces and heel pull-on tab.
- Imported.
- Soft Toe ASTM F2892-18 EH















**MEDIUM** 8-12, 13, 14







### Waterproof 10-Inch Pull-On Boot

Brown Nano Composite Toe CMP1453 CMP1053

### **FEATURES**

- Brown oil tanned leather and suede.
- Welt construction with Carhartt rubber outsole.
- FastDry<sup>™</sup> technology lining wicks away sweat.
- PU strobel pad with Insite® footbed.
- Storm Defender™ waterproof breathable membrane.
- · Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



### Waterproof 6-Inch Moc-Toe Work Boot

Brown CMW6197

### **FEATURES**

- · Brown oil tanned leather.
- Welt construction with Carhartt rubber outsole.
- FastDry™ technology lining wicks away sweat.
- PU strobel pad with PU cushion insoles.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



### **6-Inch Work Boot**

Brown Steel Toe CMW6274 CMW6174

- Brown oil tanned leather.
- Welt construction with Carhartt rubber outsole.
- FastDry<sup>™</sup> technology lining wicks away sweat.
- PU strobel pad with PU cushion insoles.
- Padded collar and comfort tongue.
- $\bullet \ Imported.$
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR









# **GROUND FORCE OUTSOLE**

**DURABLE TRACTION INSIDE OR OUT** 

# **SHALLOW LUGS**

**RELEASE MUD AND DIRT** 

# **LADDER LOCK GRIPS**

PERFECT BOOT FOR CLIMBING

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		0	
CHEMICAL RESISTANCE		0	
ABRASION RESISTANCE			0
HEAT RESISTANCE			0
SLIP RESISTANCE			0

Performance chart is suggested for the intended environment.

# **MEN'S GROUND FORCE BOOTS**



### **Ground Force Waterproof 10-Inch Pull-On Work Boot**

Brown Composite Toe CME1355

### **FEATURES**

- Brown oil tanned leather with abrasion resistant Carstrong™ durable fabric.
- Cement constructed with Carhartt rubber Ground Force outsole.
- Revolutionary light and high rebound EVA midsole with Insite® footbed.
- Molded rubber toe bumper with abrasion resistant rubber heel.
- Storm Defender<sup>™</sup> waterproof breathable membrane.
- Received the APMA Seal of Acceptance.
- · Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



### **Ground Force Waterproof 8-Inch Work Boot**

Red Brown Composite Toe CME8355

### **FEATURES**

- · Red brown oil tanned leather.
- Cement constructed with Carhartt rubber Ground Force outsole.
- Revolutionary light and high rebound EVA midsole with Insite® footbed.
- $\bullet \ \ \text{Molded rubber toe bumper with abrasion resistant rubber heel}.$
- Storm Defender  $^{\text{\tiny{TM}}}$  waterproof breathable membrane.
- Received the APMA Seal of Acceptance.
- · Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



### **Ground Force Waterproof Insulated 8-Inch Work Boot**

Brown CME8047

- · Brown oil tanned leather.
- Cement constructed with Carhartt rubber Ground Force outsole.
- $\bullet$  Revolutionary light and high rebound EVA midsole with Insite  $^{\rm @}$  footbed.
- Abrasion resistant rubber heel.
- Storm Defender™ waterproof breathable membrane and 600g 3M™ Thinsulate™ insulation.
- Received the APMA Seal of Acceptance.
- · Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR





# **MEN'S GROUND FORCE BOOTS**

### **Ground Force Waterproof 6-Inch Work Boot**

Red Brown Composite Toe CME6355

### **FEATURES**

- · Red brown oil tanned leather.
- Cement constructed with Carhartt rubber Ground Force outsole.
- Revolutionary light and high rebound EVA midsole with Insite® footbed.
- Molded rubber toe bumper with abrasion resistant rubber heel.
- Storm Defender<sup>™</sup> waterproof breathable membrane.
- Received the APMA Seal of Acceptance.
- · Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



### **Ground Force Waterproof 6-Inch Work Boot**

Black Composite Toe CME6351

### **FEATURES**

- · Black oil tanned leather.
- Cement constructed with Carhartt rubber Ground Force outsole.
- Revolutionary light and high rebound EVA midsole with Insite® footbed.
- Molded rubber toe bumper with abrasion resistant rubber heel.
- Storm Defender  $^{\text{TM}}$  waterproof breathable membrane.
- Received the APMA Seal of Acceptance.
- · Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR




### **Ground Force Waterproof 6-Inch Work Boot**

Brown Composite Toe CME6347 CME6047

- Brown oil tanned leather.
- Cement constructed with Carhartt rubber Ground Force outsole.
- Revolutionary light and high rebound EVA midsole with Insite® footbed.
- · Abrasion resistant rubber heel.
- $\bullet$  Storm Defender  $^{\text{\tiny{TM}}}$  waterproof breathable membrane.
- Received the APMA Seal of Acceptance.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR











# **POLYURETHANE OUTSOLES**

OIL, CHEMICAL, AND SLIP RESISTANT

# **SHALLOW LUGS**

RELEASE MUD AND DIRT

# **LADDER LOCK GRIPS AND STEEL SHANKS**

PERFECT BOOT FOR CLIMBING

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE			0
CHEMICAL RESISTANCE			0
ABRASION RESISTANCE		0	
SLIP RESISTANCE		0	

Performance chart is suggested for the intended environment. Polyurethane outsoles are not tested for heat resistance.

# MEN'S HERITAGE WELLINGTON



# Waterproof 11-Inch Wellington Brown Steel Toe CMP1200 CMP1100

### **FEATURES**

- Brown oil tanned leather and abrasion resistant Carstrong™ durable fabric.
- Direct attached welt construction with dual density PU Carhartt Heritage outsole.
- PU strobel pad with PU cushion insoles.
- TPU Heel Guard® with achilles flex joint.
- Storm Defender<sup>™</sup> waterproof breathable membrane.
- · Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



### **Waterproof 11-Inch Wellington**

Brown Steel Toe CMP1270

### **FEATURES**

- Brown oil tanned leather, abrasion resistant Carstrong™ durable fabric and brown PU coated leather.
- Direct attached welt construction with dual density PU Carhartt Heritage outsole.
- PU strobel pad with PU cushion insoles.
- TPU Heel Guard® with achilles flex joint.
- Storm Defender™ waterproof breathable membrane.
- · Imported
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



# Waterproof Insulated 11-Inch Wellington

Brown Steel Toe CMP125

- $\bullet$  Brown oil tanned leather, abrasion resistant Carstrong  $^{\text{TM}}$  durable fabric and black PU coated leather.
- Direct attached welt construction with dual density PU Carhartt Heritage outsole.
- PU strobel pad with PU cushion insoles.
- TPU Heel Guard® with achilles flex joint.
- Storm Defender™ waterproof breathable membrane and 400g LiteFire® insulation.
- · Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR





### **Waterproof 8-Inch Work Boot**

Brown Steel Toe CMW8200

### **FEATURES**

- · Brown oil tanned leather.
- Direct attached welt construction with dual density PU Carhartt Heritage outsole.
- PU strobel pad with PU cushion insoles.
- TPU Heel Guard® with achilles flex joint.
- $\bullet \, Storm \, Defender^{\text{\tiny{TM}}} \, waterproof \, breathable \, membrane.$
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



### **Waterproof 6-Inch Work Boot**

Brown Steel Toe CMW6220

- Brown oil tanned leather.
- Direct attached welt construction with dual density PU Carhartt Heritage outsole.
- PU strobel pad with PU cushion insoles.
- TPU Heel Guard® with achilles flex joint.
- $\bullet \, Storm \, Defender^{\text{TM}} \, waterproof \, breathable \, membrane. \\$
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR











# **RUBBER OUTSOLE**

HEAT, ABRASION, AND SLIP RESISTANT

# **SHALLOW LUGS**

RELEASE MUD AND DIRT

# **DEFINED HEEL**

90 DEGREE HEELS ARE PERFECT FOR CLIMBING

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		0	
CHEMICAL RESISTANCE		0	
ABRASION RESISTANCE			0
HEAT RESISTANCE			0
SLIP RESISTANCE			0

Performance chart is suggested for the intended environment.

# MEN'S IRONWOOD



### **Ironwood Waterproof 11-Inch Wellington**

Brown	Alloy Toe	FT1500-M
		FT1000-M

### **FEATURES**

- Brown oil tanned leather and abrasion resistant Carstrong™ durable fabric.
- Cement constructed with Carhartt rubber Ironwood outsole.
- Storm Defender™ waterproof breathable membrane.
- Revolutionary light and high rebound PU midsole with Insite® Footbed.
- · Heel Kicker utility ledge for easy-off.
- · Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



**MEDIUM** 8-12, 13, 14 **WIDE** 8-12, 13, 14, 15

### Ironwood Waterproof Insulated 11-Inch Wellington

Dark Brown/Black **Alloy Toe** FT1509-M

### **FEATURES**

- Dark brown oil tanned leather and black PU coated Helcor® leather.
- Cement constructed with Carhartt rubber Ironwood outsole.
- Storm Defender<sup>™</sup> waterproof breathable membrane and 400g LiteFire® insulation.
- Revolutionary light and high rebound PU midsole with Insite® Footbed.
- Heel Kicker utility ledge for easy-off.
- · Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



### **Ironwood Waterproof 8-Inch Work Boot**

Brown	Alloy Toe	FT8500-M
		FT8000-M

### **FEATURES**

- Brown oil tanned leather and abrasion resistant Carstrong™ durable fabric.
- Cement constructed with Carhartt rubber Ironwood outsole.
- Storm Defender<sup>™</sup> waterproof breathable membrane.
- Revolutionary light and high rebound PU midsole with Insite® Footbed.
- · Heel Kicker utility ledge for easy-off.
- · Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



### **Ironwood Waterproof 8-Inch Work Boot**

Dark Brown/Mossy Oak™ FT8002-M

- Dark brown oil tanned leather and abrasion resistant Mossy Oak™ durable fabric.
- Cement constructed with Carhartt rubber Ironwood outsole.
- Storm Defender™ waterproof breathable membrane.
- Revolutionary light and high rebound PU midsole with Insite® Footbed.
- · Heel Kicker utility ledge for easy-off.
- · Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR





### **Ironwood Waterproof Insulated 8-Inch Work Boot**

Dark Brown/Black **Alloy Toe** FT8509-M

### **FEATURES**

- Dark brown oil tanned leather, abrasion resistant Carstrong<sup>™</sup> durable fabric and black PU coated Helcor® leather.
- Cement constructed with Carhartt rubber Ironwood outsole.
- Storm Defender™ waterproof breathable membrane and 400g LiteFire® insulation.
- Revolutionary light and high rebound PU midsole with Insite® Footbed.
- · Heel Kicker utility ledge for easy-off.
- · Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



**MEDIUM** 8-12, 13, 14 **WIDE** 8-12, 13, 14, 15

### **Ironwood Waterproof 6-Inch Work Boot**

**Alloy Toe** FT6500-M Brown FT6000-M

### **FEATURES**

- · Brown oil tanned leather.
- Cement constructed with Carhartt rubber Ironwood outsole.
- Storm Defender<sup>™</sup> waterproof breathable membrane.
- Revolutionary light and high rebound PU midsole with Insite® Footbed.
- Heel Kicker utility ledge for easy-off.
- · Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



### **Ironwood Waterproof 6-Inch Work Boot**

Black Allov Toe FT6501-M FT6001-M

### **FEATURES**

- · Black oil tanned leather.
- Cement constructed with Carhartt rubber Ironwood outsole.
- Storm Defender™ waterproof breathable membrane.
- Revolutionary light and high rebound PU midsole with Insite® Footbed.
- · Heel Kicker utility ledge for easy-off.
- · Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR













**MEDIUM** 8-12, 13, 14

**WIDE** 8-12, 13, 14, 15

### **Ironwood 6-Inch Work Boot**

Brown FT6010-M

- Brown oil tanned leather and abrasion resistant Carstrong™ durable fabric.
- Cement constructed with Carhartt rubber Ironwood outsole.
- Revolutionary light and high rebound PU midsole with Insite® Footbed.
- · Heel Kicker utility ledge for easy-off.
- · Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR















**MEDIUM** 8-12, 13, 14 **WIDE** 8-12, 13, 14, 15





### Rugged Flex® Waterproof 10-Inch Pull-On Boot

Brown Composite Toe CMF1391

### **FEATURES**

- Brown oil tanned leather, Neoprene shaft and black PU coated leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- EVA midsole with PU strobel pad.
- PU with foam cushion insoles.
- Storm Defender<sup>™</sup> waterproof breathable membrane.
- · Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



### Rugged Flex® Waterproof Insulated 8-Inch Work Boot

Wheat CMF8058

### **FEATURES**

- · Wheat nubuck leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- EVA midsole with PU strobel pad and PU with foam cushion insole.
- Rubber toe and heel bumper.
- Storm Defender™ waterproof breathable membrane and 400g 3M™ Thinsulate™ insulation.
- · Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR





# **RUGGED FLEX® RUBBER OUTSOLE**

HEAT, ABRASION, AND SLIP RESISTANT

# SHALLOW LUGS

**RELEASE MUD AND DIRT** 

# **LADDER LOCK GRIPS**

PERFECT BOOT FOR CLIMBING

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		0	
CHEMICAL RESISTANCE		0	
ABRASION RESISTANCE			0
HEAT RESISTANCE			0
SLIP RESISTANCE			0

Performance chart is suggested for the intended environment.

# MEN'S RUGGED FLEX®



### Rugged Flex® Waterproof Insulated 8-Inch Work Boot

Brown Composite Toe CMF8389

### **FEATURES**

- · Brown oil tanned leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- EVA midsole with PU strobel pad and PU with foam cushion insole.
- Rubber toe and heel bumper.
- • Storm Defender™ waterproof breathable membrane and  $400g~3M^{\text{TM}}$  Thinsulate™ insulation.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



**MEDIUM** 8-12, 13, 14 **WIDE** 8-12, 13, 14, 15

### Rugged Flex® Waterproof 6-Inch Work Boot

Wheat Composite Toe CMF6356 CMF6056

### **FEATURES**

- · Wheat nubuck leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- EVA midsole with PU strobel pad and PU with foam cushion insole.
- · Rubber toe and heel bumper.
- Storm Defender™ waterproof breathable membrane.
- · Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



### Rugged Flex® Waterproof 6-Inch Work Boot

Brown Composite Toe CMF6380

### **FEATURES**

- · Brown oil tanned leather.
- $\bullet \, \text{Cement constructed with Carhartt rubber Rugged Flex} \\ \text{$^{\tiny{\$}}$ outsole.}$
- EVA midsole with PU strobel pad and PU with foam cushion insole.
- Rubber toe and heel bumper.
- Storm Defender<sup>™</sup> waterproof breathable membrane.
- · Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



### Rugged Flex® Waterproof 6-Inch Work Boot

Black Composite Toe CMF6371

### **FEATURES**

- Black oil tanned leather.
- $\bullet \mbox{ Cement constructed with Carhartt rubber Rugged Flex} \mbox{ outsole}. \\$
- EVA midsole with PU strobel pad and PU with foam cushion insole.
- Rubber toe and heel bumper.
- $\bullet$  Storm Defender  $^{\text{\tiny{TM}}}$  waterproof breathable membrane.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR

















**MEDIUM** 8-12, 13, 14

**WIDE** 8-12, 13, 14, 15



### Rugged Flex® 6-Inch Work Boot

Brown Composite Toe CMF6366 CMF6066

### **FEATURES**

- · Brown oil tanned leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- EVA midsole with PU strobel pad.
- PU with foam cushion insoles.
- FastDry™ technology lining wicks away sweat.
- · Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



Rugged Flex® 6-Inch Work Boot

Brown Steel Toe CMF6284

### **FEATURES**

- Brown leather with Carstrong™ durable fabric.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- EVA midsole with PU strobel pad.
- PU with foam cushion comfort insoles.
- FastDry  $^{\text{TM}}$  technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



**MEDIUM** 8-12, 13, 14

**WIDE** 8-12, 13, 14, 15

### Rugged Flex® Waterproof 6-Inch Work Boot

Brown Steel Toe FF6213-M FF6013-M

- Brown leather with Carstrong™ durable fabric.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- EVA midsole with PU strobel pad.
- PU with foam cushion comfort insoles.
- $\bullet \, Storm \, Defender^{\text{\scriptsize TM}} \, waterproof \, breathable \, membrane.$
- $\bullet \ Fast Dry^{\text{\tiny TM}} \ technology \ lining \ wicks \ away \ sweat.$
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR







# MEN'S RUGGED FLEX® SQUARE TOE WELLINGTONS

### Rugged Flex® Square Toe Waterproof 11-Inch Wellington

Brown Steel Toe CMP1258

### **FEATURES**

- Brown oil tanned leather, abrasion resistant Carstrong™ durable fabric and black PU coated leather.
- Goodyear welt construction with Carhartt rubber outsole and CMEVA midsole.
- PU strobel pad with PU cushion insoles.
- Storm Defender™ waterproof breathable membrane.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



### Rugged Flex® Square Toe 11-Inch Wellington

Two Tone Brown Steel Toe CMP1218

### **FEATURES**

- Two tone brown oil tanned leather.
- Goodyear welt construction with Carhartt rubber outsole and CMEVA midsole.
- PU strobel pad with PU cushion insoles.
- FastDry<sup>™</sup> technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR






# **DURABLE RUBBER OUTSOLE**

TRACTION IN ANYTHING THE WEATHER THROWS AT YOU

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		0	
CHEMICAL RESISTANCE		0	
ABRASION RESISTANCE			0
HEAT RESISTANCE		0	
SLIP RESISTANCE		0	

Performance chart is suggested for the intended environment.





# MEN'S MET GUARD BOOTS EXTRA PROTECTION

### Rugged Flex® Waterproof Internal Met Guard 11-Inch Pull-On Work Boot

Brown Composite Toe, MT CMF1721

### **FEATURES**

- Brown oil tanned leather with black PU coated leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.\*
   \*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 53
- $\bullet$  Storm Defender  $^{\text{\tiny{TM}}}$  waterproof breathable membrane.
- Reflective high visibility piping.
- Poron® XRD® soft comfort internal metatarsal guard.
- · Imported.
- Safety Toe ASTM F2413-18 EH, MT
- Slip Resistant ASTM F3445-21 SR



### Rugged Flex® Waterproof Internal Met Guard 8-Inch Work Boot

Brown Composite Toe, MT CMF8720

### **FEATURES**

- · Brown oil tanned leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.\*
   \*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 53
- Storm Defender™ waterproof breathable membrane.
- Reflective high visibility piping.
- Poron® XRD® soft comfort internal metatarsal guard.
- · Imported.
- Safety Toe ASTM F2413-18 EH, MT
- Slip Resistant ASTM F3445-21 SR



### Rugged Flex® Waterproof Internal Met Guard 6-Inch Work Boot

Brown Composite Toe, MT CMF6720

- · Brown oil tanned leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.\*
   \*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 53
- $\bullet$  Storm Defender  $\!\!\!\!\!^{\mathsf{TM}}$  waterproof breathable membrane.
- · Reflective high visibility piping.
- Poron® XRD® soft comfort internal metatarsal guard.
- Imported.
- Safety Toe ASTM F2413-18 EH, MT
- Slip Resistant ASTM F3445-21 SR







# MEN'S PUNCTURE-RESISTANT BOOTS EXTRA PROTECTION

### Ground Force Waterproof Insulated Puncture Resistant 8-Inch Work Boot

Black	Composite Toe	CMR8959
	Swen-Flex® PR Plate	

### **FEATURES**

- · Black oil tanned leather.
- Cement constructed with Carhartt rubber Ground Force outsole.\*

  \*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 41
- Revolutionary light and high rebound EVA midsole with Insite® footbed.
- Molded rubber toe bumper with abrasion resistant rubber heel.
- Storm Defender™ waterproof breathable membrane and 400g 3M™ Thinsulate™ insulation.
- · Imported.
- CSA Grade 1 ST, PR Electrical Shock and ASTM 2413-18 PR, EH
- Slip Resistant ASTM F3445-21 SR



**WIDE** 8-12, 13, 14, 15

### Rugged Flex® Waterproof Puncture Resistant 6-Inch Work Boot

Black	Composite Toe	CMR6971
	Swen-Flex® PR Plate	

### **FEATURES**

- · Black oil tanned leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.\*
  \*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 53
- EVA midsole with PU strobel pad and PU with foam cushion insole.
- Rubber toe and heel bumper.
- Storm Defender™ waterproof breathable membrane.
- Imported.
- CSA Grade 1 ST, PR Electrical Shock and ASTM 2413-18 PR, EH
- Slip Resistant ASTM F3445-21 SR













**WIDE** 8-12, 13, 14, 15

### Rugged Flex® Waterproof Insulated Puncture Resistant 8-Inch Work Boot

Brown	Composite Toe	CMR8939
	Swen-Flex® PR Plate	

- · Brown oil tanned leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.\*
  \*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 53
- EVA midsole with PU strobel pad and PU with foam cushion insole.
- Rubber toe bumper.
- $\bullet$  PU with foam cushion insoles.
- Storm Defender™ waterproof breathable membrane and 400g 3M™ Thinsulate™ insulation.
- Imported.
- CSA Grade 1 ST, PR Electrical Shock and ASTM 2413-18 PR, EH
- Slip Resistant ASTM F3445-21 SR









# **DURABLE RUBBER OUTSOLE**

TRACTION IN ANYTHING THE WEATHER THROWS AT YOU

# **LADDER LOCK GRIPS**

PERFECT BOOT FOR CLIMBING

# **SHALLOW TREAD**

DESIGNED TO RELEASE MUD AND DIRT

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		0	
CHEMICAL RESISTANCE		0	
ABRASION RESISTANCE			0
HEAT RESISTANCE		0	
SLIP RESISTANCE		0	

Performance chart is suggested for the intended environment.



# **CARHARTT INSITE® FOOTBED**



- **✓** FEELS LIKE A CUSTOM ORTHOTIC
- ENGINEERED FOR COMFORT
- MAXIMUM ARCH SUPPORT



# MEN'S MUDRUNNER VULCANIZED RUBBER BOOTS

### **Mudrunner Waterproof 10-Inch Rubber Boot**

Black CMV1121

### **FEATURES**

- · Black rubber and neoprene.
- Vulcanized construction with Carhartt rubber compound.
- · Supportive Insite® footbed.
- · Waterproof neoprene upper.
- · Heel Kicker utility ledge for easy-off.
- · Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



# Mudrunner Waterproof 15-Inch Rubber Boot


Black Nano Composite Toe CMV1451 CMV1151

### **FEATURES**

- Black rubber and neoprene.
- · Vulcanized construction with Carhartt rubber compound.
- Supportive Insite® footbed.
- Waterproof neoprene upper.
- Heel Kicker utility ledge for easy-off.
- · Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



# **OUTSOLE FEATURES AND BENEFITS**







# MEN'S WOODWORKS CLIMBING BOOTS

### **Waterproof 8-Inch Climbing Work Boot**

Vintage Saddle Composite Toe CML8360

### **FEATURES**

- Vintage saddle oil tanned leather and abrasion resistant Carstrong™ durable fabric
- Goodyear welt construction with Carhartt WoodWorks rubber outsole.
- PU strobel pad with PU cushion insoles.
- TPU heel stabilizer with achilles flex joint.
- Storm Defender™ waterproof breathable membrane.
- · Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



### **Waterproof Insulated 8-Inch Climbing Work Boot**

Vintage Saddle Composite Toe CML8369

### **FEATURES**

- Vintage saddle oil tanned leather and abrasion resistant Carstrong™ durable fabric.
- Goodyear welt construction with Carhartt WoodWorks rubber outsole.
- PU strobel pad with PU cushion insoles.
- TPU heel stabilizer with achilles flex joint.
- Storm Defender™ waterproof breathable membrane and 600g LiteFire® insulation.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



# **OPEN EDGE MUD RELEASE LUGS**

FOR TRACTION

### LADDER LOCK GRIPS WITH REINFORCED STEEL SHANK

90 DEGREE HEELS ARE PERFECT FOR CLIMBING

# **CARHARTT WOODWORKS RUBBER OUTSOLE**

DURABLE FOR ANYTHING THE WEATHER THROWS AT YOU

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		0	
CHEMICAL RESISTANCE		0	
ABRASION RESISTANCE			0
HEAT RESISTANCE		0	
SLIP RESISTANCE		0	







# MEN'S YUKON EXTREMES PAC BOOT

### **Waterproof Insulated 10-Inch Pac Boot**

Brown Composite Toe CMC1259

### **FEATURES**

- Brown oil tanned leather with Black PU coated abrasion resistant leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- Foam cushion insole with TPU arch support and EVA custom fit removable insert.
- TPU Heel Guard® with achilles flex joint.
- · Molded rubber toe bumper.
- Storm Defender™ waterproof breathable membrane and 1000g LiteFire® insulation.
- · Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR





# **RUGGED FLEX® RUBBER OUTSOLE**

HEAT, ABRASION, AND SLIP RESISTANT

### **SHALLOW LUGS**

**RELEASE MUD AND DIRT** 

# **LADDER LOCK GRIPS**

PERFECT BOOT FOR CLIMBING

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		0	
CHEMICAL RESISTANCE		0	
ABRASION RESISTANCE			0
HEAT RESISTANCE		0	
SLIP RESISTANCE		0	

### **Merchandising Support**



A. SLAT WALL HEADER 25" X 9" / CHP20121

B. SLAT WALL BACKER

16" X 63" / CHP20171

C. SLAT WALL SHELF 3-PACK

11" x 6.5" / CHP20122

D. SLATWALL/FLOOR UNIT FOOTER

11" x 9.75" / CHP20124



**SHOE TOWER** 

15"w x 15"d x 60.5"h / CHP20161



IN STORE BANNER

4' X 2' / CHP20134



IN STORE BANNER

4' x 2' / CHP20136



**BENCH** 

18"w x 36"l x 18"h / CHP20162



**FLOOR MAT** 

4' x 3' / CHP20125B



**CARHARTT DISPLAY PROGRAM FOR 10+ SKU'S** 

Slat wall units available.

Please ask your sales representative for information.



LUCITE SLATWALL
SHELF TALKER 3-PACK

3" x 4" / CHP20132



LOZIER SHELF W/PVC, 3 PACK

10" x 6" / CHP20131



### Merchandising Support \*BOOT NOT INCLUDED.



BOOT INSERT\*
3.5" x 11" / CHP20177



SH0E RISER\* 12.5" x 5" / CHP20178



EASEL BACK TABLE TALK GRAPHIC 8" x 11" / CHP20180



HEADER 25" x 9" / CHP20121-F



B00T INSERT\* 4" x 11" / CHP20147



SHOE RISER\*
12.5" x 5" / CHP20146



EASEL BACK TABLE TALK GRAPHIC 8" x 11" / CHP20194



WINDOW CLING 10" x 4" / CHP20172 11" x 8.5" / CHP20173 12" x 12" / CHP20174



BOOT INSERT\*
4" x 11" / CHP20191



SHOE RISER\* 12.5" x 5" / CHP20192



B00T WRAP\* 3"h x 10"w / CHP20155



FLOOR DECAL
3' x 2' / CHP20176



FLOOR DECALS

12" x 12" / LEFT & RIGHT / CHP20175

HEAD



FLOOR DECALS



12" x 12" / LEFT CHP20209A / RIGHT CHP20209B



EASEL BACK TABLE TALK GRAPHIC 8" x 11" / CHP20150A



EASEL BACK TABLE TALK GRAPHIC 8" x 11" / CHP20150C

# **BANNER ADS & EMAIL BLASTS**

BANNER ADS AND EMAIL BLAST TEMPLATES ARE AVAILABLE. PLEASE CONTACT YOUR SALES REP OR TERRI MURRAY AT TMURRAY@BDBOOTS TO DISCUSS YOUR NEEDS SO WE CAN HELP CREATE SOMETHING WHICH CAN BEST BOOST YOUR CARHARTT FOOTWEAR MESSAGE TO YOUR CUSTOMERS.























### ORDER AND SALES CONTACT INFORMATION

### CARHARTT FOOTWEAR ORDERING INFORMATION AND ALL CUSTOMER INQUIRES

Toll Free: 855-277-8944 / For Questions and Information: customerservice@bdboots.com Toll Free Fax: 888-425-1760 / For Placing Orders: orders@bdboots.com

### **CARHARTT FOOTWEAR SALES CONTACT INFORMATION**

### NATIONAL SALES MANAGER **CUSTOMER SERVICE**

**Black Diamond Group** 300 TradeCenter, Suite 5550 Woburn, MA 01801

e-mail: customerservice@bdboots.com

phone: 855-277-8944

### VICE PRESIDENT OF NATIONAL ACCOUNTS CJ SCOPE

**Black Diamond Group** 300 TradeCenter, Suite 5550 Woburn, MA 01801

e-mail: cjscope@bdboots.com 574-360-6721

### NATIONAL ACCOUNTS MANAGER LEE VIRCHOW

**Black Diamond Group** 300 TradeCenter, Suite 5550 Woburn, MA 01801

e-mail: lvirchow@bdboots.com 515-402-1108

### SOUTH EAST TERRITORY MANAGER STATES: GA, NC, SC, TN, VA **ADAM THOMAS**

**Black Diamond Group** 300 TradeCenter, Suite 5550 Woburn, MA 01801 e-mail: athomas@bdboots.com 615-692-9413

### **GREAT LAKES TERRITORY MANAGER** STATES: IN. KY. MI. OH. WV. W.PA LOGAN PAHANISH

**Black Diamond Group** 300 TradeCenter, Suite 5550 Woburn, MA 01801

e-mail: lpahanish@bdboots.com phone: 724-610-7492

### NORTH CENTRAL TERRITORY MANAGER STATES: IA, N.IL, MN, ND, NE, WI ADAM PHENOW

Black Diamond Group 300 TradeCenter, Suite 5550 Woburn, MA 01801

e-mail: aphenow@bdboots.com phone: 763-232-7123

### DIRECTOR, DIGITAL - ECOMMERCE AMY CROCKER

Black Diamond Group 300 TradeCenter, Suite 5550 Woburn, MA 01801

e-mail: acrocker@bdboots.com 206-225-8773 cell:

### SENIOR ACCOUNT PLANNER KRISTEN PETERS

**Black Diamond Group** 300 TradeCenter, Suite 5550 Woburn, MA 01801

e-mail: kpeters@bdboots.com 314-775-5223 cell-

### NORTH WEST TERRITORY MANAGER STATES: AK, ID, MT, OR, WA JEFF SCARLETT

Black Diamond Group 300 TradeCenter, Suite 5550 Woburn, MA 01801

e-mail: jscarlett@bdboots.com 253-209-2222

### SOUTH CENTRAL TERRITORY MANAGER STATES: AR. S.IL. KS. MO. OK **BETH EILERS**

Black Diamond Group 300 TradeCenter, Suite 5550 Woburn, MA 01801 e-mail: beilers@bdboots.com 314-808-1176 cell:

### BUSINESS DEVELOPMENT MANAGER **WILLIAM HARTSOUGH**

**Black Diamond Group** 300 TradeCenter, Suite 5550 Woburn, MA 01801

e-mail: whartsough@bdboots.com

856-725-7587

### MOUNTAIN STATES TERRITORY MANAGER STATES: CO, NE, SD, UT, WY KYLE SEDAŔ

Black Diamond Group 300 TradeCenter, Suite 5550 Woburn, MA 01801

e-mail: ksedar@bdboots.com 307-258-1175

### **DIRECTOR OF INDUSTRIAL SALES** JARROD BEARD

**Black Diamond Group** 300 TradeCenter, Suite 5550 Woburn, MA 01801 e-mail: jbeard@bdboots.com

614-886-2504

### MID-ATLANTIC TERRITORY MANAGER DE. E.PA. MD. NJ WILL HARTSOUGH

Black Diamond Group 300 TradeCenter, Suite 5550 Woburn, MA 01801

e-mail: whartsough@bdboots.com 856-725-7587

### NORTH EAST TERRITORY MANAGER PETE WOODWARD STATES: CT, MA, ME, NH, NY, RI, VT

Black Diamond Group 300 TradeCenter, Suite 5550 Woburn, MA 01801

e-mail: pwoodward@bdboots.com 781-258-5772

### **SOUTH WEST TERRITORY MANAGER** STATES: AZ, CA, HI, NM, NV MIKE TOUSÍGNÁNT

Black Diamond Group 300 TradeCenter, Suite 5550 Woburn, MA 01801

e-mail: mtousignant@bdboots.com 951-970-2249

### **GULF REGION TERRITORY MANAGER** STATES: FL, AL, MS, LA, TX, PR, US ISLANDS MITCHELL MANN

**Black Diamond Group** 300 TradeCenter, Suite 5550 Woburn, MA 01801

e-mail: mmann@bdboots.com 803-381-7246 cell:

