





SPRING FOOTWEAR

2023

carhartt.



TABLE OF CONTENTS

Technology	1	Wedge Boots	24
Women's Insite® Contoura® Technology Footbed	3	Classic Welt Boots	30
Women's Haslett	6	Ironwood	32
Women's Force	7	Ground Force Boots	36
Women's Gilmore	8	Heritage Boots	40
Women's Boots	9	Rugged Flex® Square Toe Boots	44
Women's Wedge	10	Woodworks Climbing Boots	46
Men's Insite® Technology Footbed	13	Rugged Flex® Boots	48
Men's Force	14	Met Guard Boots	52
Men's Force Athletic	15	Puncture-Resistant Boots	54
Outdoor Boots	18	Mudrunner Boots	56
Gilmore Boots	19	Yukon Pac Boot	60
Outdoor Trail Boots	20	POP and Marketing	62
Millbrook Boots	22	Banner Ads and Email Blast Templates	64

STYLE AND PAGE INDEX

***NEW STYLE FOR SPRING 2023**

Style Number	Page	Style Number	Page	Style Number	Page	Style Number	Page	Style Number	Page	Style Number	Page
CMC1259	61	CMF8720	53	CMW6197	31	FA5016-M	16	FI8000-W	3	FT6001-M	34
CMD3461	17	CMI9000	13	CMW6220	42	FA5017-M	16	FM4000-M	23	FT6500-M	34
CME1355	39	CML8360	47	CMW6274	31	FA5041-M	16	FM4200-M	23	FT6501-M	34
CME6047	39	CML8369	47	CMW6275	26	FA5415-M	16	FM5000-M	22	FT8000-M	34
CME6347	39	CMP1053	31	CMW6295	26	FA5441-M	16	FM5004-M	23	FT8002-M	34
CME6351	38	CMP1100	42	CMW8200	42	FF5361-W	9	FM5010-M	22	FT8500-M	34
CME6355	38	CMP1200	42	CMX4023	29	FF6013-M	49	FM5012-M	22	FT8509-M	35
CME8047	39	CMP1218	45	CWF5355	9	FF6213-M	49	FM5201-M	23	FW5025-W	11
CME8347	39	CMP1258	45	CWP1150	9	FH3021-M	18	FM5204-M	23	FW5033-M	26
CME8355	38	CMP1259	43	CWP1151	9	FH3521-M	18	FP5070-M	21	FW5233-M	26
CMF1391	51	CMP1270	43	CWP1250	9	FH5020-M	19	FP5071-M	21	FW6021-W	10
CMF1721	53	CMP1453	31	FA3001-M	15	FH5050-M	19	FS2001-W	7	FW6025-W	10
CMF6056	51	CMR6971	55	FA3002-M	15	FH5051-M	19	FS2002-W	7	FW6027-W	10
CMF6066	50	CMR8939	55	FA3003-M	15	FH5052-M	19	FS2003-W	6	FW6035-M	27
CMF6284	49	CMR8959	55	FA3401-M	15	FH5056-W	8	FS2005-W	6	FW6072-M	27
CMF6356	51	CMV1121	59	FA3402-M	15	FH5057-W	8	FS2401-W	7	FW6075-W	10
CMF6366	50	CMV1151	59	FA3403-M	15	FH5520-M	19	FS2402-W	7	FW6076-M	27
CMF6371	50	CMV1451	59	FA3404-M	15	FH5550-M	19	FS2404-W	6	FW6077-M	27
CMF6380	50	CMW6095	26	FA3491-W	7	FH5556-W	8	FT1000-M	35	FW6225-W	10
CMF6720	53	CMW6174	31	FA4015-M	17	FH6085-W	8	FT1500-M	35	FW8093-M	28
CMF8058	51	CMW6175	26	FA4415-M	17	FH6087-W	8	FT1509-M	35	FW8095-M	28
CMF8389	51	CMW6191	26	FA5015-M	16	FH6587-W	8	FT6000-M	34	FW8275-M	28

RETURNS AND WARRANTY INFORMATION

CARHARTT FOOTWEAR WARRANTY

- Boots and Shoes have a one year limited warranty in normal use, against any defects in materials, manufacturing and workmanship. The Black Diamond warranty does not cover damage due to holes worn in toes, burn marks, punctures, cuts and abrasions from outside causes, misuse and/or abuse by the wearer.
- The warranty may also be void if the user applies any materials not recommended for footwear, such as polishes, creams, oils or other chemicals that result in damage to the materials of the footwear.

DEALERSHIP RETURN GOODS POLICY

- Black Diamond Return Goods Department shall have the final decision as to the cause of damage and the replacement judgment.
- Black Diamond requires a customer's receipt as proof of purchase when sending footwear back for inspection.
- We expect our retailers to handle and accept returns in a businesslike and professional manner. Please have the consumer clean the footwear before returning them to Black Diamond for inspection.













WE DO NOT ACCEPT FOOTWEAR DIRECTLY FROM THE CONSUMER.

- We reserve the right to repair or replace at our discretion. No goods may be returned without prior authorization.
- Call 855-277-8944 for a Return Authorization Number.
- Please refer to The Black Diamond credit application for all other terms and conditions.

THE CARHARTT DIFFERENCE



Since 1889, Carhartt has manufactured premium workwear known for exceptional durability, comfort, and quality that you can feel in the materials and see in the performance. Just as our founder, Hamilton Carhartt, began four generations ago, Carhartt will continue to manufacture the most rugged and durable clothing and footwear for generations to come.

As a choice brand for those who work and play outdoors, Carhartt is proud to serve a variety of workers in many industries including construction and manufacturing along with farmers, ranchers, and outdoor enthusiasts. Your customers will enjoy our footwear and the technologies we use for the performance they want.



Icon	Feature	Performance
	Nano Composite Toe	Identifies protection against impact and compression hazards with a Nano Composite (non-metallic) safety toe. Nano Composite safety toe styles meet ASTM 2413-18 standards.
	Steel Toe	Identifies protection against impact and compression hazards with a steel safety toe. Steel toe styles meet ASTM 2413-18 standards.
	Composite Toe	Identifies protection against impact and compression hazards with a composite (non-metallic) safety toe. Composite toe styles meet ASTM 2413-18 standards.
	Alloy Toe	Alloy safety toe is made from blended metal and aluminum resulting in a thin, lightweight safety toe for strength and comfort all day. Alloy toe styles meet ASTM 2413-18 standards.
	Metatarsal Guard	Identifies protection against impact and compression hazards to the top of the foot with a metatarsal guard. Metatarsal styles meet ASTM 2413-18 standards.
	Electrical Hazard	Identifies secondary protection against incidental contact with electrical circuits of 18,000 volts or less under dry conditions. Electrical Hazard styles meet ASTM F2413-18 EH standards for safety toe footwear and ASTM F2892-18 for non-safety toe styles.
	Static Dissipative	Static Dissipative shoes reduce the risk of static shock to people and to the manufactured product in the workplace. Meets the ASTM F2413-18 SD 35 and ASTM F2892-18 SD 35 standards.
	Puncture Resistant & CSA	Identifies protection against puncture hazards to the bottom of the foot with a puncture resistant plate. Puncture Resistant styles meet ASTM 2413-18 standards. CSA Grade 1 toe protection and CSA electrical shock resistance of 18KV under dry conditions.
	Heel Guard	The Carhartt Heel Guard feature is designed to provide ankle stability, side impact protection and heel protection durability.
	Heel Stabilizer	The Carhartt Heel Stabilizer feature is designed to provide ankle stability and heel protection durability.
	Heel Kicker	Heel Kicker utility ledge for easy removal of boots.
	Helcor® Leather	Superior abrasion resistant, easy to clean leather.

COMFORT REDEFINED



KEEPS YOU DRY

Icon	Feature	Performance
	Storm Defender® Waterproof Breathable Protection	These shoes are designed to be completely waterproof and to keep your feet dry in most types of wet conditions. A waterproof and breathable membrane is used to keep your feet dry but promote air flow and circulation.
	Rain Defender®	These shoes are designed to be water repellent to keep your feet dry so you can work in light rain.




KEEPS YOU WARM

Icon	Feature	Performance
	Insulation	These shoes are designed to keep your feet warm in most types of cold conditions. The two types of insulating barriers used in Carhartt Footwear are LiteFire® and 3M™ Thinsulate™. LiteFire® is an aluminum based waterproof and breathable membrane that reflects body heat equivalent to 400, 600, 800 or 1000 grams of traditional insulation without the weight or bulk. 3M™ Thinsulate™ is a microfiber that insulates boots by trapping air molecules between you and the outside. 400 and 600 grams are used for cold conditions or moderate activity levels.
	FastDry® Technology Lining	FastDry® technology lining wicks away sweat for comfort.

KEEPS YOU STANDING

Icon	Feature	Performance
	Vibram	Vibram Arctic Grip is innovative technology specifically engineered and designed to perform on wet ice. It's a unique polymer blend coupled with an advanced filler system, and new processing technique. Paired with Vibram Ictrek, which yields Vibram's best grip on dry ice, Vibram Arctic Grip offers Vibram performance, quality and durability.
	Outsole	Carhartt outsoles provide performance for the intended work and environment.

KEEPS YOU COMFORTABLE

Icon	Feature	Performance
	Insite® Technology Footbed	Carhartt footbed made with Insite® technology is engineered to create maximum arch support to reduce foot fatigue during long days on the job.
	Insite® Contoura® Footbed	Carhartt women's footbed made with Insite® Contoura® patented ergonomic shape to help women evenly distribute pressure points and enhance support.
	Cushion Comfort Insole	Carhartt insole provides comfortable support and reduces foot fatigue.

CARHARTT WOMEN'S FIT AND COMFORT FOOTBEDS

COMFORT REDEFINED

Engineered shape built specifically for women. Podiatrist-designed for women's all-day comfort and support. Feels like a custom orthotic.

INNOVATIVE MATERIALS

Insite® Ecomcomfort™ dual-density foam engineered to optimize step-in comfort and breathability.

Insite® Contoura® patented ergonomic shape to help women evenly distribute pressure points and enhance support.

INSITE
CONTOURA
WOMEN'S FIT




BUILT WITH INSITE® TECHNOLOGY

Carhartt insoles with Insite® technology uses an ergonomic shape based on 120,000 foot scans for fit, form, and comfort that lasts as long as your day.

Insite® Contoura® Technology Footbeds FI8000-W

SIZES 6, 7, 8, 9, 10, 11















WOMEN'S






ENGINEERED FOR EVERYTHING YOU DO

- Boots built for hard-working women
- Insite® technology footbeds in select styles
- Expanded women's selection now offered in 6 categories



NEW Women's Haslett 3-Inch SD Work Shoe		
Light Pink	Non-Safety Toe SD	FS2005-W
FEATURES <ul style="list-style-type: none"> • Light pink lightweight knit upper with abrasion resistant heel and toe. • Cement construction with Carhartt rubber Haslett outsole. • Revolutionary light and high rebound EVA midsole. • Women's Insite® Contoura® technology footbed. • FastDry® technology lining wicks away sweat. • Imported. • Soft Toe ASTM F2892-18 SD 35 • Slip Resistant ASTM F3445-21 SR 		
		
   		
MEDIUM 6-10, 11		

NEW Women's Haslett 3-Inch SD Work Shoe		
Blue	Non-Safety Toe SD	FS2003-W
FEATURES <ul style="list-style-type: none"> • Blue lightweight knit upper with abrasion resistant heel and toe. • Cement construction with Carhartt rubber Haslett outsole. • Revolutionary light and high rebound EVA midsole. • Women's Insite® Contoura® technology footbed. • FastDry® technology lining wicks away sweat. • Imported. • Soft Toe ASTM F2892-18 SD 35 • Slip Resistant ASTM F3445-21 SR 		
		
   		
MEDIUM 6-10, 11		

NEW Women's Haslett 3-Inch SD Work Shoe		
Burgundy	Nano Composite Toe SD	FS2404-W
FEATURES <ul style="list-style-type: none"> • Burgundy lightweight knit upper with abrasion resistant heel and toe. • Cement construction with Carhartt rubber Haslett outsole. • Revolutionary light and high rebound EVA midsole. • Women's Insite® Contoura® technology footbed. • FastDry® technology lining wicks away sweat. • Imported. • Safety Toe ASTM F2413-18 SD 35 • Slip Resistant ASTM F3445-21 SR 		
		
   		
MEDIUM 6-10, 11		



ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE	●		
CHEMICAL RESISTANCE	●		
ABRASION RESISTANCE		●	
HEAT RESISTANCE	●		
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.

NEW Women's Haslett 3-Inch SD Work Shoe

Grey	Nano Composite Toe SD Non-Safety Toe SD	FS2402-W FS2002-W
------	--	----------------------

FEATURES

- Grey lightweight knit upper with abrasion resistant heel and toe.
- Cement construction with Carhartt rubber Haslett outsole.
- Revolutionary light and high rebound EVA midsole.
- Women's Insite® Contoura® technology footbed.
- FastDry® technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 SD 35, Soft Toe ASTM F2892-18 SD 35
- Slip Resistant ASTM F3445-21 SR



MEDIUM 6-10, 11

NEW Women's Haslett 3-Inch SD Work Shoe

Black	Nano Composite Toe SD Non-Safety Toe SD	FS2401-W FS2001-W
-------	--	----------------------

FEATURES

- Black lightweight knit upper with abrasion resistant heel and toe.
- Cement construction with Carhartt rubber Haslett outsole.
- Revolutionary light and high rebound EVA midsole.
- Women's Insite® Contoura® technology footbed.
- FastDry® technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 SD 35, Soft Toe ASTM F2892-18 SD 35
- Slip Resistant ASTM F3445-21 SR



MEDIUM 6-10, 11

WOMEN'S FORCE

NEW Women's Force 3-Inch Work Shoe

Black	Nano Composite Toe	FA3491-W
-------	--------------------	----------

FEATURES

- Black lightweight knit upper with reflective safety details and abrasion resistant heel and toe.
- Cement construction with Carhartt rubber Force outsole.*
*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 14
- Revolutionary light and high rebound EVA midsole with Insite® technology footbed.
- FastDry® technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 6-10, 11







Women's Gilmore Waterproof 6-Inch Hiker		
Tan	Non-Safety Toe	FH6085-W
FEATURES <ul style="list-style-type: none"> • Tan nubuck leather with high abrasion resistant 1200D material. • Cement construction with Carhartt outdoor-ready rubber lug outsole.* * OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 18 • Storm Defender® waterproof breathable membrane. • Revolutionary light and high rebound EVA midsole with Insite® Technology Footbed. • Heel Kicker utility ledge for easy-off. • Abrasion resistant toe. • Reflective laces and heel pull-on tab. • Imported. • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
		  
		  
MEDIUM 6-10, 11		

Women's Gilmore Waterproof 6-Inch Work Hiker		
Dark Grey	Alloy Safety Toe Non-Safety Toe	FH6587-W FH6087-W
FEATURES <ul style="list-style-type: none"> • Dark Grey nubuck leather with high abrasion resistant 1200D material. • Cement construction with Carhartt outdoor-ready rubber lug outsole.* * OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 54 • Storm Defender® waterproof breathable membrane. • Revolutionary light and high rebound EVA midsole with Insite® Technology Footbed. • Heel Kicker utility ledge for easy-off. • Abrasion resistant toe. • Reflective laces and heel pull-on tab. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
		  
		  
MEDIUM 6-10, 11		

Women's Gilmore Waterproof 5-Inch Hiker		
Grey	Non-Safety Toe	FH5057-W
FEATURES <ul style="list-style-type: none"> • Grey nubuck leather. • Cement construction with Carhartt outdoor-ready rubber lug outsole.* * OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 18 • Storm Defender® waterproof breathable membrane. • Revolutionary light and high rebound EVA midsole with Insite® Technology Footbed. • Heel Kicker utility ledge for easy-off. • Abrasion resistant toe. • Imported. • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
		  
		  
MEDIUM 6-10, 11		

Women's Gilmore Waterproof 5-Inch Work Hiker		
Dark Brown	Alloy Safety Toe Non-Safety Toe	FH5556-W FH5056-W
FEATURES <ul style="list-style-type: none"> • Dark Brown nubuck leather. • Cement construction with Carhartt outdoor-ready rubber lug outsole.* * OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 18 • Storm Defender® waterproof breathable membrane. • Revolutionary light and high rebound EVA midsole with Insite® Technology Footbed. • Heel Kicker utility ledge for easy-off. • Abrasion resistant toe. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
		  
		  
MEDIUM 6-10, 11		

Women's Rugged Flex 6-Inch Work Boot		
Brown	Composite Toe	CWF5355
FEATURES <ul style="list-style-type: none"> • Brown oil tanned leather. • Cement constructed with Carhartt rubber Rugged Flex® outsole.* * OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 49 • EVA custom fit removable inserts. • PU with foam cushion insoles. • FastDry® technology lining wicks away sweat. • Imported. • Safety Toe ASTM F2413-18 EH • Slip Resistant ASTM F3445-21 SR 		
		     
MEDIUM/WIDE 6-10, 11		MULTI-FIT

Women's Rugged Flex 6-Inch Work Boot		
Black	Composite Toe	FF5361-W
FEATURES <ul style="list-style-type: none"> • Black oil tanned leather. • Cement constructed with Carhartt rubber Rugged Flex® outsole.* * OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 49 • EVA custom fit removable inserts. • PU with foam cushion insoles. • FastDry® technology lining wicks away sweat. • Imported. • Safety Toe ASTM F2413-18 EH • Slip Resistant ASTM F3445-21 SR 		
		     
MEDIUM/WIDE 6-10, 11		MULTI-FIT

Women's Waterproof 10-Inch Wellington		
Brown	Steel Toe Non-Safety Toe	CWP1250 CWP1150
FEATURES <ul style="list-style-type: none"> • Brown oil tanned leather and abrasion resistant Carstrong® durable fabric. • Goodyear welt construction with Carhartt rubber outsole.* * OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 30 • FastDry® technology wicks away sweat. • PU strobrel pad with PU cushion insoles. • Storm Defender® waterproof breathable membrane. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
		    
MEDIUM 6-10, 11		

Women's Waterproof 10-Inch Wellington		
Black	Non-Safety Toe	CWP1151
FEATURES <ul style="list-style-type: none"> • Black oil tanned leather and abrasion resistant Carstrong® durable fabric. • Goodyear welt construction with Carhartt rubber outsole.* * OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 30 • FastDry® technology wicks away sweat. • PU strobrel pad with PU cushion insoles. • Storm Defender® waterproof breathable membrane. • Imported. • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
		    
MEDIUM 6-10, 11		

Women's Waterproof 6-Inch Moc Toe Wedge Boot		
Light Brown	Steel Toe Non-Safety Toe	FW6225-W FW6025-W
FEATURES <ul style="list-style-type: none"> • Light brown oil tanned leather. • Goodyear welt construction with dual density Carhartt rubber outsole.* <small>*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 25</small> • PU strobrel pad with Insite® Technology footbed. • Storm Defender® waterproof breathable membrane. • FastDry® technology lining wicks away sweat. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		





STORM DEFENDER



FASTDRY LINING



INSITE FOOTBED



RUBBER OUTSOLE



ELECTRICAL HAZARD

MEDIUM 6-10, 11

Women's Waterproof 6-Inch Moc Toe Wedge Boot		
Black	Non-Safety Toe	FW6021-W
FEATURES <ul style="list-style-type: none"> • Black oil tanned leather. • Goodyear welt construction with dual density Carhartt rubber outsole.* <small>*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 25</small> • PU strobrel pad with Insite® Technology footbed. • Storm Defender® waterproof breathable membrane. • FastDry® technology lining wicks away sweat. • Imported. • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		





STORM DEFENDER



FASTDRY LINING



INSITE FOOTBED



RUBBER OUTSOLE



ELECTRICAL HAZARD

MEDIUM 6-10, 11

Women's 6-Inch Moc Toe Wedge Boot		
Wheat	Non-Safety Toe	FW6075-W
FEATURES <ul style="list-style-type: none"> • Wheat nubuck leather. • Welt construction with dual density Carhartt rubber outsole.* <small>*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 25</small> • PU strobrel pad with PU cushion insoles. • FastDry® technology lining wicks away sweat. • Imported. • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		





FASTDRY LINING



CUSHION COMFORT INSOLE



RUBBER OUTSOLE



ELECTRICAL HAZARD

MEDIUM/WIDE 6-10, 11

MULTI-FIT

Women's 6-Inch Moc Toe Wedge Boot		
Dark Grey	Non-Safety Toe	FW6027-W
FEATURES <ul style="list-style-type: none"> • Dark grey nubuck leather. • Welt construction with dual density Carhartt rubber outsole.* <small>*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 25</small> • PU strobrel pad with PU cushion insoles. • FastDry® technology lining wicks away sweat. • Imported. • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		





FASTDRY LINING



CUSHION COMFORT INSOLE



RUBBER OUTSOLE



ELECTRICAL HAZARD

MEDIUM/WIDE 6-10, 11

MULTI-FIT

Women's 5-Inch Pull-On Chelsea Wedge Boot

Brown

Non-Safety Toe

FW5025-W

FEATURES

- Brown oil tanned leather.
- Goodyear welt construction with dual density Carhartt rubber outsole.*
*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 25
- PU strobrel pad with Insite® Technology footbed.
- FastDry® technology lining wicks away sweat.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 6-10,11





MEN'S

ENGINEERED FOR EVERYTHING YOU DO

- Keeps you warm
- Keeps you dry
- Keeps you comfortable

CARHARTT FOOTBEDS

END THE DAY AS **STRONG** AS YOU STARTED

COMFORT REDEFINED

Engineered cushion comfort to make sure you can focus on the job at hand, not your feet. From heat to cold and dry to wet, we have you covered 24/7.

INNOVATIVE MATERIALS

Tetrapod Technology

Unique tetrapod design disperses compression in multiple directions.

Pulsion Energy Rebound Foam With Single Density PU Foam

Engineered compression set with Pulsion rebound foam for maximum cushion comfort in each step.



BUILT WITH INSITE® TECHNOLOGY

Carhartt insoles with Insite® technology uses an ergonomic shape based on 120,000 foot scans for fit, form, and comfort that lasts as long as your day.

Insite® Technology Footbeds CMI9000

SIZES 8, 9, 10, 11, 12, 13, 14, 15



FORCE WORK BOOTS

FEELS LIKE A SNEAKER WORKS LIKE A BOOT

- Revolutionary light and high rebound EVA midsole
- Nano composite safety toe styles for lightweight protection
- Carhartt Insite® Technology footbeds feel like a custom orthotic in your boot

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE		●	
HEAT RESISTANCE		●	
SLIP RESISTANCE			●



Performance chart is suggested for the intended environment.




NEW Men's Force 3-Inch Work Shoe		
Grey	Nano Composite Toe EH Non-Safety Toe SD	FA3402-M FA3002-M
FEATURES <ul style="list-style-type: none"> • Grey lightweight knit upper with reflective safety details and abrasion resistant heel and toe. • Cement construction with Carhartt rubber Force outsole. • Revolutionary light and high rebound EVA midsole with Insite® technology footbed. • FastDry® technology lining wicks away sweat. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 SD 35 • Slip Resistant ASTM F3445-21 SR 		
		
MEDIUM 7-12, 13, 14		WIDE 7-12, 13, 14, 15

NEW Men's Force 3-Inch Work Shoe		
Navy	Nano Composite Toe EH	FA3404-M
FEATURES <ul style="list-style-type: none"> • Navy lightweight knit upper with reflective safety details and abrasion resistant heel and toe. • Cement construction with Carhartt rubber Force outsole. • Revolutionary light and high rebound EVA midsole with Insite® technology footbed. • FastDry® technology lining wicks away sweat. • Imported. • Safety Toe ASTM F2413-18 EH • Slip Resistant ASTM F3445-21 SR 		
		
MEDIUM 7-12, 13, 14		WIDE 7-12, 13, 14, 15

NEW Men's Force 3-Inch Work Shoe		
Black	Nano Composite Toe EH Non-Safety Toe SD	FA3401-M FA3001-M
FEATURES <ul style="list-style-type: none"> • Black lightweight knit upper with reflective safety details and abrasion resistant heel and toe. • Cement construction with Carhartt rubber Force outsole. • Revolutionary light and high rebound EVA midsole with Insite® technology footbed. • FastDry® technology lining wicks away sweat. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 SD 35 • Slip Resistant ASTM F3445-21 SR 		
		
MEDIUM 7-12, 13, 14		WIDE 7-12, 13, 14, 15

NEW Men's Force 3-Inch Work Shoe		
Black	Nano Composite Toe EH Non-Safety Toe SD	FA3403-M FA3003-M
FEATURES <ul style="list-style-type: none"> • Black lightweight knit upper with luminescent safety details and abrasion resistant heel and toe. • Cement construction with Carhartt rubber Force outsole. • Revolutionary light and high rebound EVA midsole with Insite® technology footbed. • FastDry® technology lining wicks away sweat. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 SD 35 • Slip Resistant ASTM F3445-21 SR 		
		
MEDIUM 7-12, 13, 14		WIDE 7-12, 13, 14, 15

Force 5-Inch Lightweight Sneaker Boot		
Brown	Nano Composite Toe Non-Safety Toe	FA5415-M FA5015-M
FEATURES <ul style="list-style-type: none"> • Brown oil tanned leather with brown high abrasion resistant 1200D material. • Cement construction with Carhartt rubber Force outsole. • Revolutionary light and high rebound EVA midsole with Insite® Technology footbed. • FastDry® technology lining wicks away sweat. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15


Force 5-Inch Lightweight Sneaker Boot		
Coyote	Non-Safety Toe	FA5016-M
FEATURES <ul style="list-style-type: none"> • Coyote suede with coyote high abrasion resistant 1200D material. • Cement construction with Carhartt rubber Force outsole. • Revolutionary light and high rebound EVA midsole with Insite® Technology footbed. • FastDry® technology lining wicks away sweat. • Imported. • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15


NEW Force 5-Inch Lightweight Sneaker Boot		
Wheat	Non-Safety Toe	FA5017-M
FEATURES <ul style="list-style-type: none"> • Wheat nubuck leather with high abrasion resistant 1200D material. • Cement construction with Carhartt rubber Force outsole. • Revolutionary light and high rebound EVA midsole with Insite® Technology footbed. • FastDry® technology lining wicks away sweat. • Imported. • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Force 5-Inch Lightweight Sneaker Boot		
Black	Nano Composite Toe Non-Safety Toe	FA5441-M FA5041-M
FEATURES <ul style="list-style-type: none"> • Black oil tanned leather and high abrasion resistant 1200D material. • Cement construction with Carhartt rubber Force outsole. • Revolutionary light and high rebound EVA midsole with Insite® Technology footbed. • FastDry® technology lining wicks away sweat. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Force Water Resistant 4-Inch Romeo		
Brown	Nano Composite Toe Non-Safety Toe	FA4415-M FA4015-M
FEATURES <ul style="list-style-type: none"> • Brown oil tanned leather. • Cement construction with Carhartt rubber Force outsole. • Revolutionary light and high rebound EVA midsole with Insite® technology footbed. • Rain Defender® water resistant leather. • FastDry® technology lining wicks away sweat. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

Force SD Work Shoe		
Black	Nano Composite Toe	CMD3461
FEATURES <ul style="list-style-type: none"> • Black lightweight knit upper with grey lycra stretch collar and abrasion resistant heel and toe. • Cement construction with Carhartt rubber Force outsole. • Revolutionary light and high rebound EVA midsole with Insite® Technology footbed. • FastDry® technology lining wicks away sweat. • Imported. • Safety Toe ASTM F2413-18 SD 35 • Slip Resistant ASTM F3445-21 SR 		
		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15



OUTDOOR

BUILT TO KEEP YOU COMFORTABLE

- Storm Defender waterproof keeps feet dry but lets them breathe
- Alloy safety toe is made from blended metal and aluminum resulting in a thin, lightweight safety toe for strength and protection
- Revolutionary light and high rebound EVA midsole with Insite® technology footbed

Waterproof Low Hiker		
Black	Alloy Toe Non-Safety Toe	FH3521-M FH3021-M
FEATURES <ul style="list-style-type: none"> • Black nubuck leather with black high abrasion resistant 1260D material and padded collar for comfort. • Cement construction with Carhartt outdoor-ready rubber lug outsole. • Storm Defender® waterproof breathable membrane. • Revolutionary light and high rebound EVA midsole with Insite® technology footbed. • Reflective laces and heel pull-on tab. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.



Waterproof 5-Inch Hiker Boot		
Brown	Alloy Toe Non-Safety Toe	FH5520-M FH5020-M
FEATURES <ul style="list-style-type: none"> • Brown nubuck leather with brown high abrasion resistant 1260D material and padded collar for comfort. • Cement construction with Carhartt outdoor-ready rubber lug outsole. • Storm Defender® waterproof breathable membrane. • Revolutionary light and high rebound EVA midsole with Insite® technology footbed. • Reflective laces and heel pull-on tab. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

GILMORE

Gilmore Waterproof 5-Inch Hiker		
Light Brown	Non-Safety Toe	FH5052-M
FEATURES <ul style="list-style-type: none"> • Light brown oil nubuck leather. • Cement construction with Carhartt outdoor-ready rubber lug outsole. • Storm Defender® waterproof breathable membrane. • Revolutionary light and high rebound EVA midsole with Insite® Technology Footbed. • Heel Kicker utility ledge for easy-off. • Abrasion resistant toe. • Imported. • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

Gilmore Waterproof 5-Inch Work Hiker		
Dark Brown	Alloy Safety Toe Non-Safety Toe	FH5550-M FH5050-M
FEATURES <ul style="list-style-type: none"> • Brown oil tanned leather. • Cement construction with Carhartt outdoor-ready rubber lug outsole. • Storm Defender® waterproof breathable membrane. • Revolutionary light and high rebound EVA midsole with Insite® Technology Footbed. • Heel Kicker utility ledge for easy-off. • Abrasion resistant toe. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

Gilmore Waterproof 5-Inch Hiker		
Black	Non-Safety Toe	FH5051-M
FEATURES <ul style="list-style-type: none"> • Black oil tanned leather. • Cement construction with Carhartt outdoor-ready rubber lug outsole. • Storm Defender® waterproof breathable membrane. • Revolutionary light and high rebound EVA midsole with Insite® Technology Footbed. • Heel Kicker utility ledge for easy-off. • Abrasion resistant toe. • Imported. • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

A man wearing a grey t-shirt, a black headband, a bright orange life vest, and tan cargo pants is standing on a boat deck. He is smiling and leaning against a white structure. He is wearing brown and black work boots. The background shows a blue sky with white clouds and the side of a brown boat.

OUTDOOR TRAIL

EXTRA GRIP TO HOLD YOUR GROUND

- Storm Defender waterproof keeps feet dry but lets them breathe
- Vibram Arctic Grip outsole provides exceptional performance with grip and traction in any condition
- Revolutionary light and high rebound EVA midsole with Insite® technology footbed

Waterproof 6-Inch Hiker Boot

Black	Non-Safety Toe	FP5071-M
-------	----------------	----------

FEATURES

- Black nubuck leather with black high abrasion resistant 1260D material.
- Cement construction with Vibram Arctic Grip outsole for superior traction in wet and on ice.
- Storm Defender® waterproof breathable membrane.
- Revolutionary light and high rebound EVA midsole with Insite® technology footbed.
- Heel Kicker utility ledge for easy-off.
- Reflective laces and heel pull-on tab.
- Imported.
- Soft Toe ASTM F2892-18 EH



MEDIUM 8-12, 13, 14

Waterproof 6-Inch Hiker Boot

Olive	Non-Safety Toe	FP5070-M
-------	----------------	----------

FEATURES

- Olive nubuck leather with olive high abrasion resistant 1260D material.
- Cement construction with Vibram Arctic Grip outsole for superior traction in wet and on ice.
- Storm Defender® waterproof breathable membrane.
- Revolutionary light and high rebound EVA midsole with Insite® technology footbed.
- Heel Kicker utility ledge for easy-off.
- Reflective laces and heel pull-on tab.
- Imported.
- Soft Toe ASTM F2892-18 EH



MEDIUM 8-12, 13, 14



VIBRAM ARCTIC GRIP RUBBER OUTSOLE

TRACTION IN ANYTHING THE WEATHER THROWS AT YOU

VIBRAM PERFORMANCE

QUALITY AND DURABILITY

NEW Millbrook 5-Inch Moc Toe Wedge Boot

Coyote	Non-Safety Toe	FM5012-M
--------	----------------	----------

FEATURES

- Coyote nubuck leather.
- Cement construction with Carhartt rubber Millbrook outsole.
- Revolutionary light and high rebound EVA midsole with Insite® Technology footbed.
- FastDry® technology lining wicks away sweat.
- Imported.
- Soft Toe ASM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 7-12, 13, 14

WIDE 7-12, 13, 14, 15

NEW Millbrook 5-Inch Moc Toe Wedge Boot

Brown	Non-Safety Toe	FM5010-M
-------	----------------	----------

FEATURES

- Brown oil tanned leather.
- Cement construction with Carhartt rubber Millbrook outsole.
- Revolutionary light and high rebound EVA midsole with Insite® Technology footbed.
- FastDry® technology lining wicks away sweat.
- Imported.
- Soft Toe ASM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 7-12, 13, 14

WIDE 7-12, 13, 14, 15

NEW Millbrook Waterproof 5-Inch Wedge Boot

Coyote	Non-Safety Toe	FM5000-M
--------	----------------	----------

FEATURES

- Coyote nubuck leather.
- Cement construction with Carhartt rubber Millbrook outsole.
- Revolutionary light and high rebound EVA midsole with Insite® Technology footbed.
- Storm Defender® waterproof breathable membrane.
- FastDry® technology lining wicks away sweat.
- Imported.
- Soft Toe ASM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR





MEDIUM 7-12, 13, 14



WIDE 7-12, 13, 14, 15



ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.

NEW Millbrook Waterproof 5-Inch Wedge Work Boot		
Brown	Steel Safety Toe Non-Safety Toe	FM5204-M FM5004-M
<p>FEATURES</p> <ul style="list-style-type: none"> • Brown oil tanned leather. • Cement construction with Carhartt rubber Millbrook outsole. • Revolutionary light and high rebound EVA midsole with Insite® Technology footbed. • Storm Defender® waterproof breathable membrane. • FastDry® technology lining wicks away sweat. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
		
MEDIUM 7-12, 13, 14		WIDE 7-12, 13, 14, 15

NEW Millbrook Waterproof 5-Inch Wedge Work Boot		
Black	Steel Toe	FM5201-M
<p>FEATURES</p> <ul style="list-style-type: none"> • Black oil tanned leather. • Cement construction with Carhartt rubber Millbrook outsole. • Revolutionary light and high rebound EVA midsole with Insite® Technology footbed. • Storm Defender® waterproof breathable membrane. • FastDry® technology lining wicks away sweat. • Imported. • Safety Toe ASTM F2413-18 EH • Slip Resistant ASTM F3445-21 SR 		
		
MEDIUM 7-12, 13, 14		WIDE 7-12, 13, 14, 15

NEW Millbrook Water Resistant 4-Inch Romeo Wedge Boot		
Brown	Steel Safety Toe Non-Safety Toe	FM4200-M FM4000-M
<p>FEATURES</p> <ul style="list-style-type: none"> • Brown oil tanned leather. • Cement construction with Carhartt rubber Millbrook outsole. • Revolutionary light and high rebound EVA midsole with Insite® Technology footbed. • Rain Defender® water resistant leather. • FastDry® technology lining wicks away sweat. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
		
MEDIUM 7-12, 13, 14		WIDE 7-12, 13, 14, 15



WEDGE BOOTS

BUILT FOR WORKING ON YOUR FEET

- Storm Defender® waterproof styles keeps feet dry but lets them breathe
- FastDry® technology lining wicks away sweat
- Cushion comfort foam footbeds for all day comfort



CARHARTT WEDGE OUTSOLE

PROVIDES MAXIMUM SURFACE CONTACT

DUAL DENSITY RUBBER

MAXIMUM DURABILITY AND SLIP RESISTANCE

SHALLOW LUGS

RELEASE MUD AND DIRT

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE		●	
HEAT RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.

WEDGE BOOT



Waterproof 6-Inch Moc Toe Wedge Boot		
Red Brown	Steel Toe Non-Safety Toe	CMW6275 CMW6175
FEATURES <ul style="list-style-type: none"> • Red Brown oil tanned leather. • Welt construction with dual density Carhartt rubber outsole. • PU strobrel pad with PU cushion insoles. • Storm Defender® waterproof breathable membrane. • FastDry® technology lining wicks away sweat. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

Waterproof 6-Inch Moc Toe Wedge Boot		
Brown	Steel Toe Non-Safety Toe	CMW6295 CMW6095
FEATURES <ul style="list-style-type: none"> • Brown oil tanned leather. • Welt construction with dual density Carhartt rubber outsole. • PU strobrel pad with PU cushion insoles. • Storm Defender® waterproof breathable membrane. • FastDry® technology lining wicks away sweat. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
		
MEDIUM 7-12, 13, 14		WIDE 7-12, 13, 14, 15






Waterproof 6-Inch Moc Toe Wedge Boot		
Black	Non-Safety Toe	CMW6191
FEATURES <ul style="list-style-type: none"> • Black oil tanned leather. • Welt construction with dual density Carhartt rubber outsole. • PU strobrel pad with PU cushion insoles. • Storm Defender® waterproof breathable membrane. • FastDry® technology lining wicks away sweat. • Imported. • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
		
MEDIUM 7-12, 13, 14		WIDE 7-12, 13, 14, 15

5-Inch Pull-On Chelsea Wedge Boot		
Brown	Steel Toe Non-Safety Toe	FW5233-M FW5033-M
FEATURES <ul style="list-style-type: none"> • Brown oil tanned leather. • Welt construction with dual density Carhartt rubber outsole. • PU strobrel pad with Insite® technology footbed. • FastDry® technology lining wicks away sweat. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15


6-Inch Moc Toe Wedge Boot		
Brown	Non-Safety Toe	FW6035-M
FEATURES <ul style="list-style-type: none"> • Brown oil tanned leather with brown high abrasion resistant 1200D material. • Welt construction with dual density Carhartt rubber outsole. • PU strobrel pad with Insite® technology footbed. • FastDry® technology lining wicks away sweat. • Imported. • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
		   
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

6-Inch Moc Toe Wedge Boot		
Coyote	Non-Safety Toe	FW6077-M
FEATURES <ul style="list-style-type: none"> • Coyote nubuck leather. • Welt construction with dual density Carhartt rubber outsole. • PU strobrel pad with PU cushion insoles. • FastDry® technology lining wicks away sweat. • Imported. • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
		   
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

6-Inch Moc Toe Wedge Boot		
Dark Brown	Non-Safety Toe	FW6072-M
FEATURES <ul style="list-style-type: none"> • Dark Brown nubuck leather. • Welt construction with dual density Carhartt rubber outsole. • PU strobrel pad with PU cushion insoles. • FastDry® technology lining wicks away sweat. • Imported. • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
		   
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

6-Inch Moc Toe Wedge Boot		
Wheat	Non-Safety Toe	FW6076-M
FEATURES <ul style="list-style-type: none"> • Wheat nubuck leather. • Welt construction with dual density Carhartt rubber outsole. • PU strobrel pad with PU cushion insoles. • FastDry® technology lining wicks away sweat. • Imported. • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
		   
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15


Waterproof 8-Inch Moc Toe Wedge Boot		
Red Brown	Steel Toe	FW8275-M
<p>FEATURES</p> <ul style="list-style-type: none"> • Red Brown oil tanned leather. • Welt construction with dual density Carhartt rubber outsole. • PU strobrel pad with PU cushion insoles. • Storm Defender® waterproof breathable membrane. • FastDry® technology lining wicks away sweat. • Imported. • Safety Toe ASTM F2413-18 EH • Slip Resistant ASTM F3445-21 SR 		



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Waterproof 8-Inch Moc Toe Wedge Boot		
Brown	Non-Safety Toe	FW8095-M
<p>FEATURES</p> <ul style="list-style-type: none"> • Brown oil tanned leather. • Goodyear welt construction with dual density Carhartt rubber outsole. • PU strobrel pad with PU cushion insoles. • Storm Defender® waterproof breathable membrane. • FastDry® technology lining wicks away sweat. • Imported. • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Waterproof 8-Inch Moc Toe Wedge Boot		
Dark Brown	Non-Safety Toe	FW8093-M
<p>FEATURES</p> <ul style="list-style-type: none"> • Dark brown oil tanned leather. • Goodyear welt construction with dual density Carhartt rubber outsole. • PU strobrel pad with PU cushion insoles. • Storm Defender® waterproof breathable membrane. • FastDry® technology lining wicks away sweat. • Imported. • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Lightweight 4-Inch Wedge Chukka


Brown

Non-Safety Toe

CMX4023


FEATURES

- Brown oil tanned leather.
- Cement constructed with Carhartt rubber outsole and CMEVA midsole.
- PU with foam cushion insoles.
- FastDry® technology lining wicks away sweat.
- Imported.
- Slip Resistant ASTM F3445-21 SR



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15



ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE	●		
HEAT RESISTANCE	●		
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.

CLASSIC WELT BOOTS

TOUGH JOBS CALL FOR TOUGH BOOTS

- Storm Defender® waterproof styles keeps feet dry but lets them breathe
- FastDry® technology lining wicks away sweat
- Cushion comfort foam footbeds for all day comfort

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.

6-Inch Work Boot		
Brown	Steel Toe Non-Safety Toe	CMW6274 CMW6174
<p>FEATURES</p> <ul style="list-style-type: none"> • Brown oil tanned leather. • Welt construction with Carhartt rubber outsole. • FastDry® technology lining wicks away sweat. • PU strobel pad with PU cushion insoles. • Padded collar and comfort tongue. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

Waterproof 6-Inch Moc-Toe Work Boot		
Brown	Non-Safety Toe	CMW6197
<p>FEATURES</p> <ul style="list-style-type: none"> • Brown oil tanned leather. • Welt construction with Carhartt rubber outsole. • FastDry® technology lining wicks away sweat. • PU strobel pad with PU cushion insoles. • Storm Defender® waterproof breathable membrane. • Imported. • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

Waterproof 10-Inch Pull-On Boot		
Brown	Nano Composite Toe Non-Safety Toe	CMP1453 CMP1053
<p>FEATURES</p> <ul style="list-style-type: none"> • Brown oil tanned leather and suede. • Welt construction with Carhartt rubber outsole. • FastDry® technology lining wicks away sweat. • PU strobel pad with Insite® technology footbed. • Storm Defender® waterproof breathable membrane. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15



IRONWOOD WORK BOOTS

ICONIC BOOTS FOR TIME-HONORED WORK

- Storm Defender® waterproof and insulated styles to keep your feet warm and dry
- Heel Kicker utility ledge for easy removal of boots
- Carhartt Insite® Technology footbeds feel like a custom orthotic in your boot



RUBBER OUTSOLE

HEAT, ABRASION AND SLIP RESISTANT

SHALLOW LUGS

RELEASE MUD AND DIRT

DEFINED HEEL

90 DEGREE HEELS ARE PERFECT FOR CLIMBING

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE			●
SLIP RESISTANCE			●

Performance chart is suggested for the intended environment.

Ironwood Waterproof 6-Inch Work Boot		
Brown	Alloy Safety Toe Non-Safety Toe	FT6500-M FT6000-M
FEATURES <ul style="list-style-type: none"> • Brown oil tanned leather. • Cement constructed with Carhartt rubber Ironwood outsole. • Storm Defender® waterproof breathable membrane. • Revolutionary light and high rebound PU midsole with Insite® Technology Footbed. • Heel Kicker utility ledge for easy-off. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Ironwood Waterproof 6-Inch Work Boot		
Black	Alloy Safety Toe Non-Safety Toe	FT6501-M FT6001-M
FEATURES <ul style="list-style-type: none"> • Black oil tanned leather. • Cement constructed with Carhartt rubber Ironwood outsole. • Storm Defender® waterproof breathable membrane. • Revolutionary light and high rebound PU midsole with Insite® Technology Footbed. • Heel Kicker utility ledge for easy-off. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Ironwood Waterproof 8-Inch Work Boot		
Brown	Alloy Safety Toe Non-Safety Toe	FT8500-M FT8000-M
FEATURES <ul style="list-style-type: none"> • Brown oil tanned leather and abrasion resistant Carstrong® durable fabric. • Cement constructed with Carhartt rubber Ironwood outsole. • Storm Defender® waterproof breathable membrane. • Revolutionary light and high rebound PU midsole with Insite® Technology Footbed. • Heel Kicker utility ledge for easy-off. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Ironwood Waterproof 8-Inch Work Boot		
Dark Brown/Mossy Oak™	Non-Safety Toe	FT8002-M
FEATURES <ul style="list-style-type: none"> • Dark brown oil tanned leather and abrasion resistant Mossy Oak™ durable fabric. • Cement constructed with Carhartt rubber Ironwood outsole. • Storm Defender® waterproof breathable membrane. • Revolutionary light and high rebound PU midsole with Insite® Technology Footbed. • Heel Kicker utility ledge for easy-off. • Imported. • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Ironwood Waterproof 11-Inch Wellington		
Brown	Alloy Safety Toe Non-Safety Toe	FT1500-M FT1000-M
<p>FEATURES</p> <ul style="list-style-type: none"> • Brown oil tanned leather and abrasion resistant Carstrong® durable fabric. • Cement constructed with Carhartt rubber Ironwood outsole. • Storm Defender® waterproof breathable membrane. • Revolutionary light and high rebound PU midsole with Insite® Technology Footbed. • Heel Kicker utility ledge for easy-off. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15



Ironwood Waterproof Insulated 8-Inch Work Boot		
Dark Brown/Black	Alloy Safety Toe	FT8509-M
<p>FEATURES</p> <ul style="list-style-type: none"> • Dark brown oil tanned leather, abrasion resistant Carstrong® durable fabric and black PU coated Helcor® leather. • Cement constructed with Carhartt rubber Ironwood outsole. • Storm Defender® waterproof breathable membrane and 400g LiteFire® insulation. • Revolutionary light and high rebound PU midsole with Insite® Technology Footbed. • Heel Kicker utility ledge for easy-off. • Imported. • Safety Toe ASTM F2413-18 EH • Slip Resistant ASTM F3445-21 SR 		



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15



Ironwood Waterproof Insulated 11-Inch Wellington		
Dark Brown/Black	Alloy Safety Toe	FT1509-M
<p>FEATURES</p> <ul style="list-style-type: none"> • Dark brown oil tanned leather and black PU coated Helcor® leather. • Cement constructed with Carhartt rubber Ironwood outsole. • Storm Defender® waterproof breathable membrane and 400g LiteFire® insulation. • Revolutionary light and high rebound PU midsole with Insite® Technology Footbed. • Heel Kicker utility ledge for easy-off. • Imported. • Safety Toe ASTM F2413-18 EH • Slip Resistant ASTM F3445-21 SR 		



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15





GROUND FORCE BOOTS

WHEN YOU WANT YOUR JOB TO BE THE FOCUS, NOT YOUR FEET

- Carhartt Insite® Technology footbeds feel like a custom orthotic in your boot
- Storm Defender® waterproof and insulated styles keep your feet warm and dry
- FastDry® technology lining wicks away sweat



GROUND FORCE OUTSOLE

DURABLE TRACTION INSIDE OR OUT

SHALLOW LUGS








RELEASE MUD AND DIRT








LADDER LOCK GRIPS








PERFECT BOOT FOR CLIMBING

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE			●
SLIP RESISTANCE			●

Performance chart is suggested for the intended environment.

Ground Force Waterproof 6-Inch Work Boot				
Red Brown	Composite Toe	CME6355		
<p>FEATURES</p> <ul style="list-style-type: none"> • Red brown oil tanned leather. • Cement constructed with Carhartt rubber Ground Force™ outsole. • Revolutionary light and high rebound EVA midsole with Insite® technology footbed. • Molded rubber toe bumper with abrasion resistant rubber heel. • Storm Defender® waterproof breathable membrane. • Received the APMA Seal of Acceptance. • Imported. • Safety Toe ASTM F2413-18 EH • Slip Resistant ASTM F3445-21 SR 				     
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15		

Ground Force Waterproof 6-Inch Work Boot				
Black	Composite Toe	CME6351		
<p>FEATURES</p> <ul style="list-style-type: none"> • Black oil tanned leather. • Cement constructed with Carhartt rubber Ground Force™ outsole. • Revolutionary light and high rebound EVA midsole with Insite® technology footbed. • Molded rubber toe bumper with abrasion resistant rubber heel. • Storm Defender® waterproof breathable membrane. • Received the APMA Seal of Acceptance. • Imported. • Safety Toe ASTM F2413-18 EH • Slip Resistant ASTM F3445-21 SR 				     
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15		

Ground Force Waterproof 8-Inch Work Boot				
Red Brown	Composite Toe	CME8355		
<p>FEATURES</p> <ul style="list-style-type: none"> • Red brown oil tanned leather. • Cement constructed with Carhartt rubber Ground Force™ outsole. • Revolutionary light and high rebound EVA midsole with Insite® technology footbed. • Molded rubber toe bumper with abrasion resistant rubber heel. • Storm Defender® waterproof breathable membrane. • Received the APMA Seal of Acceptance. • Imported. • Safety Toe ASTM F2413-18 EH • Slip Resistant ASTM F3445-21 SR 				     
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15		

Ground Force Waterproof 6-Inch Work Boot		
Brown	Composite Toe Non-Safety Toe	CME6347 CME6047
FEATURES <ul style="list-style-type: none"> • Brown oil tanned leather. • Cement constructed with Carhartt rubber Ground Force™ outsole. • Revolutionary light and high rebound EVA midsole with Insite® technology footbed. • Abrasion resistant rubber heel. • Storm Defender® waterproof breathable membrane. • Received the APMA Seal of Acceptance. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

ACCEPTED

AMERICAN PODIATRIC MEDICAL ASSOCIATION

STORM DEFENDER

FAST DRY LINING

INSITE FOOTBED

RUBBER OUTSOLE

ELECTRICAL HAZARD

Ground Force Waterproof Insulated 8-Inch Work Boot		
Brown	Composite Toe Non-Safety Toe	CME8347 CME8047
FEATURES <ul style="list-style-type: none"> • Brown oil tanned leather. • Cement constructed with Carhartt rubber Ground Force™ outsole. • Revolutionary light and high rebound EVA midsole with Insite® technology footbed. • Abrasion resistant rubber heel. • Storm Defender® waterproof breathable membrane and 600g 3M™ Thinsulate™ insulation. • Received the APMA Seal of Acceptance. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

ACCEPTED

AMERICAN PODIATRIC MEDICAL ASSOCIATION

STORM DEFENDER

FAST DRY LINING

INSULATED

INSITE FOOTBED

RUBBER OUTSOLE

ELECTRICAL HAZARD

Ground Force Waterproof 10-Inch Pull-On Work Boot		
Brown	Composite Toe	CME1355
FEATURES <ul style="list-style-type: none"> • Brown oil tanned leather with abrasion resistant Carstrong® durable fabric. • Cement constructed with Carhartt rubber Ground Force™ outsole. • Revolutionary light and high rebound EVA midsole with Insite® technology footbed. • Molded rubber toe bumper with abrasion resistant rubber heel. • Storm Defender® waterproof breathable membrane. • Received the APMA Seal of Acceptance. • Imported. • Safety Toe ASTM F2413-18 EH • Slip Resistant ASTM F3445-21 SR 		



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

ACCEPTED

AMERICAN PODIATRIC MEDICAL ASSOCIATION

STORM DEFENDER

FAST DRY LINING

INSITE FOOTBED

RUBBER OUTSOLE

ELECTRICAL HAZARD

HERITAGE WORK BOOTS

ICONIC BOOTS FOR TIME-HONORED WORK

- Storm-Defender® waterproof and insulated styles to keep your feet warm and dry
- Supportive heel guard stabilizes the foot inside the boot
- Cushion/comfort foam footbeds for all day comfort





POLYURETHANE OUTSOLES

OIL, CHEMICAL, AND SLIP RESISTANT

SHALLOW LUGS

RELEASE MUD AND DIRT

LADDER LOCK GRIPS AND STEEL SHANKS

PERFECT BOOT FOR CLIMBING

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE			●
CHEMICAL RESISTANCE			●
ABRASION RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment. Polyurethane outsoles are not tested for heat resistance.

Waterproof 6-Inch Work Boot		
Brown	Steel Toe	CMW6220
<p>FEATURES</p> <ul style="list-style-type: none"> • Brown oil tanned leather. • Direct attached welt construction with dual density PU Carhartt Heritage outsole. • PU strobrel pad with PU cushion insoles. • TPU heel guard with achilles flex joint. • Storm Defender® waterproof breathable membrane. • Imported. • Safety Toe ASTM F2413-18 EH • Slip Resistant ASTM F3445-21 SR 		



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Waterproof 8-Inch Work Boot		
Brown	Steel Toe	CMW8200
<p>FEATURES</p> <ul style="list-style-type: none"> • Brown oil tanned leather. • Direct attached welt construction with dual density PU Carhartt Heritage outsole. • PU strobrel pad with PU cushion insoles. • TPU heel guard with achilles flex joint. • Storm Defender® waterproof breathable membrane. • Imported. • Safety Toe ASTM F2413-18 EH • Slip Resistant ASTM F3445-21 SR 		



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Waterproof 11-Inch Wellington		
Brown	Steel Toe Non-Safety Toe	GMP1200 GMP1100
<p>FEATURES</p> <ul style="list-style-type: none"> • Brown oil tanned leather and abrasion resistant Carstrong® durable fabric. • Direct attached welt construction with dual density PU Carhartt Heritage outsole. • PU strobrel pad with PU cushion insoles. • TPU heel guard with achilles flex joint. • Storm Defender® waterproof breathable membrane. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Waterproof Insulated 11-Inch Wellington

Brown	Steel Toe	CMP1259
-------	-----------	---------

FEATURES

- Brown oil tanned leather, abrasion resistant Carstrong® durable fabric and black PU coated leather.
- Direct attached welt construction with dual density PU Carhartt Heritage outsole.
- PU strobel pad with PU cushion insoles.
- TPU heel guard with achilles flex joint.
- Storm Defender® waterproof breathable membrane and 400g LiteFire® insulation.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Waterproof 11-Inch Wellington

Brown	Steel Toe	CMP1270
-------	-----------	---------

FEATURES


- Brown oil tanned leather, abrasion resistant Carstrong® durable fabric and brown PU coated leather.
- Direct attached welt construction with dual density PU Carhartt Heritage outsole.
- PU strobel pad with PU cushion insoles.
- TPU heel guard with achilles flex joint.
- Storm Defender® waterproof breathable membrane.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15





RUGGED FLEX® SQUARE TOE BOOTS

TOES OF STEEL FOR MEN OF METTLE

- Storm Defender® waterproof style keeps feet dry but lets them breathe
- FastDry® technology lining wicks away sweat
- Steel toe with room to move your toes

Square Toe Waterproof 11-Inch Wellington		
Brown	Steel Toe	CMP1258
FEATURES <ul style="list-style-type: none"> • Brown oil tanned leather, abrasion resistant Carstrong® durable fabric and black PU coated leather. • Goodyear welt construction with Carhartt rubber outsole and CMEVA midsole. • PU strobel pad with PU cushion insoles. • Storm Defender® waterproof breathable membrane. • Imported. • Safety Toe ASTM F2413-18 EH • Slip Resistant ASTM F3445-21 SR 		

STORM DEFENDER

FASTDRY LINING

CUSHION COMFORT INSOLE

RUBBER OUTSOLE

ELECTRICAL HAZARD

MEDIUM 8-12, 13, 14	WIDE 8-12, 13, 14, 15
----------------------------	------------------------------

Square Toe 11-Inch Wellington		
Two Tone Brown	Steel Toe	CMP1218
FEATURES <ul style="list-style-type: none"> • Two tone brown oil tanned leather. • Goodyear welt construction with Carhartt rubber outsole and CMEVA midsole. • PU strobel pad with PU cushion insoles. • FastDry® technology lining wicks away sweat. • Imported. • Safety Toe ASTM F2413-18 EH • Slip Resistant ASTM F3445-21 SR 		

FASTDRY LINING

CUSHION COMFORT INSOLE

RUBBER OUTSOLE

ELECTRICAL HAZARD

MEDIUM 8-12, 13, 14	WIDE 8-12, 13, 14, 15
----------------------------	------------------------------



DURABLE RUBBER OUTSOLE

TRACTION IN ANYTHING THE WEATHER THROWS AT YOU

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.

A man wearing safety glasses, a grey long-sleeved shirt, and dark work pants is kneeling on a green air hose in a workshop. He is wearing brown climbing boots with a Carhartt logo on the side. The background shows wooden cabinets and a workbench.

WOODWORKS CLIMBING BOOTS

GAIN THE UPPER HAND WHEREVER YOU SET YOUR FEET


- Storm Defender® waterproof keeps feet dry but lets them breathe
- Insulated style to keep your feet warm
- Cushion comfort foam footbeds for all day comfort

Waterproof 8-Inch Climbing Work Boot

Vintage Saddle	Composite Toe	CML8360
----------------	---------------	---------

FEATURES

- Vintage saddle oil tanned leather and abrasion resistant Carstrong® durable fabric.
- Goodyear welt construction with Carhartt WoodWorks rubber outsole.
- PU strobrel pad with PU cushion insoles.
- TPU heel stabilizer with achilles flex joint.
- Storm Defender® waterproof breathable membrane.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 8-12, 13, 14


WIDE 8-12, 13, 14, 15

Waterproof Insulated 8-Inch Climbing Work Boot

Vintage Saddle	Composite Toe	CML8369
----------------	---------------	---------

FEATURES

- Vintage saddle oil tanned leather and abrasion resistant Carstrong® durable fabric.
- Goodyear welt construction with Carhartt WoodWorks rubber outsole.
- PU strobrel pad with PU cushion insoles.
- TPU heel stabilizer with achilles flex joint.
- Storm Defender® waterproof breathable membrane and 600g LiteFire® insulation.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

OPEN EDGE MUD RELEASE LUGS
FOR TRACTION

LADDER LOCK GRIPS WITH REINFORCED STEEL SHANK
90 DEGREE HEELS ARE PERFECT FOR CLIMBING

CARHARTT WOODWORKS RUBBER OUTSOLE
DURABLE FOR ANYTHING THE WEATHER THROWS AT YOU

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.







RUGGED FLEX® BOOTS

IF YOU CAN'T QUIT, YOUR BOOTS CAN'T EITHER

- Storm Defender® waterproof and insulated styles keep your feet warm and dry
- FastDry® technology lining wicks away sweat
- Cushion comfort foam footbeds for all day comfort



Rugged Flex® 6-Inch Work Boot		
Brown	Steel Toe	CMF6284
FEATURES <ul style="list-style-type: none"> • Brown leather with Carstrong® durable fabric. • Cement constructed with Carhartt rubber Rugged Flex® outsole. • EVA midsole with PU strobel pad. • PU with foam cushion comfort insoles. • FastDry® technology lining wicks away sweat. • Imported. • Safety Toe ASTM F2413-18 EH • Slip Resistant ASTM F3445-21 SR 		
		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

Rugged Flex® Waterproof 6-Inch Work Boot		
Brown	Steel Toe Non-Safety Toe	FF6213-M FF6013-M
FEATURES <ul style="list-style-type: none"> • Brown leather with Carstrong® durable fabric. • Cement constructed with Carhartt rubber Rugged Flex® outsole. • EVA midsole with PU strobel pad. • PU with foam cushion comfort insoles. • Storm Defender® waterproof breathable membrane. • FastDry® technology lining wicks away sweat. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15



RUGGED FLEX® RUBBER OUTSOLE

HEAT, ABRASION, AND SLIP RESISTANT

SHALLOW LUGS

RELEASE MUD AND DIRT

LADDER LOCK GRIPS

PERFECT BOOT FOR CLIMBING


ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE			●
SLIP RESISTANCE			●

Performance chart is suggested for the intended environment.

Rugged Flex® 6-Inch Work Boot		
Brown	Composite Toe Non-Safety Toe	CMF6366 CMF6066

FEATURES

- Brown oil tanned leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- EVA midsole with PU strobel pad.
- PU with foam cushion insoles.
- FastDry® technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR




MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Rugged Flex® Waterproof 6-Inch Work Boot		
Black	Composite Toe	CMF6371

FEATURES

- Black oil tanned leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- EVA midsole with PU strobel pad and PU with foam cushion insole.
- Rubber toe and heel bumper.
- Storm Defender® waterproof breathable membrane.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR




MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Rugged Flex® Waterproof 6-Inch Work Boot		
Brown	Composite Toe	CMF6380

FEATURES

- Brown oil tanned leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- EVA midsole with PU strobel pad and PU with foam cushion insole.
- Rubber toe and heel bumper.
- Storm Defender® waterproof breathable membrane.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 8-12, 13, 14

WIDE 8-12, 13, 14, 15

Rugged Flex® Waterproof 6-Inch Work Boot		
Wheat	Composite Toe Non-Safety Toe	CMF6356 CMF6056
FEATURES <ul style="list-style-type: none"> • Wheat nubuck leather. • Cement constructed with Carhartt rubber Rugged Flex® outsole. • EVA midsole with PU strobrel pad and PU with foam cushion insole. • Rubber toe and heel bumper. • Storm Defender® waterproof breathable membrane. • Imported. • Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

Rugged Flex® Waterproof Insulated 8-Inch Work Boot		
Wheat	Non-Safety Toe	CMF8058
FEATURES <ul style="list-style-type: none"> • Wheat nubuck leather. • Cement constructed with Carhartt rubber Rugged Flex® outsole. • EVA midsole with PU strobrel pad and PU with foam cushion insole. • Rubber toe and heel bumper. • Storm Defender® waterproof breathable membrane and 400g 3M™ Thinsulate™ insulation. • Imported. • Soft Toe ASTM F2892-18 EH • Slip Resistant ASTM F3445-21 SR 		
		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

Rugged Flex® Waterproof Insulated 8-Inch Work Boot		
Brown	Composite Toe	CMF8389
FEATURES <ul style="list-style-type: none"> • Brown oil tanned leather. • Cement constructed with Carhartt rubber Rugged Flex® outsole. • EVA midsole with PU strobrel pad and PU with foam cushion insole. • Rubber toe and heel bumper. • Storm Defender® waterproof breathable membrane and 400g 3M™ Thinsulate™ insulation. • Imported. • Safety Toe ASTM F2413-18 EH • Slip Resistant ASTM F3445-21 SR 		
		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15

Rugged Flex® Waterproof 10-Inch Pull-On Boot		
Brown	Composite Toe	CMF1391
FEATURES <ul style="list-style-type: none"> • Brown oil tanned leather, Neoprene shaft and black PU coated leather. • Cement constructed with Carhartt rubber Rugged Flex® outsole. • EVA midsole with PU strobrel pad. • PU with foam cushion insoles. • Storm Defender® waterproof breathable membrane. • Imported. • Safety Toe ASTM F2413-18 EH • Slip Resistant ASTM F3445-21 SR 		
		
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15



MET GUARD WORK BOOTS



PUT SAFETY FIRST WHEN IT COMES TO YOUR FEET

- Storm Defender® waterproof keeps feet dry but lets them breathe
- Poron® XRD® internal met guard flexes with your foot and instantly “freezes” upon impact providing superior protection
- Cushion comfort foam footbeds for all day comfort



**PORON® XRD® INTERNAL
MET GUARD EXTREME
IMPACT PROTECTION**

Rugged Flex® Waterproof Internal Met Guard 6-Inch Work Boot				
Brown	Composite Toe, MT	CMF6720		
<p>FEATURES</p> <ul style="list-style-type: none"> • Brown oil tanned leather. • Cement constructed with Carhartt rubber Rugged Flex® outsole.* *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 49 • Storm Defender® waterproof breathable membrane. • Reflective high visibility piping. • Poron® XRD® soft comfort internal metatarsal guard. • Imported. • Safety Toe ASTM F2413-18 EH, MT • Slip Resistant ASTM F3445-21 SR 				
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15		

Rugged Flex® Waterproof Internal Met Guard 8-Inch Work Boot				
Brown	Composite Toe, MT	CMF8720		
<p>FEATURES</p> <ul style="list-style-type: none"> • Brown oil tanned leather. • Cement constructed with Carhartt rubber Rugged Flex® outsole.* *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 49 • Storm Defender® waterproof breathable membrane. • Reflective high visibility piping. • Poron® XRD® soft comfort internal metatarsal guard. • Imported. • Safety Toe ASTM F2413-18 EH, MT • Slip Resistant ASTM F3445-21 SR 				
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15		

Rugged Flex® Waterproof Internal Met Guard 11-Inch Pull-On Work Boot				
Brown	Composite Toe, MT	CMF1721		
<p>FEATURES</p> <ul style="list-style-type: none"> • Brown oil tanned leather with black PU coated leather. • Cement constructed with Carhartt rubber Rugged Flex® outsole.* *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 49 • Storm Defender® waterproof breathable membrane. • Reflective high visibility piping. • Poron® XRD® soft comfort internal metatarsal guard. • Imported. • Safety Toe ASTM F2413-18 EH, MT • Slip Resistant ASTM F3445-21 SR 				
MEDIUM 8-12, 13, 14		WIDE 8-12, 13, 14, 15		



PUNCTURE-RESISTANT WORK BOOTS

TOUGH ENOUGH FOR EVERY TASK WITH UNDERFOOT PROTECTION

- Swen-Flex® PR plate is engineered to deliver flexible puncture resistance
- Storm Defender® waterproof keeps feet dry but lets them breathe
- Insulated styles to keep your feet warm

Ground Force Waterproof Insulated Puncture Resistant 8-Inch Work Boot

Black	Composite Toe Swen-Flex® PR Plate	CMR8959
-------	-----------------------------------	---------

- FEATURES**
- Black oil tanned leather.
 - Cement constructed with Carhartt rubber Ground Force™ outsole.*
*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 37
 - Revolutionary light and high rebound EVA midsole with Insite® technology footbed.
 - Molded rubber toe bumper with abrasion resistant rubber heel.
 - Storm Defender® waterproof breathable membrane and 400g 3M™ Thinsulate™ insulation.
 - Imported.
 - CSA Grade 1 ST, PR Electrical Shock and ASTM 2413-18 PR, EH
 - Slip Resistant ASTM F3445-21 SR



WIDE 8-12, 13, 14, 15

Rugged Flex® Waterproof Insulated Puncture Resistant 8-Inch Work Boot

Brown	Composite Toe Swen-Flex® PR Plate	CMR8939
-------	-----------------------------------	---------

- FEATURES**
- Brown oil tanned leather.
 - Cement constructed with Carhartt rubber Rugged Flex® outsole.*
*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 49
 - EVA midsole with PU strobel pad and PU with foam cushion insole.
 - Rubber toe bumper.
 - PU with foam cushion insoles.
 - Storm Defender® waterproof breathable membrane and 400g 3M™ Thinsulate™ insulation.
 - Imported.
 - CSA Grade 1 ST, PR Electrical Shock and ASTM 2413-18 PR, EH
 - Slip Resistant ASTM F3445-21 SR



WIDE 8-12, 13, 14, 15

Rugged Flex® Waterproof Puncture Resistant 6-Inch Work Boot

Black	Composite Toe Swen-Flex® PR Plate	CMR6971
-------	-----------------------------------	---------

- FEATURES**
- Black oil tanned leather.
 - Cement constructed with Carhartt rubber Rugged Flex® outsole.*
*OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 49
 - EVA midsole with PU strobel pad and PU with foam cushion insole.
 - Rubber toe and heel bumper.
 - Storm Defender® waterproof breathable membrane.
 - Imported.
 - CSA Grade 1 ST, PR Electrical Shock and ASTM 2413-18 PR, EH
 - Slip Resistant ASTM F3445-21 SR



WIDE 8-12, 13, 14, 15



MUDRUNNER BOOTS

ENGINEERED TO STAY DRY AND KEEP YOU STANDING TALL

- Full and half sizes for a true fit
- Waterproof rubber and neoprene to keep your feet dry and warm
- Carhartt Insite® Technology footbeds feel like a custom orthotic in your boot



DURABLE RUBBER OUTSOLE

TRACTION IN ANYTHING THE WEATHER THROWS AT YOU

LADDER LOCK GRIPS

PERFECT BOOT FOR CLIMBING

SHALLOW TREAD

DESIGNED TO RELEASE MUD AND DIRT

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.



CARHARTT INSITE® FOOTBED



- ✓ FEELS LIKE A CUSTOM ORTHOTIC
- ✓ ENGINEERED FOR COMFORT
- ✓ MAXIMUM ARCH SUPPORT

Mudrunner Waterproof 10-Inch Rubber Boot

Black	Non-Safety Toe	CMV1121
-------	----------------	---------

FEATURES

- Black rubber and neoprene.
- Vulcanized construction with Carhartt rubber compound.
- Supportive Insite® Technology footbed.
- Waterproof neoprene upper.
- Heel Kicker utility ledge for easy-off.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 7, 8, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15

Mudrunner Waterproof 15-Inch Rubber Boot

Black	Nano Composite Toe Non-Safety Toe	CMV1451 CMV1151
-------	--------------------------------------	--------------------


FEATURES

- Black rubber and neoprene.
- Vulcanized construction with Carhartt rubber compound.
- Supportive Insite® Technology footbed.
- Waterproof neoprene upper.
- Heel Kicker utility ledge for easy-off.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 7, 8, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15

OUTSOLE FEATURES AND BENEFITS



YUKON PAC BOOT

KICK COLD IN ITS FROSTY LITTLE TEETH

- 1000 Litefire® Insulation
- Storm Defender® waterproof keeps feet dry but lets them breathe
- Insulated to keep your feet warm
- Foam cushion insole with EVA custom fit removable insert



Waterproof Insulated 10-Inch Pac Boot

Brown **Composite Toe** **CMC1259**

FEATURES

- Brown oil tanned leather with Black PU coated abrasion resistant leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- Foam cushion insole with TPU arch support and EVA custom fit removable insert.
- TPU heel guard with achilles flex joint.
- Molded rubber toe bumper.
- Storm Defender® waterproof breathable membrane and 1000g LiteFire® insulation.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM/ WIDE 8-12, 13, 14, 15

MULTI FIT



RUGGED FLEX® RUBBER OUTSOLE

HEAT, ABRASION, AND SLIP RESISTANT

SHALLOW LUGS

RELEASE MUD AND DIRT

LADDER LOCK GRIPS

PERFECT BOOT FOR CLIMBING

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.

POP AND MARKETING

Merchandising Support



- A. SLAT WALL HEADER
25" X 9" / CHP20121
- B. SLAT WALL BACKER
16" X 63" / CHP20171
- C. SLAT WALL SHELF 3-PACK
11" x 6.5" / CHP20122
- D. SLATWALL/FLOOR UNIT FOOTER
11" x 9.75" / CHP20124



SHOE TOWER
15"w x 15"d x 60.5"h / CHP20161



IN STORE BANNER
4' x 2' / CHP20134



IN STORE BANNER
4' x 2' / CHP20136



BENCH
18"w x 36"l x 18"h / CHP20162



FLOOR MAT
4' x 3' / CHP20125B



CARHARTT DISPLAY PROGRAM FOR 10+ SKU'S
Slat wall units available.
Please ask your sales representative for information.



LUCITE SLATWALL SHELF TALKER 3-PACK
3" x 4" / CHP20132



LOZIER SHELF W/PVC, 3 PACK
10" x 6" / CHP20131



SLAT WALL EXTENDED ARM
CHP20181



BOOT INSERT*
3.5" x 11" / CHP20177



SHOE RISER*
12.5" x 5" / CHP20178



EASEL BACK TABLE TALK GRAPHIC
8" x 11" / CHP20180



HEADER
25" x 9" / CHP20121-F



BOOT INSERT*
4" x 11" / CHP20147



SHOE RISER*
12.5" x 5" / CHP20146



EASEL BACK TABLE TALK GRAPHIC
8" x 11" / CHP20194



WINDOW CLING
10" x 4" / CHP20172
11" x 8.5" / CHP20173
12" x 12" / CHP20174



BOOT INSERT*
4" x 11" / CHP20191



SHOE RISER*
12.5" x 5" / CHP20192




BOOT WRAP*
3" h x 10" w / CHP20155



FLOOR DECAL
3' x 2' / CHP20176



FLOOR DECALS
12" x 12" / LEFT & RIGHT / CHP20175



FLOOR DECALS
12" x 12" / LEFT CHP20209A / RIGHT CHP20209B



EASEL BACK TABLE TALK GRAPHIC
8" x 11" / CHP20150A



EASEL BACK TABLE TALK GRAPHIC
8" x 11" / CHP20150C

BANNER ADS & EMAIL BLASTS

BANNER ADS AND EMAIL BLAST TEMPLATES ARE AVAILABLE. PLEASE CONTACT YOUR SALES REP OR TERRI MURRAY AT TMURRAY@BDBOOTSO TO DISCUSS YOUR NEEDS SO WE CAN HELP CREATE SOMETHING WHICH CAN BEST BOOST YOUR CARHARTT FOOTWEAR MESSAGE TO YOUR CUSTOMERS.



carhartt FOOTWEAR

YOU WON'T QUIT EXPECT THE SAME FROM YOUR BOOTS



CARHARTT FOOTWEAR FEATURING STORM DEFENDER WATERPROOF BREATHABLE MEMBRANE

carhartt MOONROCK BOOT ENGINEERED TO STAY DRY AND KEEP YOU STANDING TALL.

SMART TECHNOLOGY FOOTBED END THE DAY AS STRONG AS YOU STARTED

OUTSOLE FEATURES AND BENEFITS

carhartt



WINTER IS COMING

CARHARTT INSULATED BOOTS ARE NOW IN STOCK



NOW FEATURING:

CARHARTT FOOTWEAR

IN OUR LEBANON & CLAREMONT LOCATIONS



CARHARTT FOOTWEAR

BUILT FOR WORKING ON YOUR FEET




CARHARTT WOMEN'S

ENGINEERED FOR EVERYTHING YOU DO



MUDRUNNER BOOTS

- 1 - Full and half sizes for a true fit
- 2 - Waterproof rubber and neoprene to keep your feet dry and warm
- 3 - Carhartt Insole Technology footbeds feel like a custom orthotic in your boot




carhartt

ICONIC BOOTS FOR TIME-HONORED WORK



ORDER AND SALES CONTACT INFORMATION

CARHARTT FOOTWEAR ORDERING INFORMATION AND ALL CUSTOMER INQUIRES

Toll Free: 855-277-8944 / For Questions and Information: customerservice@bdboots.com
Toll Free Fax: 888-425-1760 / For Placing Orders: orders@bdboots.com

CARHARTT FOOTWEAR SALES CONTACT INFORMATION

NATIONAL SALES MANAGER

JAMES HOWE

Black Diamond Group
300 TradeCenter, Suite 5550
Woburn, MA 01801
e-mail: jhowe@bdboots.com
cell: 302-362-9246

VICE PRESIDENT OF NATIONAL ACCOUNTS

CJ SCOPE

Black Diamond Group
300 TradeCenter, Suite 5550
Woburn, MA 01801
e-mail: cjscope@bdboots.com
cell: 574-360-6721

NATIONAL ACCOUNTS MANAGER

KEVIN BARGER

Black Diamond Group
300 TradeCenter, Suite 5550
Woburn, MA 01801
e-mail: kbarger@bdboots.com
cell: 814-280-3084

SOUTH EAST TERRITORY MANAGER

STATES: GA, NC, SC, TN, VA

ADAM THOMAS

Black Diamond Group
300 TradeCenter, Suite 5550
Woburn, MA 01801
e-mail: athomas@bdboots.com
cell: 615-692-9413

GREAT LAKES TERRITORY MANAGER

STATES: IN, KY, MI, OH, WV, W.PA

SAM MEYERS

Black Diamond Group
300 TradeCenter, Suite 5550
Woburn, MA 01801
e-mail: smeyers@bdboots.com
cell: 614-593-9992

NORTH CENTRAL TERRITORY MANAGER

STATES: IA, N.IL, MN, ND, NE, WI

TANNER ROWE

Black Diamond Group
300 TradeCenter, Suite 5550
Woburn, MA 01801
e-mail: trowe@bdboots.com
cell: 920-461-0253

DIRECTOR, DIGITAL – ECOMMERCE

AMY CROCKER

Black Diamond Group
300 TradeCenter, Suite 5550
Woburn, MA 01801
e-mail: acrocker@bdboots.com
cell: 206-225-8773

SENIOR ACCOUNT PLANNER

KRISTEN PETERS

Black Diamond Group
300 TradeCenter, Suite 5550
Woburn, MA 01801
e-mail: kpeters@bdboots.com
cell: 314-775-5223

NORTH WEST TERRITORY MANAGER

STATES: AK, ID, MT, OR, WA

JEFF SCARLETT

Black Diamond Group
300 TradeCenter, Suite 5550
Woburn, MA 01801
e-mail: jscarlett@bdboots.com
cell: 253-209-2222

SOUTH CENTRAL TERRITORY MANAGER

STATES: AR, S.IL, KS, MO, OK

BETH EILERS

Black Diamond Group
300 TradeCenter, Suite 5550
Woburn, MA 01801
e-mail: beilers@bdboots.com
cell: 314-808-1176

BUSINESS DEVELOPMENT MANAGER

WILLIAM HARTSOUGH

Black Diamond Group
300 TradeCenter, Suite 5550
Woburn, MA 01801
e-mail: whartsough@bdboots.com
cell: 856-725-7587

MOUNTAIN STATES TERRITORY MANAGER

STATES: CO, NE, SD, UT, WY

KYLE SEDAR

Black Diamond Group
300 TradeCenter, Suite 5550
Woburn, MA 01801
e-mail: ksedar@bdboots.com
cell: 307-258-1175

DIRECTOR OF INDUSTRIAL SALES

JARROD BEARD

Black Diamond Group
300 TradeCenter, Suite 5550
Woburn, MA 01801
e-mail: jbeard@bdboots.com cell:
614-886-2504

NATIONAL ACCOUNTS MANAGER

LEE VIRCHOW

Black Diamond Group
300 TradeCenter, Suite 5550
Woburn, MA 01801
e-mail: lvirchow@bdboots.com cell:
515-402-1108

MID-ATLANTIC TERRITORY MANAGER DE, E.PA, MD, NJ

WILL HARTSOUGH

Black Diamond Group
300 TradeCenter, Suite 5550
Woburn, MA 01801
e-mail: whartsough@bdboots.com
cell: 856-725-7587

NORTH EAST TERRITORY MANAGER PETE WOODWARD

STATES: CT, MA, ME, NH, NY, RI, VT Black

Diamond Group
300 TradeCenter, Suite 5550
Woburn, MA 01801
e-mail: pwoodward@bdboots.com
cell: 781-258-5772

SOUTH WEST TERRITORY MANAGER

STATES: AZ, CA, HI, NM, NV

MIKE TOUSIGNANT

Black Diamond Group
300 TradeCenter, Suite 5550
Woburn, MA 01801
e-mail: mtousignant@bdboots.com
cell: 951-970-2249

GULF REGION TERRITORY MANAGER

STATES: FL, AL, MS, LA, TX, PR, US ISLANDS

MITCHELL MANN

Black Diamond Group
300 TradeCenter, Suite 5550
Woburn, MA 01801
e-mail: mmann@bdboots.com
cell: 803-381-7246