



Florsheim WORK

2023 OCCUPATIONAL CATALOG

MEN'S PREMIER WORK	4
MEN'S FLAIR WORK	6
MEN'S CONWAY WORK	7
MEN'S CROSSOVER WORK	8
MEN'S ADVENTURE & BAYSIDE	9
MEN'S LOEDIN	10
MEN'S CORONIS	11
MEN'S GRIDLEY	12
MEN'S CASUAL COMPOSITE TOE	13
MEN'S WORK BOOTS	14
MEN'S MET GUARD	15
WOMEN'S CASUAL COMPOSITE TOE	16
POP	17
GWP	18
INDEX & FEATURES	19

COMFORT AND STYLE WHEREVER WORK TAKES YOU

From the factory, to the office, to dinner with your family... Florsheim Work footwear is tough enough for the job site, and looks good enough that no one will guess that's where you came from. Plus, with the latest safety and comfort technology built into every one of our work boots and shoes, you'll be ready for anything.





NEW FS2330 PREMIER WORK

TOE	UPPER	COLOR	SIZE/WIDTH
Steel	Smooth Leather	Black	D 7-12, 13 & 14 EEE 7-12 & 13

SLIP	BETTER	TYPE	Casual Work Oxford
OIL	GOOD	LINING	Lycra Breathable Lining
METAL CHIPS	GOOD	INSOLE	Lightweight and Breathable Comfort Footbed
HEAT	GOOD	OUTSOLE	Durable and Cushioned EVA Outsole with Rubber Traction Pads on Heel and Toe
ABRASION	BEST	SPECIAL FEATURES	Comfortech Heel Strike Zone, Static Dissipative (SD 35)
CHEMICALS	BETTER		



NEW FS2332 PREMIER WORK

TOE	UPPER	COLOR	SIZE/WIDTH
Steel	Crazyhorse Leather	Navy	D 7-12, 13 & 14 EEE 7-12 & 13

SLIP	BETTER	TYPE	Casual Work Oxford
OIL	GOOD	LINING	Lycra Breathable Lining
METAL CHIPS	GOOD	INSOLE	Lightweight and Breathable Comfort Footbed
HEAT	GOOD	OUTSOLE	Durable and Cushioned EVA Outsole with Rubber Traction Pads on Heel and Toe
ABRASION	BEST	SPECIAL FEATURES	Comfortech Heel Strike Zone, Static Dissipative (SD 35)
CHEMICALS	BETTER		





NEW FS2334 PREMIER WORK

TOE	UPPER	COLOR	SIZE/WIDTH
Steel	Smooth Leather	Dark Cognac	D 7-12, 13 & 14 EEE 7-12 & 13
SLIP BETTER	TYPE Casual Work Chukka	LINING Lycra Breathable Lining	INSOLE Lightweight and Breathable Comfort Footbed
OIL GOOD	OUTSOLE Durable and Cushioned EVA Outsole with Rubber Traction Pads on Heel and Toe	SPECIAL FEATURES Comfortech Heel Strike Zone, Static Dissipative (SD 35)	
METAL CHIPS GOOD			
HEAT GOOD			
ABRASION BEST			
CHEMICALS BETTER			



NEW FS2335 PREMIER WORK

TOE	UPPER	COLOR	SIZE/WIDTH
Steel	Smooth Leather	Cognac	D 7-12, 13 & 14 EEE 7-12 & 13
SLIP BETTER	TYPE Casual Work Slip-On	LINING Lycra Breathable Lining	INSOLE Lightweight and breathable comfort footbed
OIL GOOD	OUTSOLE Durable and Cushioned EVA Outsole with Rubber Traction Pads on Heel and Toe	SPECIAL FEATURES Comfortech Heel Strike Zone, Static Dissipative (SD 35)	
METAL CHIPS GOOD			
HEAT GOOD			
ABRASION BEST			
CHEMICALS BETTER			





FS2623 FLAIR WORK

TOE	UPPER	COLOR	SIZE/WIDTH
Steel	Leather	Cognac	D 7-12, 13 & 14 EEE 7-12 & 13
SLIP BEST	TYPE Wingtip Work Oxford	LINING Pigskin Leather	
OIL GOOD	INSOLE Fully-cushioned Removable Comfortech Footbed with High Rebound Foam	OUTSOLE Durable and Cushioned EVA Outsole with Rubber Traction Pads on Heel and Toe	
METAL CHIPS GOOD	SPECIAL FEATURES SupaCush Midsole, Flexsole, Static Dissipative (SD35)		
HEAT GOOD			
ABRASION GOOD			
CHEMICALS BETTER			



FS2624 FLAIR WORK

TOE	UPPER	COLOR	SIZE/WIDTH
Steel	Leather	Black	D 7-12, 13 & 14 EEE 7-12 & 13
SLIP BEST	TYPE Wingtip Work Oxford	LINING Pigskin Leather	
OIL GOOD	INSOLE Fully-cushioned Removable Comfortech Footbed with High Rebound Foam	OUTSOLE Durable and Cushioned EVA Outsole with Rubber Traction Pads on Heel and Toe	
METAL CHIPS GOOD	SPECIAL FEATURES SupaCush Midsole, Flexsole, Static Dissipative (SD35)		
HEAT GOOD			
ABRASION GOOD			
CHEMICALS BETTER			





FS2762 CONWAY WORK

TOE	UPPER	COLOR	SIZE/WIDTH
Composite	Knit	Black and Brown	D 7-12, 13 & 14 EEE 7-12 & 13
SLIP BEST	TYPE Casual Work Shoe	LINING Lycra Breathable Lining	INSOLE Comfort Gel Insert
OIL GOOD	OUTSOLE SupaCush EVA Midsole with Slip Resistant Rubber Bottom	SPECIAL FEATURES SupaCush Midsole, Static Dissipative (SD35)	
METAL CHIPS GOOD			
HEAT GOOD			
ABRASION GOOD			
CHEMICALS GOOD			



ASTM F2413 COMP TOE  SR ASTM F3445



FS2630 CROSSOVER WORK

TOE	UPPER	COLOR	SIZE/WIDTH
Steel	Nubuck Leather	Black	D 7-12, 13 & 14 EEE 7-12 & 13
SLIP BEST		TYPE Casual Work Three Quarter	
OIL BEST		LINING Moisture Wicking Nylon Mesh	
METAL CHIPS GOOD		INSOLE Comfortech Footbed with Rebound Foam	
HEAT GOOD		OUTSOLE EVA Midsole with Rubber Outsole	
ABRASION GOOD		SPECIAL FEATURES Comfortech with Rebound Foam, Static Dissipative (SD 35)	
CHEMICALS BETTER			



FS2650 CROSSOVER WORK

TOE	UPPER	COLOR	SIZE/WIDTH
Steel	Smooth Leather	Cognac	D 7-12, 13 & 14 EEE 7-12 & 13
SLIP BEST		TYPE Work Low Cut Oxford	
OIL BEST		LINING Moisture Wicking Nylon Mesh	
METAL CHIPS GOOD		INSOLE Comfortech Footbed with Rebound Foam	
HEAT GOOD		OUTSOLE EVA Midsole with Rubber Outsole	
ABRASION GOOD		SPECIAL FEATURES Comfortech with Rebound Foam, Static Dissipative (SD 35)	
CHEMICALS BETTER			



FS2472 ADVENTURE

TOE	UPPER	COLOR	SIZE/WIDTH
Steel	Knit	Black	D 7-12, 13 & 14 EEE 7-12 & 13
SLIP BEST	TYPE Casual Work Oxford	LINING Moisture Wicking Nylon Mesh	
OIL BEST	INSOLE Comfortech Removable Footbed with Rebound Foam	OUTSOLE Slip Resistant Rubber Wedge Outsole	
METAL CHIPS GOOD	SPECIAL FEATURES Static Dissipative (SD 35), No Exposed Metal on Upper, Comfortech with Rebound Foam		
HEAT GOOD			
ABRASION BEST			
CHEMICALS BETTER			



FS2473 ADVENTURE

TOE	UPPER	COLOR	SIZE/WIDTH
Steel	Knit	Mushroom	D 7-12, 13 & 14 EEE 7-12 & 13
SLIP BEST	TYPE Casual Work Oxford	LINING Moisture Wicking Nylon Mesh	
OIL BEST	INSOLE Comfortech Removable Footbed with Rebound Foam	OUTSOLE Slip Resistant Rubber Wedge Outsole	
METAL CHIPS GOOD	SPECIAL FEATURES Static Dissipative (SD 35), No Exposed Metal on Upper, Comfortech with Rebound Foam		
HEAT GOOD			
ABRASION BEST			
CHEMICALS BETTER			



FS2326 BAYSIDE

TOE	UPPER	COLOR	SIZE/WIDTH
Steel	Full Grain Leather	Brown	D 7-12, 13, 14, 15 & 16 EEE 7-12, 13, 14 & 15
SLIP BEST	TYPE Three Eye Tie Boat Shoe	LINING Micro Fiber Suede	
OIL GOOD	INSOLE Full Length Memory Foam Sewn In Footbed	OUTSOLE Lightweight EVA Cushioned Midsole with Slip Resistant Rubber Outsole	
METAL CHIPS GOOD	SPECIAL FEATURES Static Dissipative (SD35)		
HEAT GOOD			
ABRASION BETTER			
CHEMICALS GOOD			



FS2325 BAYSIDE

TOE	UPPER	COLOR	SIZE/WIDTH
Steel	Smooth Leather	Cognac	D 7-12, 13, 14, 15 & 16 EEE 7-12, 13, 14 & 15
SLIP BEST	TYPE Slip-On Boat Shoe	LINING Micro Fiber Suede	
OIL GOOD	INSOLE Full Length Memory Foam Sewn In Footbed	OUTSOLE Lightweight EVA Cushioned Midsole with Slip Resistant Rubber Outsole	
METAL CHIPS GOOD	SPECIAL FEATURES No Exposed Metal on Upper, Static Dissipative (SD35)		
HEAT GOOD			
ABRASION BETTER			
CHEMICALS GOOD			



FE2020 LOEDIN

TOE	UPPER	COLOR	SIZE/WIDTH
Steel	Tumbled Full Grain Leather	Black	D 8-12, 13 & 14 EEE 8-12, 13 & 14
SLIP BEST	TYPE Slip-On Oxford	LINING Micro Fiber Suede	
OIL GOOD	INSOLE Comfort Gel Footbed with Full Length EVA Core	OUTSOLE KORE Dual Density Outsole with EVA Cushion Midsole, Slip Resistant Rubber Heel, and Forefoot Outsole Pads	
METAL CHIPS GOOD	SPECIAL FEATURES No Exposed Metal on Upper		
HEAT GOOD			
ABRASION BETTER			
CHEMICALS GOOD			



FS2023 LOEDIN

TOE	UPPER	COLOR	SIZE/WIDTH
Steel	Full Grain Leather	Brown	D 8-12, 13 & 14 EEE 8-12, 13 & 14
SLIP BEST	TYPE Wing Tip Lace Up	LINING Micro Fiber Suede	
OIL GOOD	INSOLE Comfort Gel Footbed with Full Length EVA Core	OUTSOLE KORE Dual Density Outsole with EVA Cushion Midsole, Slip Resistant Rubber Heel, and Forefoot Outsole Pads	
METAL CHIPS GOOD	SPECIAL FEATURES No Exposed Metal on Upper, Static Dissipative (SD35)		
HEAT GOOD			
ABRASION BETTER			
CHEMICALS GOOD			



FS2030 LOEDIN

TOE	UPPER	COLOR	SIZE/WIDTH
Steel	Tumbled Full Grain Leather	Black	D 8-12, 13 & 14 EEE 8-12, 13 & 14
SLIP BEST	TYPE Twin Gore Boot	LINING Micro Fiber Suede	
OIL GOOD	INSOLE Comfort Gel Footbed with Full Length EVA Core	OUTSOLE KORE Dual Density Outsole with EVA Cushion Midsole, Slip Resistant Rubber Heel, and Forefoot Outsole Pads	
METAL CHIPS GOOD	SPECIAL FEATURES No Exposed Metal on Upper, Static Dissipative (SD35)		
HEAT GOOD			
ABRASION BETTER			
CHEMICALS GOOD			



FS2031 LOEDIN

TOE	UPPER	COLOR	SIZE/WIDTH
Steel	Tumbled Full Grain Leather	Brown	D 8-12, 13 & 14 EEE 8-12, 13 & 14
SLIP BEST	TYPE Twin Gore Boot	LINING Micro Fiber Suede	
OIL GOOD	INSOLE Comfort Gel Footbed with Full Length EVA Core	OUTSOLE KORE Dual Density Outsole with EVA Cushion Midsole, Slip Resistant Rubber Heel, and Forefoot Outsole Pads	
METAL CHIPS GOOD	SPECIAL FEATURES No Exposed Metal on Upper, Static Dissipative (SD35)		
HEAT GOOD			
ABRASION BETTER			
CHEMICALS GOOD			



FS2000 CORONIS

TOE	UPPER	COLOR	SIZE/WIDTH
Steel	Full Grain Leather	Black	D 7-12, 13 & 14 EEE 7-12 & 13

SLIP BEST	TYPE Dress Lace Oxford
OIL BEST	LINING Micro Fiber Suede
METAL CHIPS GOOD	INSOLE Comfort Gel Footbed with Full Length EVA Core
HEAT GOOD	OUTSOLE Dual Density, Rubber Slip Resistant Outsole with EVA Cushion Midsole
ABRASION BETTER	SPECIAL FEATURES No Exposed Metal On Upper, Static Dissipative (SD 35)
CHEMICALS BEST	



FS2001 CORONIS

TOE	UPPER	COLOR	SIZE/WIDTH
Steel	Full Grain Leather	Brown	D 7-12, 13 & 14 EEE 7-12 & 13

SLIP BEST	TYPE Dress Lace Oxford
OIL BEST	LINING Micro Fiber Suede
METAL CHIPS GOOD	INSOLE Comfort Gel Footbed with Full Length EVA Core
HEAT GOOD	OUTSOLE Dual Density, Rubber Slip Resistant Outsole with EVA Cushion Midsole
ABRASION BETTER	SPECIAL FEATURES No Exposed Metal on Upper, Static Dissipative (SD35)
CHEMICALS BEST	



FS2005 CORONIS

TOE	UPPER	COLOR	SIZE/WIDTH
Steel	Full Grain Leather	Black	D 7-12, 13 & 14 EEE 7-12 & 13

SLIP BEST	TYPE Dress Slip-On Oxford
OIL BEST	LINING Micro Fiber Suede
METAL CHIPS GOOD	INSOLE Comfort Gel Footbed with Full Length EVA Core
HEAT GOOD	OUTSOLE Dual Density, Rubber Slip Resistant Outsole with EVA Cushion Midsole
ABRASION BETTER	SPECIAL FEATURES No Exposed Metal on Upper, Static Dissipative (SD35)
CHEMICALS BEST	



FS2006 CORONIS

TOE	UPPER	COLOR	SIZE/WIDTH
Steel	Full Grain Leather	Brown	D 7-12, 13 & 14 EEE: 7-12 & 13

SLIP BEST	TYPE Dress Slip-On Oxford
OIL BEST	LINING Micro Fiber Suede
METAL CHIPS GOOD	INSOLE Comfort Gel Footbed with Full Length EVA Core
HEAT GOOD	OUTSOLE Dual Density; Rubber Slip Resistant Outsole with EVA Cushion Midsole
ABRASION BETTER	SPECIAL FEATURES No Exposed Metal on Upper, Static Dissipative (SD35)
CHEMICALS BEST	





FS2600 GRIDLEY

TOE	UPPER	COLOR	SIZE/WIDTH
Steel	Full Grain Leather	Brown	D 7-12, 13 & 14 EEE 7-12 & 13
SLIP BEST	TYPE Urban Casual Oxford	LINING Micro Fiber Suede	
OIL BEST	INSOLE Removable EVA Cushion Insert with Comfort Gel Heel Pad	OUTSOLE Two Tone Rubber Slip Resistant Outsole	
METAL CHIPS GOOD	SPECIAL FEATURES Static Dissipative (SD35)		
HEAT GOOD			
ABRASION BEST			
CHEMICALS BETTER			



FS2400 COMPADRE

TOE	UPPER	COLOR	SIZE/WIDTH
Composite	Full Grain Leather	Brown	D 6-11, 12, 13 & 14 EEE 6-11, 12, 13 & 14

SLIP BEST	TYPE Eurocasual Moc Toe Oxford
OIL BEST	LINING Moisture Wicking Nylon Mesh
METAL CHIPS GOOD	INSOLE Removable Foot Force® F2A Dual Density PU Cushion Insert
HEAT GOOD	OUTSOLE Single Density Polyurethane Cushion Midsole and Rubber Slip Resistant Bottom
ABRASION BEST	SPECIAL FEATURES 100% Non-Metallic, Extreme Flexibility, Static Dissipative (SD 35) Extra Wide Toe
CHEMICALS BEST	

ASTM F2413 COMP TOE XTR COMPOSITE SD 35 SR ASTM F3445 METAL FREE F2A



FS2430 POLARIS

TOE	UPPER	COLOR	SIZE/WIDTH
Composite	Full Grain Leather	Copper	D 6-12, 13 & 14 EEE 6-12, 13 & 14

SLIP BEST	TYPE Slip Resistant Supreme Canoe Moc Toe Eurocasual Oxford
OIL BEST	LINING Moisture Wicking Nylon Mesh
METAL CHIPS GOOD	INSOLE Removable Foot Force® F2A Dual Density PU Cushion Insert
HEAT GOOD	OUTSOLE Polyurethane Midsole with Slip Resistant Rubber and Heel Airbag
ABRASION BEST	SPECIAL FEATURES 100% Non-Metallic, Heel Airbag, Extra Wide Toe, Static Dissipative (SD 35)
CHEMICALS BEST	

ASTM F2413 COMP TOE XTR COMPOSITE SD 35 SR ASTM F3445 METAL FREE F2A



FS2700 RAMBLER CREEK

TOE	UPPER	COLOR	SIZE/WIDTH
Composite	Tumbled Full Grain Leather	Brown	D 6-12, 13 & 14 EEE 6-12, 13 & 14

SLIP BETTER	TYPE Casual Moc Toe Oxford
OIL BEST	LINING Moisture Wicking Nylon Mesh
METAL CHIPS GOOD	INSOLE Removable Foot Force® F2A Dual Density PU Cushion Insert
HEAT GOOD	OUTSOLE Polyurethane Cushion Midsole and Rubber Bottom
ABRASION BEST	SPECIAL FEATURES 100% Non-Metallic, Extra Wide Toe, Static Dissipative (SD 35)
CHEMICALS BEST	

ASTM F2413 COMP TOE XTR COMPOSITE SD 35 SR ASTM F3445 METAL FREE F2A





FE665 UTILITY

TOE	UPPER	COLOR	SIZE/WIDTH
Steel	Tumbled Full Grain Leather	Black Walnut	D 6-12, 13, 14, 15 & 16 E 7.5-12, 13, 14, 15 & 16 EEE 7-12, 13, 14, 15 & 16
SLIP BEST		TYPE Plain Toe 6" Classic Boot	
OIL BEST		LINING Drilex®	
METAL CHIPS BETTER		INSOLE Removable Foot Force® F2 Dual Density PU Footbed with TPU Heel Stabilizer and Poron® Cushioning	
HEAT BETTER		OUTSOLE Florsheim® Dual Density Polyurethane	
ABRASION BEST		SPECIAL FEATURES Poron® and Memory Foam Footbed, Flor-Flex Welt Construction, Electrical Hazard Protection	
CHEMICALS BETTER			



ASTM F2413   

FE675 UTILITY

TOE	UPPER	COLOR	SIZE/WIDTH
Steel	Tumbled Full Grain Leather	Black	D 6-12, 13, 14, 15 & 16 E 7-12 & 13 EEE 7-12 & 13
SLIP BEST		TYPE Plain Toe 6" Classic Boot	
OIL BEST		LINING Drilex®	
METAL CHIPS BETTER		INSOLE Removable Foot Force® F2 Dual Density PU Footbed with TPU Heel Stabilizer and Poron® Cushioning	
HEAT BETTER		OUTSOLE Florsheim® Dual Density Polyurethane	
ABRASION BEST		SPECIAL FEATURES Poron® and Memory Foam Footbed, Flor-Flex Welt Construction, Electrical Hazard Protection	
CHEMICALS BETTER			



ASTM F2413   



FS240 COMPADRE

TOE	UPPER	COLOR	SIZE/WIDTH
Composite	Full Grain Leather	Dark Brown	D 5-11 EEE 5-11
SLIP BEST		TYPE Eurocasual Moc Toe Oxford	
OIL BEST		LINING Moisture Wicking Nylon Mesh	
METAL CHIPS GOOD		INSOLE Removable Foot Force® F2A Dual Density Polyurethane Cushion Insert	
HEAT GOOD		OUTSOLE Polyurethane Cushion Midsole and Slip Resistant Rubber Bottom	
ABRASION BEST		SPECIAL FEATURES 100% Non-Metallic, Extreme Flexibility, Static Dissipative (SD 35), Extra Wide Toe	
CHEMICALS BEST			



ASTM F2413 XTR COMP TOE SD 35 SR ASTM F3445 METAL FREE F2A

FS243 POLARIS

TOE	UPPER	COLOR	SIZE/WIDTH
Composite	Full Grain Leather	Copper	D 5-13 EEE 5-13
SLIP BEST		TYPE Slip Resistant Supreme Canoe Moc Toe Eurocasual Oxford	
OIL BEST		LINING Moisture Wicking Nylon Mesh	
METAL CHIPS GOOD		INSOLE Removable Foot Force® F2A Dual Density Polyurethane Cushion Insert	
HEAT GOOD		OUTSOLE Polyurethane Midsole with Slip Resistant Rubber Bottom and Heel Airbag	
ABRASION BEST		SPECIAL FEATURES 100% Non-Metallic, Heel Airbag, Static Dissipative (SD 35), Extra Wide Toe	
CHEMICALS BEST			



ASTM F2413 XTR COMP TOE SD 35 SR ASTM F3445 METAL FREE F2A

SLATWALL ITEMS



Styrene Slatwall Shelf Backer
 Dimensions:
 Designed to fit retail space



Slatwall Shelf
 PFGSW
 Dimensions: 2" x 10"



Steel Slatwall Header
 FLHEADER
 Dimensions: 24" X 9.75" X 1.13"




Carpet Logo Mat
 PFRUG

Dimensions: 3' x 4'

IN-STORE GRAPHICS

Posters, Window Clings and Perfs

Custom sizing available. Please visit <https://rb.gy/jhh5kn> to browse all Florsheim graphics available for digital and in-store support.





PEN
FLPEN



TUMBLER
FLTBLR



NOTEPAD
FLPAD



INDEX

FEATURES & BENEFITS

MEN'S SHOES	PAGE	COMP TOE	STEEL	XTR COMPOSITE	SD 35	EH	MET GUARD	WVP	SR ASTM F3445	METAL FREE	F2	F2A
FE665	14		◇				◇				◇	
FE675	14		◇				◇				◇	
FE690	15		◇				◇	◇				◇
FS2000	11		◇		◇				◇			
FS2001	11		◇		◇				◇			
FS2005	11		◇		◇				◇			
FS2006	11		◇		◇				◇			
FE2020	10		◇				◇		◇			
FS2023	10		◇		◇				◇			
FS2030	10		◇		◇				◇			
FS2031	10		◇		◇				◇			
FS2325	9		◇		◇				◇			
FS2326	9		◇		◇				◇			
NEW FS2330	4		◇		◇				◇			
NEW FS2332	4		◇		◇				◇			
NEW FS2334	5		◇		◇				◇			
NEW FS2335	5		◇		◇				◇			
FS2400	13	◇		◇	◇				◇	◇		◇
FS2430	13	◇		◇	◇				◇	◇		◇
FS2472	9		◇		◇				◇			
FS2473	9		◇		◇				◇			
FS2600	12		◇		◇				◇			
FS2623	6		◇		◇				◇			
FS2624	6		◇		◇				◇			
FS2630	8		◇		◇				◇			
FS2650	8		◇		◇				◇			
FS2700	13	◇		◇	◇				◇	◇		◇
FS2762	7	◇			◇				◇			

WOMEN'S SHOES	PAGE	COMP TOE	STEEL	XTR COMPOSITE	SD 35	EH	MET GUARD	WVP	SR ASTM F3445	METAL FREE	F2	F2A
FS240	16	◇		◇	◇				◇	◇		◇
FS243	16	◇		◇	◇				◇	◇		◇

RATINGS KEY

SLIP RATING

Indicates passage of ASTM F3445 standard, which tests the outsole on dry/wet quarry tile.

METAL CHIPS

Indicates the shoe's protection of the bottom of the foot from penetration by metal chips.

ABRASION

Indicates outsole durability and ability to continue to protect over time and against tough terrain.

OIL RATING

Indicates slip resistance of outsole in the presence of oily conditions, specifically kitchen environments.

HEAT

Indicates heat resistance of the outsole to a hot contact, showcasing resistance against outsole melting and deformation.

CHEMICALS

Indicates outsole durability and indicates whole shoe durability and cleanability against a variety of common industrial chemicals.



ASTM F2413

The official standard for safety toe protective footwear in the United States.



COMPOSITE TOE

A non-metallic rigid polymer protective toe cap, which is light weight and will not conduct heat, cold or electricity. Meets or exceeds the ASTM F2413 standard for protective footwear.



STEEL TOE

Non-corrosive protective toe cap. Meets or exceeds the ASTM F2413 standard for protective footwear.



METATARSAL GUARD

A reinforced layer in the metatarsal portion of the footwear that protects the metatarsal bones by deflecting falling objects and absorbing impact energy. Traditionally used in areas where there is a higher risk of objects falling or rolling onto the metatarsal area of the worker's foot. Meets or exceeds the ASTM F2413 standard for metatarsal protective footwear.



THE FOOT FORCE® F2 INSOLE

A soft molded dual density polyurethane removable insole that cushions and cradles your foot, provides additional shock absorbing polyurethane ball and heel pads and a moisture absorbing fabric covering with a TPU heel stabilizer.



THE FOOT FORCE® F2A ATHLETIC INSOLE

A soft molded dual density polyurethane removable insole that cushions and cradles your foot, provides additional shock absorbing polyurethane ball and heel pads and a moisture absorbing fabric covering.



XTR® BRAND COMPOSITE TOE CAP

The XTR® Brand composite toe cap provides extra toe room and comfort. The XTR® composite toe cap is lightweight and will not conduct heat, cold or electricity. The XTR® Brand composite toe cap meets or exceeds the ASTM F2413 standard for protective footwear.



STATIC DISSIPATING

SD footwear allows static electricity to transfer from the wearer to the walking surface, thereby protecting equipment such as sensitive electronic devices from static electric discharge which could damage the equipment.



ELECTRICAL HAZARD SAFETY FOOTWEAR

EH footwear provides a source of protection to the wearer from electrical shock in environments where the wearer may accidentally step on a live wire or charged electrical equipment.



WATERPROOF

A combination of water-resistant materials and construction which helps protect the foot from getting wet in environments where excess water is present.



SLIP RESISTANT

Soles designed to provide a high coefficient of friction with the walking surface to improve slip resistance. Meets F3445 Standard.



METAL FREE

Footwear that contains zero metal. 100% metal free. It is ideal for jobs that require working around sensitive metal detectors.

Florsheim WORK



[FLORSHEIMWORK.COM](https://florsheimwork.com)